

- Manuals.plus /
- › 1Zpresso /
- › 1Zpresso JX-Pro Manual Coffee Grinder Instruction Manual

1Zpresso 3BF011-4

1Zpresso JX-Pro Manual Coffee Grinder Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the safe and efficient use of your 1Zpresso JX-Pro Manual Coffee Grinder. Please read through this guide carefully before operating the device to ensure optimal performance and longevity.

PRODUCT OVERVIEW AND COMPONENTS

The 1Zpresso JX-Pro is a high-precision manual coffee grinder designed for various brewing methods, from espresso to French press. It features a durable 48mm conical burr and a fine adjustment dial for precise grind control.



Figure 1: 1Zpresso JX-Pro Manual Coffee Grinder with included cleaning brush.



Figure 2: Top view of the grinder, highlighting the grind adjustment dial for precise control.



Figure 3: All major components of the 1Zpresso JX-Pro disassembled for cleaning and inspection.

Key Features:

- **Fine Adjustment Dial:** Over 200 click settings, with each click shifting by 12.5 microns, allowing for precise control over particle size.
- **Durable 48mm Conical Burr:** Stainless steel burr for efficient and consistent grinding, fixed internally to prevent wobbling.
- **Easy to Clean:** Designed for tool-free disassembly for thorough cleaning without requiring recalibration.
- **Robust Construction:** Made with high-quality materials including aluminum, stainless steel, and wood for longevity.

Your 1Zpresso JX-Pro grinder comes pre-calibrated and assembled. Before first use, it is recommended to clean the grinder to remove any manufacturing residues.

Initial Cleaning:

1. Unscrew the catch cup from the bottom of the grinder.
2. Remove the top crank handle and the top cap.
3. Carefully disassemble the internal burr set by unscrewing the adjustment dial.
4. Use the included brush to clean all components, especially the burrs, to remove any dust or debris. Avoid using water on the burrs.
5. Reassemble the grinder, ensuring all parts are securely in place.

Adjusting Grind Settings:

The JX-Pro features an external adjustment ring. To change the grind size:

1. Hold the grinder firmly.
2. Rotate the adjustment dial located on the top of the grinder. Turning clockwise results in a finer grind, while turning counter-clockwise results in a coarser grind.
3. Each click represents a 12.5 micron change in grind size. There are 40 clicks per full rotation, offering over 200 settings.
4. Refer to the grind setting reference chart (often provided by 1Zpresso or found online) for recommended starting points for different brewing methods.

Your browser does not support the video tag.

Video 1: A comprehensive review of the 1Zpresso JX-Pro, demonstrating its features, assembly, and grind adjustment capabilities. This video provides visual guidance on setting up and understanding your grinder.

OPERATING INSTRUCTIONS

Follow these steps to grind your coffee beans:

Grinding Process:

1. **Prepare Beans:** Measure the desired amount of whole coffee beans. The JX-Pro has a capacity of approximately 35g (depending on bean type).
2. **Load Beans:** Remove the top cap and pour the measured beans into the hopper. Replace the top cap and attach the crank handle.
3. **Set Grind Size:** Adjust the grind setting according to your preferred brewing method (refer to the "Adjusting Grind Settings" section).
4. **Grind Coffee:** Hold the grinder body firmly with one hand and rotate the crank handle clockwise with the other. Continue grinding until all beans have passed through the burrs and into the catch cup.
5. **Collect Grounds:** Unscrew the catch cup from the bottom of the grinder to access your freshly ground coffee.

Grind Setting Reference (General Guidelines):

- **Turkish:** Very fine (e.g., 0-1 rotation, 0-8 clicks)
- **Espresso:** Fine (e.g., 1-2 rotations, 8-16 clicks)
- **AeroPress/Moka Pot/Drip Coffee Maker:** Medium (e.g., 2-3 rotations, 16-28 clicks)
- **Siphon/Pour Over:** Medium-Coarse (e.g., 3-4 rotations, 28-40 clicks)
- **French Press:** Coarse (e.g., 4-5 rotations, 40-48 clicks)

Note: These are general guidelines. Optimal settings may vary based on coffee bean type, roast level, and personal preference. Experiment to find your "sweet spot."

Your browser does not support the video tag.

Video 2: A mini-review of the 1Zpresso JX-Pro, demonstrating the grinding process and discussing its efficiency and grind quality for various coffee preparations.

MAINTENANCE

Regular cleaning ensures consistent performance and extends the lifespan of your grinder.

Cleaning Procedure:

1. Disassemble the grinder completely (refer to Figure 3 in Product Overview).
2. Use the provided cleaning brush to remove all coffee grounds from the burrs, shaft, and internal components.
3. For stubborn oils or residue, a dry cloth can be used. Do NOT wash the burrs or metal components with water, as this can lead to rust and damage.
4. Wipe down the exterior of the grinder with a damp cloth if necessary, then dry thoroughly.
5. Reassemble the grinder. Due to its design, recalibration is generally not needed after cleaning.

TROUBLESHOOTING

- **Grinder feels stiff or difficult to turn:**
 - Check for large foreign objects (e.g., small stones) among the coffee beans.
 - Ensure the grind setting is not too fine for the beans being used, which can cause excessive resistance.
 - Clean the burrs thoroughly, as accumulated coffee oils and fines can cause stiffness.
- **Inconsistent grind size:**
 - Verify that all components are assembled correctly and securely tightened.
 - Ensure the adjustment dial is not loose or shifting during grinding.
 - Clean the burrs to remove any blockages that might affect consistency.
- **Beans not feeding into burrs:**
 - Check if the hopper is overloaded.
 - Ensure the beans are not excessively oily, which can cause them to stick.

SPECIFICATIONS

Attribute	Value
Brand	1Zpresso
Model	JX-Pro
Model Number	3BF011-4
Material	Aluminum, Stainless-steel, Wood, Polycarbonate, Rubber
Item Weight	778 Grams
Dimensions (L x W x H)	7.48"L x 2.48"W x 7.09"H

Powder Capacity	35g (according to beans type)
Grind Adjustment	40 clicks per full rotation, 12.5 microns per click (over 200 settings)

WARRANTY AND SUPPORT

The 1Zpresso JX-Pro Manual Coffee Grinder includes a one-year limited warranty. The burr was calibrated and fixed in place by the 1Zpresso team, ensuring no wobbly parts or burrs that come loose as time goes on. Estimated grind life is approximately 100-200KG with general use.

For customer support or warranty claims, please contact 1Zpresso directly through their official channels or the retailer where the product was purchased. You will receive 100% customer support.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Email

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Details

Submit question

Open the live page

<https://manuals.plus/asin/B07YNDX5HW>

More documents and user manuals: <https://manuals.plus/>