#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- Hemudu /
- > Hemudu HT3001BP Universal Swivel TV Stand Instruction Manual

#### Hemudu HT3001BP

# Hemudu HT3001BP Universal Swivel TV Stand Instruction Manual

Model: HT3001BP | Brand: Hemudu

### 1. Introduction

This instruction manual provides detailed guidance for the assembly, operation, and maintenance of your Hemudu HT3001BP Universal Swivel TV Stand. Please read this manual thoroughly before installation and use to ensure safe and correct operation. Keep this manual for future reference.





Image 1: Hemudu HT3001BP TV Stand with a television mounted, showcasing its modern design and three shelves.

### 2. SAFETY INFORMATION

WARNING: Failure to read and follow all instructions may result in personal injury or damage to the product.

- Do not exceed the maximum weight capacity of 45 kg (99 lbs) for the TV or 10 kg (22 lbs) per shelf.
- Ensure the TV stand is placed on a stable, level surface to prevent tipping.
- Verify that your TV's VESA mounting pattern is compatible with the stand (75x75mm, 100x100mm, 200x100mm, 200x200mm).
- Keep children and pets away during assembly. Small parts may be a choking hazard.
- Tighten all screws firmly, but do not overtighten.
- Periodically check all connections to ensure they remain secure.

#### 3. PACKAGE CONTENTS

Before assembly, ensure all parts listed below are present and undamaged. If any parts are missing or damaged, do not proceed with assembly and contact customer support.

- Base (Tempered Glass)
- Main Support Column
- TV Mounting Bracket
- Shelves (x3)
- Mounting Hardware (various screws, washers, spacers for TV)
- Assembly Hardware (bolts, nuts, tools for stand assembly)
- Cable Management Clips
- Rubber Gaskets/Feet




Image 2: Detailed view of VESA mounting patterns, included screws, and key dimensions of the TV stand.

# 4. ASSEMBLY INSTRUCTIONS

- 1. **Step 1: Assemble the Base.** Attach the main support column to the tempered glass base using the provided bolts and tools. Ensure the column is securely fastened and aligned.
- 2. Step 2: Install Shelves. Slide the three shelves onto the main support column at your desired heights.

Secure them in place using the designated fasteners. The shelves are designed for heat dissipation.

3. **Step 3: Attach TV Bracket to TV.** Identify the correct VESA mounting screws and spacers for your television. Attach the TV mounting bracket to the back of your TV. Refer to Image 3 for VESA pattern compatibility.




Image 3: Guide for checking TV VESA pattern compatibility and included mounting hardware.

- 4. **Step 4: Mount TV to Stand.** Carefully lift the TV with the attached bracket and hook it onto the main support column's TV mount. Secure the TV using the safety lock mechanism.
- 5. **Step 5: Cable Management.** Use the integrated cable management clips on the main column to organize and conceal TV and media device cables for a tidy appearance. Refer to Image 4 for details on cable management and other features.




Image 4: Close-up views of the 10mm tempered glass base, cable management clips, rubber gaskets, and screw storage feature.

# 5. OPERATING INSTRUCTIONS

The Hemudu HT3001BP TV stand offers several adjustment features for optimal viewing.

# 5.1 Height Adjustment

The TV mount features 16 levels of height adjustment, providing an approximate 7.9-inch adjustment range. To

adjust the height, loosen the securing bolts on the main column, slide the TV mount to the desired height, and retighten the bolts firmly. Ensure the TV is stable after adjustment.



Image 5: Illustration of the 16-level height adjustment mechanism for the TV mount.

#### **5.2 Swivel Function**

The TV mount allows for a total swivel range of 100 degrees (-50 to +50 degrees). Gently rotate the TV to achieve




Image 6: Diagram illustrating the 100-degree swivel range of the TV stand.

#### 5.3 Tilt Function

The TV mount can be tilted from -15 degrees to +10 degrees. To adjust the tilt, loosen the tilt adjustment knobs on the TV bracket, set the TV to the desired angle, and re-tighten the knobs to secure it.



Image 7: Image demonstrating the tilt adjustment feature of the TV stand, ranging from -15 to +10 degrees.

# 6. MAINTENANCE

- Cleaning: Use a soft, dry cloth to clean the stand. For glass surfaces, a mild glass cleaner can be used. Avoid abrasive cleaners or solvents.
- Periodic Checks: Regularly inspect all bolts and connections to ensure they are tight and secure. Re-tighten

if necessary.

• Cable Management: Ensure cables are neatly routed and not pinched or strained.

### 7. TROUBLESHOOTING

- TV is not level: Check that the main support column is securely attached to the base and that the TV mounting bracket is level before attaching the TV. Adjust the height of the TV mount if necessary.
- Stand feels unstable: Ensure all assembly bolts are fully tightened. Verify the stand is on a flat, stable surface. Do not exceed the maximum weight capacity.
- TV does not fit the mount: Confirm your TV's VESA pattern matches the stand's compatibility (75x75mm, 100x100mm, 200x100mm, 200x200mm). Ensure you are using the correct screws and spacers for your TV model.
- **Difficulty with adjustments:** Check for any obstructions. Ensure all locking mechanisms or knobs are loosened before attempting to adjust, and re-tighten them afterward.

### 8. SPECIFICATIONS

Feature	Specification
Model Number	HT3001BP
Brand	Hemudu
Compatible TV Sizes	19 to 42 inches
Maximum TV Weight Capacity	45 kg (99 lbs)
VESA Compatibility	75x75mm, 100x100mm, 200x100mm, 200x200mm
Swivel Range	±50 degrees (100 degrees total)
Tilt Range	-15 to +10 degrees
Height Adjustment	16 levels, approx. 7.9 inches range
Number of Shelves	3
Maximum Shelf Weight Capacity	10 kg (22 lbs) per shelf
Base Material	10mm Tempered Glass
Column Material	Steel
Color	Black




Image 8: Image highlighting safety lock, cable management, and non-slip rubber feet.

#### 9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your purchase or contact Hemudu customer support directly. Support contact details are typically available on the manufacturer's official website or product packaging.

#### Related Documents - HT3001BP



#### Hemudu HT1001B TV Stand with Mount: Assembly and Safety Guide

Comprehensive guide for assembling the Hemudu HT1001B TV Stand with Mount. Includes safety warnings, parts list, and step-by-step instructions for installation and use.



#### Hemudu HT1001B TV Stand with Mount: Assembly and Safety Guide

Comprehensive guide for assembling the Hemudu HT1001B TV Stand with Mount. Includes safety warnings, parts list, and step-by-step instructions for installation and use.

Documents - Hemudu - HT3001BP



HT3001BP HT3001BP stojak pod telewizor, z uchwytem, z regulacją wysokości, do ekranów LED LCD o przekątnej ekranu 19 do 42 cali, 3 regały czarne

Cena: 310.26 zł

#### Opis

HT3001BP HT3001BP stojak pod telewizor, z uchwytem, z regulacją wysokości, do ekranów LED LCD o przekątnej ekranu 19 do 42 cali, 3 regały czarne

Funicipantly stigik pod slivitorz z uchwyleni i regalemi czennymi, deshry do strande LED.CCD o praktymi 12 do go. cal. 28-shopinon regulacji, wysodości o doroże na do 50 orożeni zapewniajny o przymate ustwienie. Wytorzenia statkowa konstatują z hartowanym sobiem i funiciją odprowadzania ciepta. Doskonale rozwiązanie do organizacji kabli i wygodnegorożendornia televia.

Stablny stojak na telenizor marki Heartmao zapovniający nowocei sny vogląd i solidne separcie dla urządzeń audie wdeo. Możliwość szylkiego monista w ciągu 15 minus. Obracelny o 100 stopni z funkcją nachylenia od -15° do +30° leladny ith siatow mnto wiele marki. plastnice producenate nachoni. 45 kp. o

Unikalny stojak pod televicor Hernudu to doslo nele rozwiązanie, które maksymalizuje wrażenia z oglądania telewicji, konieczności wiencenia otworów, umożówia swebodne ustawienie telewizona w dowolnym miejscu. Przyjazny dla

- Kompatybliność: nadaje się do telewizorów plazmowych LCD LED o przekajnej 19" 42" ze wzorem śrub VESA 100 łuże: 1 x 100 łuże; 1 mm do 400 łuże; 1 x 400 łuże; 1 mm
- wysokości, aby wybrać najlepsze miejsce. Ponadto uchwyt obrożowy może wybrać najlepszy wyświedacz do ogł telewicji w zakresie od 50 do +50 stopni, aby cieszyć się widocznością
- Spersonalizowana konstrukcja := Ten stojak na televicer Streat Floor-TV z udvyytem jest wyposażony w 10mil metowa podstawy z hartowanego száku, która jast polipczena z masywną stalową lo kamną i zajewnia stabiln podparze da Twojego eliwinosza, so tworzy swoczeny wygląd dla Twojek u zagżań audo-wideo. Górna półku
- podparcie dla Twojego televirons, co tworzy nossoczesny wygląd dla Twoich uzządzeń audo-wideo. Górna pólka funkcje odprowadzania ciejak, aby poniektód male uzaptenie. To nasz wyglądony design Smiler no potra z innuem pomienzem uż donoczeny użycie poli i przepodonia i pomienzem pomożnia i pod bod.
- Zarządzanie kabiami = Wysokiej jakości produkty pochodzą od dostawców posiadających cenyfikat ISO w celu

#### [pdf]

**HT3001BP HT3001BP** stojak pod telewizor, z uchwytem, z regulacj wysokoci, do ekranw LED LCD o przektn ... jakiem na wywietlacz i stojakiem elektronicznym global store with mount consumer corner swivel flat **ht3001bp** eck konsumer elektronika naronik przegub obrotowy monta mieszkania uniwersalny wywietlacz z... lang:pl score:28 filesize: 225.35 K page\_count: 3 document date: 2025-01-04