

- [Manuals.plus](#) /
- › [SuperATV](#) /
 - › SuperATV Heavy Duty Full Windshield for Can-Am Maverick X3 (Models: 900, Turbo, X, MAX) Installation and User Manual

SuperATV WS-CA-X3-RC-70

SuperATV Heavy Duty Full Windshield for Can-Am Maverick X3 Series

Installation and User Manual

1. INTRODUCTION

This manual provides essential information for the proper installation, operation, and maintenance of your SuperATV Heavy Duty Full Windshield. Please read these instructions thoroughly before beginning installation or using the product to ensure safety and optimal performance. Retain this manual for future reference.

2. PRODUCT OVERVIEW

The SuperATV Heavy Duty Full Windshield is designed to provide protection and enhance your riding experience. Constructed from durable materials, it offers clear visibility and robust performance in various conditions.



Image 2.1: SuperATV Full Windshield installed on a Can-Am Maverick X3, viewed from the front-left.



Image 2.2: A wider view of the Can-Am Maverick X3 with the SuperATV Full Windshield, showcasing its integration with the vehicle.



Image 2.3: Detailed view of the SuperATV Full Windshield's upper section and mounting hardware on the vehicle.

Key Features:

- **Material:** Made from 1/4 inch thick clear scratch-resistant polycarbonate, offering 250 times the strength of glass and 25 times the strength of acrylic.
- **Coating:** Features XR Optic Hard Coating, applied to both interior and exterior surfaces, providing enhanced scratch resistance.
- **Seal:** Designed with a full-length bulb seal to minimize air, dust, and water intrusion into the cab.
- **Fitment:** Precision cut to match the contours of compatible Can-Am Maverick X3 models.

3. FITMENT INFORMATION

This SuperATV Heavy Duty Full Windshield is compatible with the following Can-Am Maverick X3 models:

- Can-Am Maverick X3 900
- Can-Am Maverick X3 Turbo
- Can-Am Maverick X3 X
- Can-Am Maverick X3 MAX

Note: This windshield is designed to be compatible with most soft or hard tops.

4. SAFETY INFORMATION

WARNING: This product may contain a chemical known to the State of California to cause cancer or birth defects or other reproductive harm. Always handle with care and follow all local safety guidelines. Always wear appropriate personal protective equipment (PPE) during installation. Ensure the vehicle is parked on a level surface with the engine off and parking brake engaged before beginning any work.

5. PACKAGE CONTENTS

Your SuperATV Heavy Duty Full Windshield package includes the polycarbonate windshield panel and all necessary hardware for installation. Please verify all components are present and undamaged before proceeding.

6. SETUP AND INSTALLATION

Installation of the SuperATV Full Windshield is designed to be straightforward. For detailed, step-by-step instructions and an installation video, please scan the QR code provided with your product or visit the official SuperATV website.

Key Installation Features:

- **Bulb Seal:** A flexible PVC plastic trim with an attached EPDM rubber bulb seal ensures a tight fit against the vehicle body to prevent water intrusion.
- **Secure Clamps:** Lock-tight, high-strength ABS clamps with full-contact, rubberized strap coating provide a secure, no-slipage fit.
- **Internal Metal Clips:** These clips within the seal provide superior flexibility and a secure grip, contributing to a rattle-free installation.



Image 6.1: Diagram illustrating the components of the 'No Leak Seal' for effective water and dust prevention.



Image 6.2: View of the windshield's upper edge, highlighting the secure bolting and sealing mechanism.



Image 6.3: A clamp securely fastened to the vehicle's roll bar, holding the windshield in place.




Image 6.4: Detailed diagram of the ABS clamp, showing its robust construction and anti-slip features.



Image 6.5: Interior perspective of the installed windshield, showing clear visibility and structural support.

7. OPERATING INSTRUCTIONS

Once installed, the windshield operates passively, providing protection from elements and debris. Ensure all mounting hardware remains tight before each ride. For optimal visibility, keep the windshield clean.

Cleaning Instructions:

- Use a soft cloth or sponge with mild soap and water.
- Avoid abrasive cleaners, brushes, or harsh chemicals, as these can damage the polycarbonate and its protective coating.
- Rinse thoroughly with clean water and air dry or gently wipe with a clean, soft microfiber cloth.

8. MAINTENANCE

Regular maintenance ensures the longevity and performance of your windshield.

- **Inspect Hardware:** Periodically check all bolts, clamps, and seals for tightness and wear. Tighten any loose fasteners.
- **Seal Integrity:** Examine the bulb seal for any signs of damage or degradation. A compromised seal can lead to leaks or rattling.
- **Surface Condition:** While scratch-resistant, extreme impacts can still cause damage. Inspect the polycarbonate for cracks or deep scratches that might impair visibility or structural integrity.

9. TROUBLESHOOTING

If you encounter issues with your SuperATV Full Windshield, consider the following:

- **Rattling:** Check all mounting clamps and bolts. Ensure they are securely tightened. Verify the bulb seal is properly seated along the entire perimeter.
- **Leaks:** Inspect the bulb seal for any gaps, tears, or improper seating. Ensure the windshield is correctly aligned and fully sealed against the vehicle's frame.
- **Reduced Visibility:** Clean the windshield according to the instructions in Section 7. If visibility issues persist due to deep scratches or cracks, consider replacement.

For further assistance, contact SuperATV customer support.

10. SPECIFICATIONS

Model Number	WS-CA-X3-RC-70
Material	Polycarbonate (PC)
Thickness	1/4 inch (6.35 mm)
Color	Clear
Coating	XR Optic Hard Coating (Scratch Resistant)
Item Weight	22 pounds
Package Dimensions	53 x 34 x 3 inches
Manufacturer	SuperATV.com

11. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please visit the official SuperATV website or contact their customer service department directly. Details on warranty coverage and claims procedures are typically available on the manufacturer's website.

SuperATV Website: www.superatv.com

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B07YSV5VLG>

More documents and user manuals: <https://manuals.plus/>