

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Sanus](#) /

› **SANUS Advanced Universal Full-Motion Premium TV Wall Mount for 46" to 95" Flat Screen TVs - Features 8° of Tilt & 55° of Swivel, Ideal for Extra Large TVs - UL Listed & Safety Tested - VXF730-B2**

Sanus VXF730-B2

SANUS Advanced Universal Full-Motion Premium TV Wall Mount User Manual

Model: VXF730-B2

PRODUCT OVERVIEW

The SANUS Advanced Universal Full-Motion Premium TV Wall Mount (Model VXF730-B2) is designed for 46" to 95" flat screen TVs, offering exceptional flexibility and a sleek, low-profile design. Its robust construction ensures secure mounting, while FluidMotion design allows for effortless extension, tilt, and swivel of your television.

Key features include:

- Stylish brushed metal exterior with an ultra-strong solid steel frame.
- Low-profile depth, positioning TVs closer to the wall for a streamlined look.
- FluidMotion design for unparalleled smoothness in movement.
- Up to 8° of tilt and 55° of swivel (left to right) for optimal viewing angles.
- Steady Set functionality to prevent drifting or unwanted movement.
- Integrated cable management for a clean installation.
- Universal VESA compatibility from 200x200 through 600x400.
- UL Listed and Safety Tested for reliability.



Image: The SANUS VXF730-B2 Full-Motion TV Wall Mount, showcasing its robust articulated arm design.

WHAT'S IN THE Box

Upon opening the package, verify that all components are present:

- VXF730-B2 Extra Large Full Motion TV Mount
- Assortment of TV screws, washers, and spacers
- Mounting instructions (this manual)

SETUP AND INSTALLATION

The SANUS VXF730-B2 mount is designed for a clear and hassle-free installation, typically completed within 30 minutes. Professional installation is recommended for optimal safety and performance, especially for larger televisions.

Pre-Installation Checklist:

- Ensure you have the necessary tools (e.g., drill, stud finder, level, measuring tape).
- Verify your wall type is suitable for mounting (wood studs, concrete, or masonry).
- Confirm your TV's weight and VESA pattern are within the mount's specifications.
- Identify the exact mounting location, considering viewing angles and stud locations.

Installation Steps:

1. **Attach TV Brackets:** Secure the vertical TV brackets to the back of your television using the appropriate screws,

washers, and spacers from the provided hardware kit. Ensure the brackets are centered and level.



Image: A close-up view of the mount's articulated arms, showing the robust construction and connection points for the TV.

2. **Mount Wall Plate:** Locate and mark the stud centers on your wall. Use the provided template to mark drilling locations. Drill pilot holes and securely attach the wall plate of the mount to the wall studs using the lag bolts. Use a level to ensure the wall plate is perfectly horizontal.



Image: The SANUS TV mount with a focus on its integrated cable management channels, designed to keep wires tidy.

3. **Hang TV on Mount:** With assistance, carefully lift the television and hook the TV brackets onto the wall plate. Ensure the TV is securely seated on the mount.



Image: The SANUS TV mount installed on a wall, holding a large flat-screen TV in a modern living room, demonstrating its low-profile design when retracted.

4. **Secure TV to Mount:** Fasten the safety screws or locking mechanisms to prevent the TV from accidentally lifting off the mount.
5. **Adjust and Level:** Utilize the mount's post-installation leveling and side-to-side shift features to fine-tune the TV's position.




Image: An illustration demonstrating the post-installation leveling and side-to-side adjustment capabilities of the SANUS TV mount, indicated by green arrows and a level tool.

OPERATING THE MOUNT

The FluidMotion design of the VXF730-B2 allows for smooth and effortless adjustment of your television's position.

- **Extension:** Gently pull the TV away from the wall to extend the mount's arm. This provides access to the back of the TV for cable management or to achieve a desired viewing distance.



Image: The SANUS TV mount fully extended from the wall, showcasing its full-motion capability with a TV attached, allowing for flexible positioning.

- **Swivel:** Pivot the TV left or right to achieve the optimal viewing angle from different positions in the room. The mount supports up to 55° of swivel in each direction.
- **Tilt:** Adjust the vertical angle of the TV by tilting it up or down. The mount offers 8° of upward tilt and 17° of downward tilt to reduce glare or improve viewing from various heights.



Image: The SANUS TV mount demonstrating its tilt functionality, with green arrows indicating the range of vertical adjustment for the television.

- **Steady Set:** This feature ensures that once you position your TV, it remains exactly where you want it, preventing any unwanted drifting or shifting.

MAINTENANCE

To ensure the longevity and continued smooth operation of your SANUS TV mount, follow these simple maintenance guidelines:

- **Regular Inspection:** Periodically check all mounting bolts and screws to ensure they remain tight and secure.
- **Cleaning:** Wipe the mount's surfaces with a soft, dry cloth. Avoid abrasive cleaners or solvents that could damage the finish.
- **Lubrication:** The FluidMotion design is engineered for smooth operation and typically does not require lubrication. If you notice any stiffness, consult customer support.
- **Cable Management:** Ensure cables are routed neatly through the integrated management channels and are not pinched or under excessive tension.

TROUBLESHOOTING

If you encounter issues with your SANUS TV mount, refer to the following common solutions:

- **TV is not level after installation:** Use the post-installation leveling adjustment feature. Loosen the leveling screws slightly, adjust the TV, and then re-tighten.
- **Mount feels stiff or difficult to move:** Ensure no cables are obstructing the movement. Check for any debris in the

articulating joints. The FluidMotion design should provide smooth movement; if stiffness persists, contact customer support.

- **TV is drifting or shifting:** This indicates the Steady Set functionality may not be fully engaged or adjusted. Refer to the installation instructions for proper adjustment of the Steady Set mechanism.
- **Mounting screws for TV do not fit:** The kit includes a variety of screws. Ensure you are using the correct diameter and length for your specific TV model. If none fit, you may need to acquire specific metric machine screws (e.g., 22mm length for some LG models) and appropriate washers.
- **TV height is incorrect after using online height finder:** While online tools are helpful, always double-check measurements and consider the specific TV model's VESA hole placement relative to its top/bottom edge. Adjust the wall plate height as needed.

For issues not covered here, please contact SANUS customer support.

SPECIFICATIONS

Feature	Specification
Brand	Sanus
Model Number	VXF730-B2
TV Size Range	46" - 95" (compatible with some 100" TVs)
Maximum TV Weight	175 lbs (79.3 kg)
Tilt Range	8° / -17°
Swivel Range	55° / -55°
Roll Adjustment	2° / -2°
VESA Compatibility	200x200 through 600x400
Profile Depth (from wall)	2.46" (retracted) to 30.32" (extended)
Product Dimensions (W x H x D)	36.73" x 22.03" x 2.46"
Material	Alloy Steel
Color	Black


WARRANTY AND SUPPORT

SANUS products are designed and engineered in the U.S. and come with a Limited Warranty, reflecting decades of experience and commitment to quality.

- **Limited Warranty:** This product is backed by a limited warranty. For specific terms and conditions, please refer to the warranty card included with your product or visit the official SANUS website.
- **Customer Support:** For any questions regarding installation, operation, or troubleshooting, SANUS offers 7-day-a-week U.S.-based expert customer care.

For further assistance, visit the [SANUS Store on Amazon](#) or their official website.

Related Documents - VXF730-B2

	<p>Sanus VXF730-B2 Full-Motion TV Wall Mount Installation Manual</p> <p>Step-by-step instructions and safety guidelines for installing the Sanus VXF730-B2 full-motion TV wall mount. Learn how to securely attach your TV to wood studs or concrete walls using this comprehensive guide.</p>
	<p>SANUS</p> <p>SANUS FUNAI HISENSE LG IRIS</p>
	<p>SANUS</p> <p>SANUS</p>
	<p>Sanus VLF828-B2 Advanced Full-Motion TV Wall Mount Installation Manual</p> <p>Comprehensive installation guide for the Sanus VLF828-B2 TV wall mount, detailing setup for wood studs and concrete, TV bracket attachment, wall plate mounting, and final TV adjustments. Includes safety instructions and troubleshooting tips.</p>
	<p>SANUS VXF830-B2 Advanced Full-Motion TV Wall Mount Installation Manual</p> <p>Comprehensive installation manual for the SANUS VXF830-B2 Advanced Full-Motion TV Wall Mount. Includes safety instructions, step-by-step assembly guides for wood studs and concrete, adjustments, and cable management.</p>
	<p>SANUS VLF728-B2/VLF728-S2 Advanced Full Motion Premium TV Wall Mount Instruction Manual</p> <p>Comprehensive instruction manual for the SANUS VLF728-B2 and VLF728-S2 Advanced Full Motion Premium TV Wall Mount, covering installation, safety, parts, and adjustments. Available in multiple languages.</p>



WE'RE HERE TO HELP



Tools on request: [page 12](#) | OneTouch Tool Series: [page 26](#) | Search inside: [page 34](#) | 中文产品说明书: [page 34](#)
Tools French: [page 14](#) | Help for first time: [page 16](#) | Previous: [page 12](#) | 日本語: [page 34](#)




[pdf] Guide Borchure

PREMIUM National Product Review for 19 40 inch tv s model vsf716full motion size weight capacity 15 kg mounting patterns vesa 75x75 to 200x200 minimum depth from wall 1 8 Brochure in store guide SANUS A4 AUS 20206 nationalproductreview au 2019 07 |||

PREMIUM MOUNTING SOLUTIONS PICTURE LIFE SAFER SMARTER CLASSIER Why Mount your TV PERFORMANCE Ge ... 00X200 TO 600X400 110 MINIMUM DEPTH FROM WALL 2.46 INCH 30 FINISHES BRUSHED BLACK STAINLESS, **VXF730-B2** SEE PAGE 16 FOR THE FULL RANGE AT A GLANCE 7 Advanced Tilting Tilting mounts tilt up an...

lang:en **score:41** filesize: 18.95 M page_count: 12 document date: 2019-10-17



[pdf]

VXF730 B2 46 95 56 7 KG POHYBLIVÝ DRŽIAK BIS audio 2023 02 24 — SANUS Prémiový Full Motion TV držiak navrhnutý tak aby hladko ladil s televízormi a dekorom bol inšpirovaný elegantným vzhľadom moderných televízorov a typ bisaudio sk Produkt Popis kg pohyblivý držiak |||

VXF730-B2, 46-95 , 56,7 KG, POHYBLIV DRŽIAK SANUS Prmiov Full-Motion TV držiak, navrhnut tak, aby hladko ladil s televzormi a dekorom, bol inspirovan elegantnm vzhadom modernch televzorov a ultra spickovch domcich spotrebicov. Pod stlovm vonkajsm povrchom drziaka z brsenho kovu sa nachdza ultra pevn...

lang:it **score:32** filesize: 546.36 K page_count: 1 document date: 2023-03-10



[pdf]

SANUS network jpn list shopping geocities jp topjapan |||

SANUS FUNAI HISENSE IRIS LG MITSUBISHI ORION PANASONIC SHARP SONY TCL TOSHIBA DMM ... <http://sanus.jp> <https://www.network-jpn.com> TEL:06-6105-0707FAX:06-6105-0708 SANUS **VXF730-B2** VXF728-B2 CILF226-B1 VLF613-B2 F180C-B2 VMF620-B2 F215C-B2 VSF716-B2 F107D-B2 JAN...

lang:de **score:28** filesize: 2.41 M page_count: 55 document date: 2023-03-13



[SANUS Premium Mounting Solutions & AV Accessories Catalog](#)

Explore the comprehensive range of SANUS premium TV mounts, TV stands, soundbar mounts, speaker accessories, and AV racks designed to enhance your home entertainment experience. Featuring innovative designs, safety, and style.

lang:en score:26 filesize: 10.59 M page_count: 23 document date: 2024-09-06




[\[pdf\] User Manual Owner's Manual Quick Start Guide Installation Guide Instructions](#)

Sanus VXF730 B2 Black 46 95 inch Cantilever TV Bracket Richer SoundsWSWME32 IMrichersounds content product files WSWME32 IM Spec SheetSanus WSWME31 W2 Ui SuppliesSanus

SoundsWSWME31 6901 603168uisupplies Portals 1 Downloads 603168richersounds ||| ||| WSWME31 and WSWME32 Tilt Swivel Speaker Wall Mount For SONOS Era 300TM INSTRUCTION MANUAL We II Make It Stress-Free If you have any questions along the way, just give us a call. US: 1 800 359-5520 EMEA: 31 0 495 580 852 UK: 44 0 800 056 2853

WSWME31 and WSWME32 Tilt Swivel Speaker Wall Mount For SONOS Era 300TM INSTRUCTION MANUAL We II Make It Stress-Free If you have any questions along the way, just give us a call. US: 1 800 359-5520 EMEA: 31 0 495 580 852 UK: 44 0 800 056 2853 We're ready to help Texto en espaol, pgina...

lang:en score:25 filesize: 24.18 M page_count: 36 document date: 2023-04-19



[\[pdf\] User Manual Owner's Manual Quick Start Guide Installation Guide Instructions](#)

Sanus VXF730 B2 Black 46 95 inch Cantilever TV Bracket Richer SoundsWSWME11 IMrichersounds content product files WSWME11 IM Spec SheetSanus Ui SuppliesSanus WSWME12 6901

603142uisupplies Portals 1 Downloads 603142richersounds ||| ||| WSWME11 and WSWME12 Tilt Swivel Speaker Wall Mount For SONOS Era 100TM INSTRUCTION MANUAL We II Make It Stress-Free If you have any questions along the way, just give us a call. US: 1 800 359-5520 EMEA: 31 0 495 580 852 UK: 44 0 800 056 2853

WSWME11 and WSWME12 Tilt Swivel Speaker Wall Mount For SONOS Era 100TM INSTRUCTION MANUAL We II Make It Stress-Free If you have any questions along the way, just give us a call. US: 1 800 359-5520 EMEA: 31 0 495 580 852 UK: 44 0 800 056 2853 We're ready to help Texto en espaol, pgina...

lang:en score:25 filesize: 24.15 M page_count: 36 document date: 2023-04-19



[\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

Installation Manual 33588 KBVXF730 in by Sanus Hot Springs AR Premium Full Motion TV Wall Mount for 46 95 TVsfrxshykttqndimages webfronts cache frxshykttqnd |||

VXF730-B2 INSTRUCTION MANUAL GET IT RIGHT THE FIRST TIME Follow this step-by-step instruction manual to speed up your installation. WE RE HERE TO HELP Want to watch a video that shows how easy this DIY project will be? Watch it now at: SANUS.com/2816 Get it right the first time. HeightFinderTM s...

lang:en score:24 filesize: 31.97 M page_count: 28 document date: 2018-10-31



[\[pdf\] User Manual Owner's Manual Quick Start Guide Installation Guide Instructions](#)

6901 602159 indd abdelm01 Sanus VXF730 B2 Black 46 95 inch Cantilever TV Bracket Richer SoundsWSSA1 WSSA2 IM 170920richersounds content product files WSSA1 170920 User ManualSanus W1 Adjustable Height Wireless Speaker Stands for Sonos 1 SL Play 3 Pair WhiteSanus Sounds1046725554 Manual 1WSSA1 170920cdn adiglobaldistribution us pim Original 10001 1046725554 1richersounds |||

Sonos OneTM WSSA1 / WSSA2 SPEAKER STAND INSTRUCTION MANUAL Sonos PLAY:1TM Sonos PLAY:3TM Sonos PLAY:3TM We'll Make It Stress-Free If you have any questions along the way, just give us a call. 1-800-359-5520. We're ready to help IMPORTANT SAFETY INSTRUCTIONS PLEASE READ ENTIRE MANUAL PRIOR TO...

lang:en score:24 filesize: 5.82 M page_count: 16 document date: 2017-09-15

[\[pdf\] User Manual Quick Start Guide Installation Guide Instructions Documentation Accessories](#)

Sanus VXF730 B2 Black 46 95 inch Cantilever TV Bracket Richer SoundsWSSAFM1richersounds content product files WSSAFM1 Installation InstructionsSanus Soundbar Mount Designed for Sonos Ray BlackSanus SoundsNS WSSAFM1B2 Assembly Instructionscdn adiglobaldistribution us pim Original 10059 NS Instructionsrichersounds ||| WSSAFM1-B2 SOUNDBAR MOUNT DESIGNED FOR Sonos* RayTM INSTRUCTION MANUAL WE'RE HERE TO HELP If you have any questions along the way, just give us a call or visit SANUS.com US: 1 800 359-5520 UK: 44 0 800 056 2853 EMEA: 31 0 495 580 852 Texto

WSSAFM1-B2 SOUNDBAR MOUNT DESIGNED FOR Sonos* RayTM INSTRUCTION MANUAL WE'RE HERE TO HELP If you have any questions along the way, just give us a call or visit SANUS.com US: 1 800 359-5520 UK: 44 0 800 056 2853 EMEA: 31 0 495 580 852 Texto en español, página 22 Deutscher Text Seiten 30 Svenska sidan 54 Página web en: 日本語版 50 ページ Texto en español, página 22 Deutsch Text Seiten 30 Svenska sidan 54 Texto en español, página 42 中文文字版 50 頁面 54

lang:en score:23 filesize: 17.2 M page_count: 60 document date: 2021-11-17

[\[pdf\] Accessories Brochure](#)

Sanus BrochureSonos Accessories Sonos Wall Mount for Arc Ultra SoundbarSanus Brochurecreateautomation co uk assets images s Brochure Tilt and Swivel Ceiling 37 to 70 TVs Black AV Pro sSanus Brochuresanus tilt swivel ceiling mount tvs black 1createautomation Brochurecdn shopify files 1 0850 9000 9422 sanus VIWLF128 B2 Premium In Full Motion TV For 42 To 85 T 1sanus viwl1f128 b2 premium in wall full motion tv 3createautomation 1cdn 3 Low Profile 90 3sanus low profile 2createautomation 3cdn 2 CILL2 B1 Series Fixed Screens 2sanus cill2 b1 series fixed screens 2cdn VF3012 Vertical Glass Two Shelf Unit Under vf3012 vertical glass two shelf unit under mounted VST4 Tilting 19 40 vst4 tilting VMF620 55 Flat Panel Blac vmf620 flat panel Universal Small Parts universal small parts blackcreateautomation Advanced 4D advanced 4d CILT2 blacksanus cilt2 blackcdn Large Outdoor large outdoor IWB9 9 Media Box White iwb9 media box white VSTV2 Stand 86 EACH vstv2



worldwide, Legrand AV is

Sanus PICTURE LIFE safer Premium smarter classier Mounting Solutions

INTRODUCTION Legrand AV ... A 200X200 TO 600X400 MINIMUM DEPTH FROM WALL 2.46 INCH 6.24 CM FINISHES BRUSHED BLACK STAINLESS, **VXF730-B2** LARGE ADVANCED 4D SHIFTTM TV WALL MOUNT -15 / 5 MODEL VLF828 TV SIZE / WEIGHT CAPACI...

lang:en score:22 filesize: 10.59 M page_count: 23 document date: 2024-09-06



[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions

WM 8105 VXF730 Installation Manual Sanus B2 46 to 95 Advanced Full Motion Premium TV Mount

TDIGroup 1ksuqi6cq92p3oz5smxchqh wpengine netdna ssl 2019 11 |||

VXF730-B2 INSTRUCTION MANUAL GET IT RIGHT THE FIRST TIME Follow this step-by-step instruction manual to speed up your installation. WE RE HERE TO HELP Want to watch a video that shows how easy this DIY project will be Watch it now at: SANUS.com/2816 Get it right the first time. HeightFinderTM s...

lang:en score:22 filesize: 35.24 M page_count: 28 document date: 2019-11-12



[\[pdf\]](#)

VXF730 SellSheet 2024V001 4bb32014 69bc 4b99 a61b 6bd45278e28b Sanus B2 Premium Full Motion TV Wall Mount for up to 100 TVs xdp1dcdz39dybvn80hth images salsify image upload s nA190sa |||

PREMIUM ADVANCED FULL-MOTION XL TV WALL MOUNT High-end performance meets high-end design. The Advanc ... e confirmed compatibility with key models up to 100 see below to ensure compatible models Model **VXF730-B2** FollowThruTM in-arm cable channel Large TV No problem. The VXF730 is compatible with th...

lang:en score:21 filesize: 911.01 K page_count: 2 document date: 2024-05-03



[\[pdf\]](#)

Product Information Sheet SANUS 46 95 Extra Large Universal LCD Bracket 79KG Bitek Pty Ltd

22SVXF730 B2 info sheet btkbc azureedge net |||

SANUS.com ADVANCED FULL-MOTION PREMIUM WALL MOUNT FOR TVs 46 - 95 High-end performance meets high-e ... V movement. The simple and intuitive design guarantees a quick and hassle-free installation. Model **VXF730-B2** Stylish brushed metal exterior seamlessly blends with TV and dcor In-arm cable managemen...

lang:en score:20 filesize: 1008.29 K page_count: 2 document date: 2019-10-08



[SANUS 2022 Catalog: TV Mounts, Speaker Stands, AV Racks & Furniture](#)

Explore the comprehensive 2022 SANUS catalog featuring a wide range of TV mounts (full-motion, tilting, fixed), speaker stands, AV racks, furniture, and accessories for Sonos and Amazon Echo devices. Find the perfect solution for your home theater setup.

lang:en score:19 filesize: 9.03 M page_count: 29 document date: 2022-09-06



[\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

THE FIRST TIME VXF730 IM 240802 sanus assets products vxf730 documents |||

VXF730-B2 INSTRUCTION MANUAL GET IT RIGHT THE FIRST TIME Follow this step-by-step instruction manual to speed up your installation. WE RE HERE TO HELP Want to watch a video that shows how easy this DIY project will be Watch it now at: SANUS.com/2816 Get it right the first time. HeightFinderTM s...

lang:en score:16 filesize: 32.03 M page_count: 28 document date: 2024-06-13



[\[pdf\] User Manual Owner's Manual Installation Guide Instructions](#)

THE FIRST TIME SANUS 5520 EMEA 31 0 495 580 852 UK 0800 056 2853 AUS 61 7 3299 7000 Perfekt!

Är du redo att börja FÖRSIKTIGT Installera INTE på endast gipsskiva VI ÄR VXF730 IM 190821 sanus assets products vxf730 documents

VXF730-B2 INSTRUCTION MANUAL GET IT RIGHT THE FIRST TIME Follow this step-by-step instruction manual to speed up your installation. WE RE HERE TO HELP Want to watch a video that shows how easy this DIY project will be Watch it now at: SANUS.com/2816 Get it right the first time. HeightFinderTM s...

lang:en score:14 filesize: 35.58 M page_count: 28 document date: 2019-08-13



[\[pdf\] Installation Guide Accessories Catalog](#)

Catalogue TDIGroup TDI CI16 Custom Install Product Web090922 1ksuqi6cqj92p3oz5smxchqh
wpengine netdna ssl 2022 09 |||

CABLES CONNECTORS ACCESSORIES FOR A/V INSTALLATIONS PRODUCT CATALOGUE - ISSUE CI16 SCAN ME 01256 3 ... 70 E info tdigroup.co.uk
www.tdigroup.co.uk 155 Screen Mounts - Sanus Full Motion WM8105 Sanus

VXF730-B2 Sanus Advanced 46 95 Full-Motion TV Mount Maximum TV Weight: 79.4kg Max VESA Mountin...

lang:en score:10 filesize: 24.58 M page_count: 115 document date: 2022-09-09

