

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [JBL Professional](#) /

› [JBL Professional MTU-25-WH U-Bracket for AC25 Loudspeaker - Instruction Manual](#)

JBL Professional MTU-25-WH

JBL Professional MTU-25-WH U-Bracket Instruction Manual

For AC25 Ultra Compact Two-Way Loudspeakers

INTRODUCTION

This manual provides detailed instructions for the safe and proper installation and maintenance of your JBL Professional MTU-25-WH U-Bracket. This bracket is specifically designed to securely mount JBL AC25 Ultra Compact Two-Way Loudspeakers to walls or ceilings, allowing for precise angle adjustment.

PRODUCT OVERVIEW



Figure 1: JBL Professional MTU-25-WH U-Bracket. This image shows the white U-shaped bracket with multiple mounting holes, designed for speaker installation.

The MTU-25-WH is a robust U-bracket system engineered for the JBL AC25 loudspeaker. Its design facilitates secure mounting and flexible positioning, ensuring optimal sound dispersion in various environments.

Key Features:

- Specifically designed for JBL AC25 loudspeakers.
- Enables wall or ceiling mounting.

- Allows for angle adjustment of the mounted loudspeaker.
- Constructed for durability and secure installation.
- Available in white finish (MTU-25-WH).

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1 x JBL Professional MTU-25-WH U-Bracket
- Mounting Hardware (screws, washers, etc. - specific types may vary based on region and mounting surface)
- This Instruction Manual

If any items are missing or damaged, contact your JBL Professional dealer immediately.

SETUP AND INSTALLATION

Important Safety Information: Installation should only be performed by qualified personnel. Ensure the mounting surface can safely support the combined weight of the bracket and the loudspeaker. Use appropriate fasteners for the specific wall or ceiling material. Always wear appropriate safety gear.

1. **Determine Mounting Location:** Select a suitable location on a wall or ceiling that provides adequate structural support and optimal sound coverage. Mark the desired mounting points for the bracket.
2. **Prepare Mounting Surface:** Drill pilot holes at the marked locations, ensuring they are appropriate for the chosen fasteners and the material of the mounting surface.
3. **Secure the U-Bracket:** Position the MTU-25-WH U-Bracket against the prepared surface, aligning the mounting holes. Use the provided mounting hardware (or suitable alternatives for your specific surface) to firmly attach the bracket. Ensure the bracket is level and securely fastened before proceeding.
4. **Attach Loudspeaker to Bracket:** Carefully lift the JBL AC25 loudspeaker and align its mounting points with the corresponding holes on the U-Bracket. Secure the loudspeaker to the bracket using the appropriate screws and washers. Do not overtighten.
5. **Adjust Loudspeaker Angle:** Once the loudspeaker is securely attached, adjust its angle to achieve the desired sound direction. Tighten any adjustment screws on the bracket to lock the loudspeaker in position.
6. **Final Check:** Verify that all fasteners are tight and the loudspeaker is stable and securely mounted.

OPERATION

Once installed, the JBL Professional MTU-25-WH U-Bracket functions as a static support for your AC25 loudspeaker. No further operational steps are required for the bracket itself. Ensure the loudspeaker is properly connected and powered according to its own instruction manual.

MAINTENANCE

To ensure continued safe and reliable performance of your MTU-25-WH U-Bracket:

- **Periodic Inspection:** Regularly inspect the bracket and all mounting hardware for any signs of wear, corrosion, or loosening. This is especially important in environments with vibration or significant temperature changes.
- **Cleaning:** Clean the bracket with a soft, dry cloth. Avoid abrasive cleaners or solvents that could damage the finish.
- **Tighten Fasteners:** If any fasteners appear loose, carefully tighten them. Do not overtighten.

TROUBLESHOOTING

This section addresses common issues related to the U-Bracket installation.

Problem	Possible Cause	Solution
Loudspeaker feels unstable after mounting.	Loose mounting hardware or inadequate structural support.	Ensure all bracket and loudspeaker fasteners are securely tightened. Verify the mounting surface can support the weight. If unsure, consult a professional installer.
Bracket does not fit the loudspeaker.	Incorrect bracket model for the loudspeaker.	Confirm that you have the MTU-25-WH bracket, which is designed specifically for the JBL AC25 loudspeaker. Refer to the product specifications.
Difficulty adjusting the loudspeaker angle.	Adjustment screws are too tight or mechanism is obstructed.	Loosen adjustment screws slightly to allow movement. Check for any obstructions. Re-tighten once the desired angle is set.

SPECIFICATIONS

Attribute	Detail
Model Number	MTU-25-WH
Brand	JBL Professional
Compatible Devices	JBL AC25 Ultra Compact Two-Way Loudspeaker
Mounting Type	Wall Mount, Ceiling Mount
Color	White
Item Weight	2.38 pounds (1.08 kg)
Product Dimensions	24 x 13 x 6 inches (60.96 x 33.02 x 15.24 cm)

WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your JBL AC25 loudspeaker or visit the official JBL Professional website. For technical support or assistance with installation, please contact JBL Professional customer service or your authorized dealer.

JBL Professional Website: www.jblpro.com