Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Oumij 739879375093

Oumij 7-Inch Portable LCD Monitor User Manual

Model: 739879375093

1. Introduction

This manual provides instructions for the Oumij 7-inch portable LCD monitor, Model 739879375093. This display is designed for versatility, offering multiple input options and a compact form factor. Please read this manual thoroughly before operating the device to ensure proper use and to prevent damage.



Figure 1: Oumij 7-inch portable LCD monitor.

2. Product Features

- **Compact Design:** Simple and stylish body with a foldable bracket for portability.
- **High-Resolution Display:** 7-inch widescreen with 1024x600 resolution, providing clear and vibrant images.
- **Multiple Input Options:** Supports AV, HDMI, and VGA input methods for broad compatibility.
- **Remote Control Support:** Allows for convenient operation from a distance.
- **Versatile Mounting:** Features bottom mounting holes for various installation scenarios.



Figure 2: The monitor's 16:9 widescreen display offers clear and delicate images with bright colors.

3. Package Contents

Verify that all items listed below are included in your package:

- 1 x Oumij 7-inch Display
- 1 x Power Adapter
- 1 x HDMI Cable
- 1 x Foldable Bracket



Figure 3: Included Power Adapter.



Figure 4: Included Foldable Bracket.

4. Product Overview

4.1 Front Panel




Figure 5: Front view with control buttons.

The front panel features several buttons for navigating the On-Screen Display (OSD) menu and controlling basic functions such as power and input selection.

4.2 Rear Panel and Ports



Figure 6: Rear view with input ports.

The rear panel provides the following connection ports:

- **DC 12V Input:** For connecting the power adapter.
- **HDMI Input:** For digital video and audio signals.
- **VGA Input:** For analog video signals.
- **AV Input:** For analog composite video and audio signals.

5. Setup Instructions

5.1 Attaching the Stand

1. Unfold the included bracket.
2. Align the bracket with the mounting slots on the bottom of the monitor.
3. Secure the bracket firmly.



Figure 7: Monitor with foldable bracket for easy setup and portability.

5.2 Connecting Power

1. Connect the provided power adapter to the DC 12V input port on the monitor.
2. Plug the power adapter into a standard electrical outlet.

5.3 Connecting Video Sources

Choose the appropriate cable (HDMI, VGA, or AV) based on your source device.

- **HDMI:** Connect one end of the HDMI cable to the monitor's HDMI port and the other end to your source device's HDMI output.
- **VGA:** Connect one end of the VGA cable to the monitor's VGA port and the other end to your source device's VGA output.
- **AV:** Connect the AV cable to the monitor's AV input and the corresponding output on your source device.

6. Operating Instructions

6.1 Power On/Off

Press the power button located on the front panel to turn the monitor on or off.

6.2 Input Selection

Use the 'Input' button on the front panel or the remote control to cycle through the available input sources (HDMI, VGA, AV) until your desired source is displayed.

6.3 OSD Menu Navigation

The On-Screen Display (OSD) menu allows you to adjust various display settings such as brightness, contrast, color, and language. Use the menu buttons on the front panel or the remote control to navigate and select options within the OSD menu.

- Press the 'Menu' button to open the OSD.
- Use the arrow buttons to navigate through options.
- Press 'Enter' or 'OK' to select an option or confirm a setting.
- Press 'Menu' again or 'Exit' to close the OSD.

7. Applications

The Oumij 7-inch portable monitor is suitable for a variety of uses due to its compact size and multiple input options:

- **Raspberry Pi Projects:** Ideal as a display for single-board computers.
- **Car Display:** Can be integrated into vehicles for entertainment or navigation (ensure safe mounting).
- **CCTV Monitoring:** Suitable for displaying security camera feeds.
- **Secondary Laptop Monitor:** Provides additional screen space for productivity.
- **Gaming:** Connects to various gaming consoles (PS3/PS4, Xbox 360/One, Nintendo Switch).



Figure 8: Examples of devices compatible with the monitor.



Figure 9: The monitor is suitable for diverse applications including Raspberry Pi projects, car displays, and CCTV.

8. Specifications

Feature	Specification
Panel Size	7-inch
Video Input	HDMI + VGA + AV
Aspect Ratio	16:9
Resolution	Up to 1024x600
Viewing Angle	120°(H) / 100°(V)
Panel Lifespan	10,000 hours
Brightness	250 cd/m²

Feature	Specification
Contrast Ratio	300:1
Response Time	8ms
Power Input	12 V - 2A
OSD Menu Language Options	8 languages
Temperature Range	0-40 °C
Dimensions	175 x 130 x 38 mm (6.89 x 5.12 x 1.5 inches)
Item Weight	1.94 pounds
Model Number	739879375093

9. Maintenance

9.1 Cleaning the Monitor

- Always power off and unplug the monitor before cleaning.
- Use a soft, lint-free cloth slightly dampened with water or a mild, non-abrasive screen cleaner.
- Do not spray liquid directly onto the screen or into any openings.
- Avoid using harsh chemicals, solvents, or abrasive materials.

9.2 Storage

When not in use for extended periods, store the monitor in a cool, dry place, away from direct sunlight and extreme temperatures. Use the original packaging if available to protect it from dust and physical damage.

10. Troubleshooting

Problem	Possible Solution
No power	Ensure the power adapter is securely connected to the monitor and a working power outlet. Check if the power button is pressed.
No signal	Verify that the video cable (HDMI, VGA, or AV) is correctly connected to both the monitor and the source device. Use the 'Input' button to select the correct input source. Ensure the source device is powered on and outputting a signal.
Image is distorted or unclear	Check cable connections for looseness or damage. Adjust display settings (resolution, brightness, contrast) via the OSD menu. If using VGA, try auto-adjustment in the OSD.
Remote control not working	Ensure there are no obstructions between the remote and the monitor's IR receiver. Check and replace batteries in the remote control if necessary.

11. Warranty and Support

For warranty information and technical support, please refer to the documentation provided at the time of purchase or contact your retailer. Keep your proof of purchase for warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B07Z7Q54N5

More documents and user manuals: **https://manuals.plus/**