VASAGLE URCR07WN

VASAGLE URCR07WN Solid Wood Coat Rack Instruction Manual

Model: URCR07WN

Introduction

Thank you for choosing the VASAGLE URCR07WN Solid Wood Coat Rack. This manual provides essential information for the safe and proper assembly, operation, and maintenance of your new coat rack. Please read these instructions thoroughly before assembly and retain them for future reference.

Safety Information

- Ensure all parts are present and undamaged before assembly. Do not use if any parts are missing or broken.
- Assemble the coat rack on a soft, clean surface to prevent scratches.
- Distribute the load evenly across the hooks to maintain stability and prevent overturning.
- Do not exceed the maximum overall static load capacity of 44 lb (20 kg). Each hook can support up to 11 lb.
- Keep small parts away from children during assembly to avoid choking hazards.
- Do not expose the coat rack to direct sunlight for extended periods of time to prevent material damage or discoloration.

Package Contents

Verify that all components listed below are included in your package:

- 1 x Coat Rack (main pole sections and hooks)
- 1 x Accessory Kit (includes any necessary small parts or tools)
- 1 x Instructions (this manual)

Assembly Instructions (Setup)

The VASAGLE URCR07WN coat rack is designed for effortless assembly with built-in threaded parts, requiring no additional tools for most steps. Follow these steps to assemble your coat rack:

1. **Step 1: Connect Pole Sections and Base.**
   Begin by twisting the main pole sections together. Ensure each section is securely tightened. Then, attach the

assembled pole to the round base by twisting it firmly into place. The design allows for three height options; you may omit one or more middle pole sections to achieve your desired height.



Image: Detailed views illustrating the spherical hooks, the threaded connection mechanism of the pole sections, the natural wood

grain, and the stable round base.

2. **Step 2: Insert the Hooks.**

   Once the main pole is assembled, insert the individual hooks into the pre-drilled holes. Twist each hook clockwise until it is firmly seated and stable. The spherical ends of the hooks are designed to prevent damage to clothing.



Image: Close-up demonstrating the insertion and securement of a hook into the main pole.

3. **Step 3: Verify Stability.**

   After all parts are assembled, gently shake the coat rack to ensure it is stable. If any part feels loose, re-tighten the connections. Place the coat rack on a flat, even surface.



Image: Visual representation of the coat rack in three different height configurations, highlighting its adjustable design.

Operating Instructions

Once assembled, your VASAGLE coat rack is ready for use. It is designed to hold various items such as coats, hats, bags, and purses.

- Hang items on the available hooks, ensuring even distribution of weight.
- The coat rack can support a total weight of up to 44 lb (20 kg). Each individual hook is designed to hold approximately 11 lb.
- Avoid hanging excessively heavy items on a single hook or concentrating all weight on one side to prevent tipping.



Image: The coat rack in use, demonstrating its capacity for coats, hats, and bags in an entryway setting.

Maintenance

To ensure the longevity and appearance of your coat rack, follow these maintenance guidelines:

- Clean the surface with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals.
- Periodically check all connections to ensure they remain tight. Re-tighten if necessary.
- Do not expose the coat rack to direct sunlight for extended periods, as this may cause the wood to fade or warp.
- Keep the coat rack in a dry environment to prevent moisture damage.

Troubleshooting

If you encounter any issues with your coat rack, refer to the following common solutions:

- **Wobbling or Instability:** Ensure the base is on a flat, even surface. Check all pole sections and hooks to confirm

they are fully tightened. Redistribute items if weight is unevenly distributed.

- **Hooks Loosening:** Re-tighten any loose hooks by twisting them clockwise until secure.
- **Difficulty Assembling:** Review the assembly steps carefully. Ensure you are using the correct parts for each step. Do not force parts together; if they don't fit, re-check the instructions.

Specifications

Brand	VASAGLE
Model Number	URCR07WN
Color	Dark Walnut
Material	Rubberwood Hooks and Main Pole, MDF (Medium Density Fiberboard) Base
Product Dimensions (D x W x H)	15"D x 15"W x 68.9"H (38 x 38 x 175 cm)
Item Weight	7.3 lb (3.3 kg)
Maximum Overall Static Load Capacity	44 lb (20 kg)
Load Capacity per Hook	11 lb (5 kg)
Installation Type	Free Standing
Required Assembly	Yes

Warranty and Support

For warranty information or customer support, please refer to the contact details provided with your purchase or visit the official VASAGLE website. Keep your proof of purchase for any warranty claims.

© 2026 VASAGLE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question