

SoBuy FRG202-W

SoBuy Bathroom Vanity Cabinet

MODEL: FRG202-W

Instruction Manual

Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your SoBuy Bathroom Vanity Cabinet, Model FRG202-W. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

The SoBuy Bathroom Vanity Cabinet is a practical and simple storage solution designed to enhance your bathroom's organization. It offers ample storage capacity behind two doors, ideal for neatly and securely storing care products and various bathroom essentials. Featuring a dedicated siphon cutout, this unit is specifically designed to fit under standard bathroom sinks, effectively concealing plumbing.



Image: The SoBuy Bathroom Vanity Cabinet (FRG202-W) shown installed under a sink, providing a clean and organized look to the bathroom.

Safety Information

Warning!

- Fasten the unit securely to a wall or other stable structure to prevent tipping and potential injury.
- Always use appropriate protective equipment, such as gloves and safety glasses, during assembly.
- If modifications are required for the bottom panel to accommodate a siphon, exercise extreme caution to avoid sharp edges and ensure a smooth finish.
- Keep small parts and packaging materials away from children to prevent choking hazards.

Setup and Assembly

Your SoBuy Bathroom Vanity Cabinet is delivered disassembled and requires assembly. Please ensure all components are present before you begin. A detailed assembly instruction sheet with diagrams is included in the packaging. Follow these instructions carefully for proper assembly.

Required Tools (Not Included):

- Screwdriver (Phillips head recommended)
- Hammer (for dowels)
- Measuring tape
- Level

Assembly Steps:

1. **Unpack and Identify Parts:** Carefully unpack all components and hardware. Refer to the included parts list to ensure everything is present.
2. **Assemble the Frame:** Follow the diagrams to connect the side panels, bottom panel, and back panel using the provided screws and dowels. Ensure all connections are tight and secure.
3. **Install Shelves:** Insert the shelf supports into the pre-drilled holes at your desired height. Place the adjustable shelf onto the supports.
4. **Attach Doors:** Mount the hinges to the doors and then attach the doors to the cabinet frame. Adjust hinges as needed to ensure proper door alignment.
5. **Install Handles:** Attach the door handles to the pre-drilled holes on the doors.
6. **Positioning and Siphon Cutout:** Place the assembled cabinet under your sink. The cabinet features a pre-designed cutout for the siphon. If your sink's plumbing requires a different or larger opening, carefully mark and cut the necessary area on the top panel, ensuring smooth edges.
7. **Secure the Unit:** For stability and safety, use the provided anti-tip hardware to secure the cabinet to the wall.



Image: Dimensional diagram of the cabinet, illustrating overall measurements (60cm width, 62cm height, 30cm depth) and the siphon cutout area (8cm depth, 20cm width).

Operating Instructions

The SoBuy Bathroom Vanity Cabinet is designed for straightforward use as a storage unit in your bathroom.

- **Storage:** Open the two cabinet doors to access the interior storage space. The cabinet includes an adjustable shelf, allowing you to customize the storage height to fit various items such as cleaning supplies, toiletries, towels, or other small bathroom accessories.
- **Weight Capacity:** Do not exceed the maximum weight capacity of 55 kg for the entire unit. Distribute weight evenly across shelves to maintain stability.
- **Door Operation:** Gently open and close the cabinet doors using the handles. Avoid slamming the doors to prevent damage to hinges and the cabinet structure.



Image: The cabinet interior, demonstrating its storage capabilities for bottles, baskets, and jars.



Image: A closer look at the cabinet's interior, showing the adjustable shelf and how items like sponges and soaps can be organized.

Maintenance

Proper care will ensure the longevity and appearance of your SoBuy Bathroom Vanity Cabinet.

- **Cleaning:** Wipe surfaces with a soft, damp cloth. For stubborn marks, use a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive materials that could damage the painted MDF finish.
- **Spills:** Immediately wipe up any water spills or moisture to prevent swelling or damage to the engineered wood.
- **Inspection:** Periodically check all screws and fittings to ensure they remain tight. Re-tighten if necessary.
- **Avoid Overloading:** Do not place excessively heavy items on the shelves or top surface to prevent structural damage.

Troubleshooting

If you encounter any issues with your cabinet, refer to the following common solutions:

- **Wobbly Cabinet:** Ensure all screws are tightened. Check that the cabinet is placed on a level surface. Adjust the anti-tip hardware if installed.
- **Doors Not Aligning:** Adjust the hinges on the doors. Most hinges allow for minor adjustments to align the doors vertically, horizontally, and in depth. Refer to the hinge manufacturer's instructions if specific adjustments are unclear.
- **Difficulty Opening/Closing Doors:** Check for any obstructions inside the cabinet. Ensure hinges are properly installed and lubricated if necessary.
- **Missing Parts:** If any parts were missing upon delivery, contact the seller or manufacturer for replacements.

Specifications

Feature	Detail
Brand	SoBuy
Model Number	FRG202-W
Color	White
Product Dimensions (D x W x H)	30 x 60 x 62 cm
Item Weight	10 kg
Maximum Weight Capacity	55 kg
Material	Engineered Wood (MDF)
Special Features	Adjustable Shelf
Recommended Uses	Bathroom storage and organization
Mounting Type	Floor Mount
Style	Contemporary
Room Type	Bathroom
Door Style	Slab

Warranty and Support

For warranty information, technical support, or to order replacement parts, please refer to the contact details provided with your purchase documentation or visit the official SoBuy website. Please have your model number (FRG202-W) and purchase date available when contacting support.

