

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [GROHE](#) /

> [GROHE Rainshower 310 Smartactive Cube Shower System with Thermostat \(Model 26649000\) User Manual](#)

**GROHE 26649000**

# GROHE Rainshower 310 Smartactive Cube Shower System with Thermostat (Model 26649000) User Manual

Model: 26649000

## INTRODUCTION

---

This manual provides essential information for the installation, operation, and maintenance of your GROHE Rainshower 310 Smartactive Cube Shower System with Thermostat. Please read these instructions carefully before installation and use to ensure proper function and safety. Keep this manual for future reference.





Image: The GROHE Rainshower 310 Smartactive Cube Shower System, showcasing its sleek design and dual shower

## SAFETY INFORMATION

---

Always observe the following safety precautions:

- Installation must be performed by a qualified professional in accordance with local plumbing and building codes.
- Ensure the water supply is turned off before beginning any installation or maintenance work.
- Do not use abrasive cleaners or solvents on the chrome finish, as this may damage the surface.
- The GROHE SafeStop feature limits water temperature to 38°C (100.4°F) to prevent scalding. An optional SafeStop Plus limiter can be set at 43°C (109.4°F).
- Regularly check for leaks and address them promptly to prevent water damage.

## SETUP AND INSTALLATION

---

The GROHE Rainshower 310 Smartactive Cube Shower System is designed for wall-mounted installation. For optimal performance and safety, professional installation is recommended.

### Key Installation Features:

- **GROHE QuickFix:** This system reduces installation time and simplifies mounting with adjustable brackets.
- **Adjustable Fixing Brackets:** Allows for flexibility during installation to accommodate various wall conditions.
- **450mm Wall Shower Arm:** Features a 45° swivel for adjustable positioning of the overhead shower.
- **Flexo Silverflex Slider Bracket:** Includes a 1.75m hose and slider bracket (28 388) for the hand shower.



Image: Technical drawing illustrating the dimensions and installation requirements for the shower system. Key measurements include overall height, shower arm length, and mounting distances.

Refer to the detailed technical drawing for precise measurements and plumbing connections (G 1/2).

## OPERATING INSTRUCTIONS

---

Your GROHE Rainshower system offers a luxurious and customizable showering experience.

### Thermostat Operation:

- **Temperature Control:** Use the thermostat handle to set your desired water temperature. The GROHE Turbostat Cartridge ensures precise and constant temperature.
- **GROHE SafeStop:** A safety stopper is integrated at 38°C (100.4°F) to prevent accidental scalding. To exceed this temperature, press the override button on the handle.
- **GROHE SafeStop Plus:** An optional temperature limiter can be set at 43°C (109.4°F) for additional safety.
- **GROHE CoolTouch:** The thermostat body remains cool to the touch, preventing burns from hot surfaces.

### Shower Functions:

- **Aquadimmer:** The integrated Aquadimmer allows you to easily switch between the overhead shower and the hand shower, and adjust water flow.
- **Rainshower Mono 310 Cube (Overhead Shower):** Provides a wide, enveloping rain spray. Features a built-in ball joint with  $\pm 15^\circ$  adjustment for directing the spray.
- **Rainshower SmartActive 130 Cube (Hand Shower):** Offers multiple spray patterns. Use **GROHE One-click showering** to select your preferred jet type by pressing a button on the hand shower.
- **GROHE DreamSpray:** Ensures perfect water distribution from every nozzle for a consistent and enjoyable spray pattern.
- **GROHE PureRain Jet:** Experience a soft, luxurious rain spray for relaxation.
- **Jet Rain:** A soft summer rain sensation on your skin.




Image: The GROHE Rainshower 310 Smartactive Cube Shower System demonstrating its dual shower functionality with water streams from both the main shower head and the hand shower.

## MAINTENANCE

Proper maintenance will ensure the longevity and aesthetic appeal of your GROHE shower system.

- **Cleaning the Finish:** The GROHE StarLight chrome finish is durable but requires gentle care. Clean with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome. Rinse thoroughly and dry to prevent water spots.
- **SpeedClean Anti-Limescale System:** The shower nozzles are equipped with SpeedClean, an anti-

limescale system. To remove limescale deposits, simply wipe the silicone nozzles with your finger.

- **Cartridge Maintenance:** If water temperature or flow becomes inconsistent, the GROHE Turbostat Cartridge may require cleaning or replacement. Consult a professional plumber.

## TROUBLESHOOTING

---

If you encounter issues with your shower system, consider the following common solutions:

- **Low Water Pressure:** Check if the main water supply valve is fully open. Inspect shower heads for limescale buildup and clean using the SpeedClean feature.
- **Inconsistent Water Temperature:** Ensure the thermostat is set correctly. If the issue persists, the thermostatic cartridge may need servicing by a professional.
- **Leaks:** Check all connections for tightness. If leaks persist, professional inspection is recommended.

For problems not resolved by these steps, please contact GROHE customer support or a qualified plumber.

## SPECIFICATIONS

---

Feature	Detail
Brand	GROHE
Model Number	26649000
Style	Shower System
Shape	Square
Material	Metal
Finish Type	Chrome (GROHE StarLight)
Efficiency	7 L/min
Setting Type	Rain
Item Weight	8.23 Kilograms
Included Components	Shower Arm, Thermostat, Overhead Shower, Hand Shower, Hose, Slider Bracket
Thermostat Features	GROHE Turbostat Cartridge, SafeStop (38°C), SafeStop Plus (43°C), CoolTouch
Shower Head Features	Rainshower Mono 310 Cube ( $\pm 15^\circ$ swivel), Rainshower SmartActive 130 Cube, GROHE DreamSpray, SpeedClean

## WARRANTY AND SUPPORT

---

Your GROHE Rainshower 310 Smartactive Cube Shower System is covered by GROHE's manufacturer warranty. Please refer to the official GROHE website or your purchase documentation for specific warranty terms and conditions.

For technical support, spare parts, or warranty claims, please contact GROHE customer service:

- **Website:** [www.grohe.com](http://www.grohe.com)
- **Customer Service:** Refer to the contact section on the official GROHE website for regional phone numbers and email support.