

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Mobicool](#) /

› [MT35W 34L 12V 230V Thermoelectric Cool Box User Manual](#)

Mobicool MT35W

Mobicool MT35W Thermoelectric Cool Box User Manual

Model: MT35W (9600024962)

PRODUCT OVERVIEW

The Mobicool MT35W AC/DC is a versatile thermoelectric cool box designed for both cooling and warming functions. It features robust construction, integrated wheels and handle for easy transport, and a convenient door-in-door access. This manual provides essential information for the safe and efficient operation of your MT35W cool box.



Figure 1: Mobicool MT35W Cool Box with the lid open, revealing bottles stored inside. The internal light illuminates the contents.

SAFETY INSTRUCTIONS

Please read these safety instructions carefully before operating the appliance. Failure to do so may result in injury or damage to the product.

- Ensure the power supply matches the voltage specified on the appliance's rating label.
- Do not immerse the appliance in water or other liquids.
- Keep ventilation openings clear of obstructions.
- Do not use electrical appliances inside the cool box unless they are of the type recommended by the manufacturer.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- The appliance can be used by children aged 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- Cleaning and user maintenance shall not be made by children without supervision.
- Disconnect from power supply before cleaning or maintenance.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

SETUP

Before first use, ensure the cool box is placed on a stable, level surface with adequate ventilation around it. Allow at least 10 cm of space on all sides for proper air circulation.

Connecting to Power

The MT35W can be operated using either 12V DC (car/truck) or 230V AC (household socket) power sources.

1. **12V DC Operation:** Connect the 12V DC cable to the cool box's 12V input socket and then to your vehicle's cigarette lighter socket.
2. **230V AC Operation:** Connect the 230V AC cable to the cool box's 230V input socket and then to a standard household power outlet.



Figure 2: Detail of the power connection panel on the Mobicool MT35W, showing both 12V and 230V input options. A power cable is shown connected.

Initial Preparation

- Clean the interior of the cool box with a damp cloth before first use.
- For optimal cooling performance, pre-cool the unit for several hours before loading contents.

OPERATING INSTRUCTIONS

The Mobicool MT35W offers both cooling and heating functionalities.

Cooling Function

To activate cooling, ensure the cool box is connected to a power source. The unit will begin to cool down to approximately 18°C below the ambient temperature. The cooling indicator light will illuminate.

- **Quick Access Door:** Utilize the separate small door in the lid for quick access to bottles without opening the entire lid, minimizing cold air loss.
- **Internal Dividers:** Use the internal dividers to organize contents efficiently and prevent items from shifting during transport.
- **Upright Storage:** The design allows for upright storage of 2-liter bottles.

Heating Function

To activate heating, switch the function selector (if present, or refer to specific model controls) to the heating mode. The unit will heat contents up to +65°C. The heating indicator light will illuminate.

Integrated ABS (Active Battery Protection)

The MT35W features an integrated active battery fuse system. This system monitors your vehicle's battery voltage and automatically shuts off the cool box if the voltage drops too low, preventing complete battery discharge and ensuring you can start your vehicle.



Figure 3: The Mobicool MT35W Cool Box shown with its integrated wheels and extended handle, highlighting its portability.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your cool box.

Cleaning

- Always disconnect the cool box from the power supply before cleaning.
- Clean the interior and exterior surfaces with a damp cloth and mild detergent.
- Do not use abrasive cleaners or solvents.
- Ensure the cool box is completely dry before storing or reconnecting to power.
- Periodically clean the ventilation grilles to ensure proper airflow and prevent overheating.

Storage

- When not in use for extended periods, store the cool box in a dry, well-ventilated area.
- Leave the lid slightly ajar to prevent odors and mildew formation.
- Store the power cables neatly in the integrated cable compartment in the lid.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Appliance does not turn on.	No power supply; cable not connected; vehicle battery low (ABS activated).	Check power connection; ensure power source is active; check vehicle battery voltage.
Insufficient cooling/heating.	Poor ventilation; ambient temperature too high/low; lid not closed properly; too many contents.	Ensure adequate ventilation; close lid securely; reduce contents if overloaded.
Unusual noise from fan.	Fan obstructed or dirty.	Clean fan and ventilation grilles. If noise persists, contact support.

If the problem persists after attempting these solutions, please contact customer support.

SPECIFICATIONS

Feature	Detail
Model Name	MT35W
Model Number	9600024962
Capacity	33 Liters
Cooling Performance	Up to 18°C below ambient temperature

Feature	Detail
Heating Performance	Up to +65°C
Power Input	12V DC, 230V AC
Material	ABS, Polyethylene
Product Dimensions (D x W x H)	540 mm x 350 mm x 456 mm (approx. 21.46"D)
Item Weight	8.8 Kilograms (19.36 pounds)
Special Features	Wheeled, Integrated ABS (Active Battery Protection), Cable Compartment
Included Components	Cool box, power cables

[illegible]

Figure 4: EU Energy Label for the Mobicool MT35W, indicating its energy efficiency class F and a capacity of 33 liters. For more details, visit the official EU EPREL database: eprel.ec.europa.eu/qr/421434

[illegible]

Figure 5: Product data sheet providing comprehensive technical specifications and compliance information for the Mobicool MT35W. Further information can be found on the Dometic website: www.dometic.com

WARRANTY AND SUPPORT

Warranty Information

The manufacturer, Dometic Germany GmbH, provides a minimum warranty period of 0 months as per product specifications. Please refer to your purchase receipt or contact your retailer for specific warranty terms and conditions applicable to your region and purchase date. Extended protection plans may be available for purchase separately.

Customer Support


For technical assistance, spare parts, or service inquiries, please contact Mobicool customer support or visit the official Dometic website. When contacting support, please have your product model (MT35W) and serial number (if applicable) ready.

- **Manufacturer:** Dometic Germany GmbH
- **Brand:** Mobicool
- **Official Website:** www.dometic.com

Related Documents - MT35W

	Mobicool Thermoelectric Coolers: Operating and Safety Instructions Comprehensive guide to operating and safety instructions for Mobicool thermoelectric coolers, covering models MT08, MT26/30, MT35, MT35W, MT38W, MT48W, MQ40W, MQ40A, MV26/30, E24, E24M, and MM24 DC/MM24. Includes general usage, safety warnings, and energy-saving tips.
	Mobicool MCF32, MCF40, MCF60, FR40 AC/DC Cool Boxes Operating Manual This manual provides comprehensive operating instructions for the Mobicool MCF32, MCF40, MCF60, and FR40 AC/DC cool boxes. Learn about safety instructions, intended use, function descriptions, operation, cleaning, maintenance, troubleshooting, and warranty information.
	Mobicool MCF32, MCF40, MCF60, FR40 AC/DC - Short Operating Manual This manual provides essential instructions for the safe and effective operation of the Mobicool MCF32, MCF40, MCF60, and FR40 AC/DC cool boxes. Learn about intended use, energy saving tips, and operating procedures for these portable refrigeration appliances.
	MOBICOOL MCF Series Cooling Boxes: Operating Manual Comprehensive operating manual for MOBICOOL MCF 32, MCF 40, MCF 60, and FR 40 AC/DC portable cooling boxes. Learn about features, safety, operation, and maintenance for efficient food chilling.
	Mobicool MBF20 Mini Fridge Operating Manual Comprehensive operating manual for the Mobicool MBF20 mini fridge, covering safety instructions, intended use, energy saving tips, and warranty information. Available in multiple languages.
	MOBICOOL MC101 & MC102 Built-in Cookers for Recreational Vehicles: Installation, Use, and Service Manual Installation, use, and service manual for MOBICOOL MC101 and MC102 built-in cookers, designed for recreational vehicles. Covers safety, operation, installation, and maintenance procedures.

Documents - Mobicool – MT35W



[\[pdf\] User Manual Instructions](#)

Mobicool Cooler MT35W MQ40A Operation Manual 3317595 000 7 14 2020 Glacière thermoélectrique Instructions d'utilisation Nevera termoelectrica Istruccioni: those described in 5155 VERDANT DRIVE 77917 size mobicoool assets 79 17 Operating Explanation Symbols And Safety has safety information instructions to hel

MOBICOOLSUPPORT@DOMETIC.COM 8 contains important concerning use disposal |||

THERMOELECTRIC COOLER **MT35W** MQ40A Thermoelectric cooler Operating Manual 6 Glacire thermoelectrique Instructions d'utili

Reproductive Harm www.P65Warnings.ca.gov mobicoool.com Form No. 3317595.000 7/20 2020 Mobicoo...

lang:en score:48 filesize: 2.48 M page_count: 12 document date: 2020-07-14



[\[pdf\] User Manual Instructions](#)


MT38W TC16 MT48W MQ40W W40 MQ40A Q40 MV26 30 TC36 mobicoool Page 2 Contents Operating and safety instructions Bedienungs und Sicherheitshinweis Mobile thermoelectric cooler MT08 MT26/30 TC16 **MT35W** MT38W TC16 MT48W MQ40W/W40 MQ40A/Q40 MV26/30 TC36 MM24 instructions Mobiles Khlger Bedenungs- und Sicherheitshinweise Glacire thermoelectrique Instruction...

lang:nl score:34 filesize: 12.4 M page_count: 40 document date: 2021-03-08




[pdf] Catalog

MOBICOOL КОЛЛЕКЦИЯ 2020MOBICOOL MB32 DC Mobicool это 23 л прохладного хранения и сумка с удобными функциями От внешних карманов на мо AfmB0oo8vyYgL3VJ5UJoGbZ13BuP7 6vnXMQXCq46EuzEJYRLUWt07bZ ремня В очередной раз мы собрали для Вас модную коллекцию! Автохолодильни 6vnXMQXCq46EuzEJYRLUWt07bZon AfmB0ooymTXF8GyVYMKV 01ImrbRrZy1DzABnnZVRkQRKkSkxc8BEte ||| ||| MOBICOOL 2020 с Coca-Cola 50 : 24 27 28 33 34 49 50 59 . . E4 : . . . : Mobicool. MEDIABANK.MOBICOOL.COM 3 0 C. M MOBICOOL 2020 с Coca-Cola 1,5 . . . 7 . MOBICOOL MT35 AC/DC MOBICOOL **MT35W** AC/DC 230 12 230 12 34 Mobic lang:i-klngon **score:29** filesize: 8.18 M page_count: 60 document date: 2020-03-05




[pdf]

Dometic Elon Kylboxar 2022 Anton Bergström kylbox mt35w Group 08 22 — KYLBOX MT35W 9600024962 Termoelektrisk Drivs med hjälp av 12 eller 230 V kan z Article 262330 ||| KYLBOX **MT35W** 9600024962 Termoelektrisk kylbox Drivs med hjlp av 12 eller 230 V kan anvndas bde i bilen och inkopplad hemmz 48 standardburkar eller fem 1,5 liter flaskor tack vare sin total volym p 33 liter ... lang:i-klngon **score:25** filesize: 238.78 K page_count: 1 document date: 2022-02-09




[pdf] User Manual Instructions

MobiCool MT35W 34 l Hűtőláda EEK F A G Termoelektromos 12 V 230 Kék Fehér Conrad hasznalati útmutató 2207536 mobicool mt35w hutolada eek f a g termoe TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ... lang:nl **score:24** filesize: 9.5 M page_count: 32 document date: 2020-01-16




[pdf] User Manual Declaration of Conformity

English Hungarian user guideMobicool MV26 DC 25L Thermo electric Cool Box BlueDometic Mobicool thermoelectric cooler manualdnd hu termek doc Dometic m: manualmanuals coolblue de eb mobicool me27 acdc guideGebrauchsanleitungManualMobicool KühlboxenMobicool CoolersDometic manualv1v1dnd acdcmanuals thermoelectric cooler MT08DC ME24/27 TC29 MT35W MT48W/W48 MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36 MM24DC MS26/MS30 Mobile refrige Mobile thermoelectric cooler MT08DC ME24/27 TC29 MT35W MT48W/W48 MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36 MM24DC MS26/MS30 Mobile ||| Mobile thermoelectric cooler MT08DC ME24/27 TC29 MT35W MT48W/W48 MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36 MM24DC MS26/MS30 Mob Manuel Mobile thermoelectric cooler MT08DC ME24/27 TC29 **MT35W** MT48W/W48 MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36 Bedienungsanleitung Glacire thermoelectrique Manuel d utilisation Aparato mvil de refrigeracin Instruc... lang:en **score:24** filesize: 6.82 M page_count: 36 document date: 2021-12-21



[pdf] User Manual Instructions

Mobicool MQ40W thermoelectric cooling box blue Manual b14ef3e60dfb0f06dfe1eb4926c305cad04 gzhls at blob ldb d 7 8 1 ||| Mobile thermoelectric cooler MT08DC ME24/27 TC29 **MT35W** MT48W MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36 MM2 instructions Mobiles Khlgert Bedienungs- und Sicherheitshinweise Glacire thermoelectrique Instructions ... lang:en **score:24** filesize: 6.54 M page_count: 36 document date: 2021-03-18



[pdf] User Manual Instructions

Thermoelectric cooler 5BB 4BK7F Термоз 18 Operating and safety instructions Introduction The operating are part of this appliance They con tain important conce bWfZdGVyfGFnYi1kb2N1bWVudHN8NzgyMzIzOXhchBSaWNhdGlvbi9wZGZ8YWdlLWRvY3VlZW50cy9oN2IvaGQSLz5NzMzNjM5MDQ1NDIucGRmfDE4MjUy attachment true KW22 703363 HD Mobicool Gefrierbox MT38 W sued out pictures dmedia TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ... lang:nl **score:23** filesize: 7.46 M page_count: 32 document date: 2020-05-06



[pdf] User Manual Instructions

MobiCool Mobicool K hlbox MQ40W 12 230 V H t l da EEK F A G Termoelektromos K k 40 l Conrad hasznalati utmutato 2205123 mobicool kuehlbox mq40w 12 TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ...
lang:nl score:17 filesize: 9.5 M page_count: 32 document date: 2020-01-16




[pdf] User Manual Instructions

Elektromos h t l da 12 V 230 48 l MobiCool MT48W Conrad hasznalati utmutato 2205122 elektromos hutolada v mobicool mt48w asset conrad media10 add 160: TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ...
lang:nl score:17 filesize: 9.39 M page_count: 32 document date: 2019-11-26



[pdf] User Manual Instructions

Elektromos h t l da 12 V 230 48 l MobiCool MT48W Conrad hasznalati utmutato 2205122 elektromos hutolada v mobicool mt48w asset conrad media10 add 160: TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ...
lang:nl score:17 filesize: 9.5 M page_count: 32 document date: 2020-01-16



[pdf] User Manual Instructions

Aut s h t l da 12 V 230 alum nium 40 l MobiCool MQ40AV Conrad hasznalati utmutato 2205121 autos hutolada v alum nium mobicool mq40av asset conrad med TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ...
lang:nl score:16 filesize: 9.5 M page_count: 32 document date: 2020-01-16



[pdf] User Manual Instructions

Aut s h t l da 12 V 230 alum nium 40 l MobiCool MQ40AV Conrad hasznalati utmutato 2205121 autos hutolada v alum nium mobicool mq40av asset conrad med TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30 4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleleirtung 13 ...
lang:nl score:16 filesize: 9.39 M page_count: 32 document date: 2019-11-26




[pdf] User Manual Instructions

MobiCool MT08 12 V Hűtőláda Termoelektromos Kék fémcs 8 l Conrad használati útmutató 2205124 mobicool mt08 v hűtőláda termoelektromos kek femes asset
TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30
4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleirtung 13 ...
lang:nl score:16 filesize: 9.5 M page_count: 32 document date: 2020-01-16



[pdf] User Manual Instructions

Termoelektromos hűtőláda 12 V 230 40 l kék MobiCool MQ40W 9600024967 vásárlása Conrad Electronic használati útmutató 2205123 termoelektromos hűtőláda
TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30
4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleirtung 13 ...
lang:nl score:16 filesize: 9.65 M page_count: 32 document date: 2019-11-26



[pdf] User Manual

MT08DC ME24 27 TC29 MT35W MT48W W48 MQ40W W40 MQ40A Q40 MV26 30DC MV24 TC36 MM24DC MS26 MS30 mobicoolsmartmanual opm 444510316
25°C BOOK EMEA22 20xx xx indb 17 |||
Mobile thermoelectric cooler MT08DC ME24/27 TC29 **MT35W** MT48W/W48 MQ40W/W40 MQ40A/Q40 MV26/30DC MV24/27 TC36
Bedienungsanleitung Glacire thermoelectrique Manuel d utilisation Aparato mvil de refrigeracin Instruc...
lang:en score:16 filesize: 6.82 M page_count: 36 document date: 2021-12-21



[pdf] User Manual Instructions

Autós hűtőláda MobiCool Mirabelle MM24 DC 20 l EEK G A 12 V Kék Fehér Conrad használati útmutató 2207539 autos hűtőláda mobicool mirabelle mm24 dc eek
TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30
4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleirtung 13 ...
lang:nl score:16 filesize: 9.66 M page_count: 32 document date: 2020-01-16



[pdf] User Manual Instructions

Bekijk de handleiding Mobicool MVA Thermoelectrische Koelbox 24L 12 230V Groen met verwarmingsfunctie bol original media s xNPovqMQnKN9 |||
TheCrmOoOeLleBctOriXc EcSooler F 16 AC MT08 MT26/30 TC16 MT35 **MT35W** MT38W TC16 MT48W MQ40W MQ40A MV26/30
4 DE Mini-Khlschrank ThBeremdoieenleucntrgicsaconoleirtung 13 ...
lang:nl score:15 filesize: 9.65 M page_count: 32 document date: 2019-10-08

