

Allied Brass P-190-RTP-BBR

Allied Brass P-190-RTP-BBR Pipeline Collection Recessed Toilet Paper Holder Instruction Manual

Model: P-190-RTP-BBR

1. INTRODUCTION

This instruction manual provides detailed guidance for the installation, operation, and maintenance of your Allied Brass P-190-RTP-BBR Pipeline Collection Recessed Toilet Paper Holder. Please read this manual thoroughly before beginning installation to ensure proper setup and safe use of the product. Retain this manual for future reference.

2. SAFETY INFORMATION

- Always wear appropriate safety gear, such as safety glasses, during installation.
- Ensure the installation area is free from electrical wires or plumbing pipes before cutting into walls. Use a stud finder and wall scanner if necessary.
- Handle tools with care to prevent injury.
- Keep small parts out of reach of children.
- If you are unsure about any step of the installation process, consult a qualified professional.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Recessed Toilet Paper Holder Assembly (1)
- Mounting Bracket (1)
- Installation Hardware (Screws, Anchors)

4. TOOLS REQUIRED (NOT INCLUDED)

- Pencil
- Measuring Tape

- Level
- Drywall Saw or Utility Knife
- Screwdriver (Phillips head recommended)
- Stud Finder / Wall Scanner (recommended)

5. SETUP AND INSTALLATION

The Allied Brass P-190-RTP-BBR is designed for in-wall installation into standard bathroom drywall. Follow these steps for secure mounting:




Figure 1: Allied Brass P-190-RTP-BBR Recessed Toilet Paper Holder. This image displays the Allied Brass P-190-RTP-BBR recessed toilet paper holder. It features a square backplate with a recessed compartment designed to hold a toilet paper roll. The roll holder itself is constructed from pipe-fitting style components, finished in brushed bronze, giving it an industrial aesthetic. The unit is designed for in-wall installation.

1. **Choose Location:** Select a suitable location on your bathroom wall, ensuring it is free from studs, electrical wiring, or plumbing. The ideal height for a toilet paper holder is typically 26 inches (66 cm) from the floor to the bottom of the holder, and 8-12 inches (20-30 cm) in front of the toilet bowl.

- 2. **Mark Cutout Area:** Measure the dimensions of the recessed portion of the toilet paper holder. Using a pencil and level, carefully mark the outline for the cutout on the drywall. Ensure the marked area is slightly smaller than the faceplate of the holder but large enough for the recessed body and mounting bracket to fit.
- 3. **Cut Opening:** Using a drywall saw or utility knife, carefully cut along the marked outline. Exercise caution to avoid damaging surrounding areas or hidden utilities.
- 4. **Insert Mounting Bracket:** The unit comes with a mounting bracket. Insert this bracket into the cutout. The bracket is designed to secure the holder within the drywall opening without additional hardware.
- 5. **Secure Holder:** Carefully insert the recessed toilet paper holder assembly into the opening, ensuring it sits flush with the wall. The mounting bracket will hold it securely. Some models may include small screws to further secure the faceplate to the bracket or wall; if present, use these.
- 6. **Final Check:** Ensure the holder is level and firmly seated in the wall.

6. OPERATING INSTRUCTIONS

To use your recessed toilet paper holder:

- 1. **Loading a Roll:** Gently pull one end of the pipe-style holder arm away from the recessed compartment. Place a standard toilet paper roll onto the arm. Release the arm, ensuring it securely holds the roll in place.
- 2. **Dispensing:** Pull the desired amount of toilet paper from the roll.
- 3. **Replacing a Roll:** When the roll is empty, remove the cardboard core by gently pulling the arm away and sliding the core off. Load a new roll as described in step 1.

7. CARE AND MAINTENANCE

To maintain the finish and functionality of your Allied Brass toilet paper holder:

- **Cleaning:** Clean regularly with a soft, damp cloth. For stubborn spots, use a mild soap solution and immediately dry with a clean, soft cloth.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or bleach, as these can damage the brushed bronze finish.
- **Inspection:** Periodically check that the holder remains securely mounted.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Holder feels loose in the wall.	Improperly secured mounting bracket or cutout too large.	Ensure the mounting bracket is fully engaged. If the cutout is too large, additional wall repair may be necessary, or consult a professional.
Toilet paper roll does not fit or is difficult to load.	Roll size is incompatible or holder arm is not fully extended.	Ensure you are using a standard-sized toilet paper roll. Gently pull the spring-loaded arm further out to accommodate the roll.
Finish appears dull or discolored.	Exposure to harsh chemicals or lack of regular cleaning.	Clean with a soft, damp cloth and mild soap. Avoid abrasive cleaners.

9. SPECIFICATIONS

Model: P-190-RTP-BBR
Brand: Allied Brass
Material: 100% Brass
Finish Type: Brushed Bronze
Installation Type: Recessed, Screw-In
Product Dimensions: 6.1"L x 4"W
Item Weight: 2.44 pounds
UPC: 013895645553

10. WARRANTY AND SUPPORT

Warranty: This Allied Brass product comes with a Lifetime Warranty Against Manufacturer's Defects. Please refer to the official Allied Brass website or contact customer service for full warranty terms and conditions.

Customer Support: For technical assistance, missing parts, or warranty claims, please contact Allied Brass customer service. Contact information can typically be found on the manufacturer's official website or product packaging.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question