Caliber HCG018QI/W

Caliber Alarm Clock with QI Charging Station

USER MANUAL

Introduction

Thank you for purchasing the Caliber Alarm Clock with QI Charging Station. This device combines a digital alarm clock with a convenient wireless charging pad and a USB charging port, designed to simplify your bedside setup. It also features an adjustable night light and a large LED display for clear visibility.

This manual provides detailed instructions on how to set up, operate, maintain, and troubleshoot your new alarm clock. Please read it thoroughly before use to ensure optimal performance and longevity of the product.

Setup

- 1. **Unpacking:** Carefully remove the alarm clock from its packaging. Ensure all components are present: the alarm clock unit and the power adapter.
- 2. **Power Connection:** Connect the provided power adapter to the DC input port on the back of the alarm clock. Plug the other end of the adapter into a standard wall outlet. The display will illuminate.



Image: Side view of the alarm clock, illustrating the power input port (left) and the USB output port (right).

- 3. **Battery Installation (Backup):** The unit includes 1 Lithium Ion battery for backup. This battery maintains time settings during power outages. No user installation is typically required for this preinstalled battery.
- 4. **Initial Time Setting:** Upon first power-up, the clock may display a default time or require manual setting. Refer to the "Operating" section for detailed instructions on setting the time.

Operating Instructions

Setting Time and Date

- Press and hold the **TIME SET** button (location may vary, typically on the back or top) until the hour digits flash.
- Use the + or buttons to adjust the hour.
- Press TIME SET again to move to minutes, then adjust with+ or -.
- Repeat for year, month, and day if applicable.
- Press TIME SET one last time to confirm and exit.

Setting Alarms

- Press and hold the **ALARM SET** button (or similar) until the alarm hour digits flash.
- Adjust the alarm hour and minutes using the+ or buttons.
- · Press ALARM SET to confirm.
- To activate/deactivate the alarm, press the ALARM ON/OFF button. An alarm icon will appear/disappear on the display.
- When the alarm sounds, press the **SNOOZE** button for a temporary pause, or any other button to turn it off for the day.

Using the QI Wireless Charging Station

The alarm clock features a built-in QI wireless charging pad for compatible devices.

- 1. Ensure the alarm clock is powered on.
- 2. Place your QI-compatible smartphone or device directly onto the charging pad, centering it over the QI logo.
- 3. A charging indicator (e.g., an LED light or on-screen icon) will illuminate to confirm charging has begun. If charging does not start, reposition your device.



Image: A smartphone placed on the QI charging pad of the alarm clock, showing the charging interface on the phone screen.



Image: The alarm clock with a phone positioned on its wireless charging surface, indicating active charging.

Using the USB Charging Port

A USB output port is available on the side of the unit for charging non-QI compatible devices or for faster wired charging.

- Connect your device's USB charging cable to the USB output port on the alarm clock.
- Connect the other end of the cable to your device. Charging will begin automatically.

Adjusting Display Brightness and Night Light

- The alarm clock features adjustable display brightness. Look for a **DIMMER** or **BRIGHTNESS** button, typically on the back or top. Press it repeatedly to cycle through brightness levels.
- To activate or adjust the night light, locate the dedicated **NIGHT LIGHT** button. Press it to turn the light on/off or cycle through different brightness settings if available.

Maintenance

- Cleaning: Disconnect the power adapter before cleaning. Use a soft, dry cloth to wipe the surface of the alarm clock. Do not use abrasive cleaners, waxes, or solvents as they may damage the finish.
- **Storage:** If storing the unit for an extended period, disconnect it from power and store it in a cool, dry place.
- **Handling:** Avoid dropping the unit or subjecting it to strong impacts. Keep it away from water and high humidity.

Troubleshooting

Problem	Possible Cause	Solution
Clock display is blank.	No power connection.	Ensure the power adapter is securely plugged into the unit and a working wall outlet.
QI charging not working.	Device not QI-compatible; device not properly aligned; foreign objects on pad; phone case too thick.	Verify device compatibility. Reposition device on the center of the pad. Remove any foreign objects. Remove thick phone cases.
Alarm does not sound.	Alarm not activated; volume too low; incorrect alarm time.	Ensure the alarm icon is displayed. Check alarm volume settings. Verify the alarm time is set correctly.
Time is incorrect.	Time not set correctly; power interruption.	Reset the time manually. If power was interrupted, the backup battery should maintain time, but a manual check is recommended.

Specifications

Feature	Detail
Brand	Caliber
Model Number	HCG018QI/W
Color	White

Feature	Detail
Display Type	Digital
Special Feature	Night light, QI charging station, USB charging port
Power Source	Corded Electric
Product Dimensions	7.09 x 4.25 x 3.86 inches
Item Weight	7.9 ounces (225 Grams)
Batteries	1 Lithium Ion battery (included, for backup)
GTIN	08714505047157

Warranty and Support

This Caliber product is designed for reliability and performance. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official Caliber website.

Should you encounter any issues not covered in the troubleshooting section, or require further assistance, please contact Caliber customer support. Contact details can typically be found on the product packaging or the manufacturer's official website.

Related Documents



Caliber HCG 006 Digital Alarm Clock with Auto Dimmer and Time Projection

Discover the Caliber HCG 006 digital alarm clock, featuring a large LED display, auto/manual brightness control, time projection, adjustable snooze, and temperature display. Ideal for modern bedrooms.





Caliber RMD901DAB-CP Quick Start Guide

Get started quickly with your Caliber RMD901DAB-CP. This guide covers basic setup, operation, and features for your new device.



™CALIBER



Caliber BC 112SA Active Enclosure Quick Start Guide

A quick start guide for the Caliber BC 112SA active enclosure, providing installation, connection, and adjustment instructions in multiple languages.







Caliber RMD 901DAB-CP Quick Start Guide

This document provides a quick start guide for the Caliber RMD 901DAB-CP car radio, covering specifications, connections, and basic operation in multiple languages.

Documents - Caliber - HCG018QI/W



[pdf] User Manual Specifications Dimension Guide HCG 018Qi caliber hcg018qi w manuals coolblue be f1 |||

HCG 018Qi Manual GB FR DE ES SE NL SPECIFICATIONS, CONNECTIONS AND BUTTONS Input adapter: 100-240V / 50/60Hz Input:5V/2A 9V/1,7A note: use your original QC3.0 adapter for fast charging Wireless output: Charge distance 10W/7,5W/5W 4-8mm USB output 5V/0,8A Backup battery for clock me... lang:en score:35 filesize: 1.01 M page_count: 20 document date: 2019-05-27