Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- CALEX /
- > Calex Smart LED Lamp E27 WiFi Filament A60 Dimmable Warm White 7W Instruction Manual

CALEX 429012.1

Calex Smart LED Lamp E27 WiFi Filament A60 - Dimmable Warm White - 7W Instruction Manual

Model: 429012.1

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Calex Smart LED Lamp E27 WiFi Filament A60. This smart light source offers dimmable warm white light and can be controlled via the Calex Smart App, as well as voice assistants like Google Home, Amazon Alexa, and Siri. Please read this manual thoroughly before use to ensure proper functionality and safety.

SETUP INSTRUCTIONS

Follow these steps to set up your Calex Smart LED Lamp:

- 1. **Install the Lamp:** Screw the Calex Smart LED Lamp into a standard E27 fitting. Ensure the power is off before installation.
- 2. **Connect to 2.4 GHz Wi-Fi Network:** Your smart lamp requires a 2.4 GHz Wi-Fi network for connection. Ensure your smartphone is connected to this network during the setup process.
- 3. **Download the Calex Smart App:** Download and install the "Calex Smart" app from your device's app store (available on iOS and Android).
- 4. **Add Device:** Open the Calex Smart App. If it's your first device, tap "Add Device". If you have existing devices, tap the "+" icon in the top right corner.
- 5. **Select Device Type:** From the list of available devices, select "Smart Lighting" and then choose the appropriate bulb type (e.g., A60 LED).
- 6. **Confirm Blinking:** Power on the light. The lamp should blink rapidly. Confirm this in the app. If it does not blink rapidly, turn the light off and on three times to reset it.
- 7. Enter Wi-Fi Password: Enter the password for your 2.4 GHz Wi-Fi network in the app.
- 8. **Connecting:** The app will now attempt to connect to the lamp. Keep your phone close to the lamp and router during this process.
- 9. **Name Your Light:** Once connected, you can name your light (e.g., "Living Room Lamp", "Kitchen Window").



Image: Calex Smart LED Lamp shown alongside a smartphone displaying the Calex Smart App, illustrating the control interface.

Your browser does not support the video tag.

Video: A step-by-step guide on how to connect your Calex Smart Lights to the Calex Smart App and Wi-Fi network.

OPERATING INSTRUCTIONS

Once your Calex Smart LED Lamp is set up, you can control it using the Calex Smart App or compatible voice assistants.

- App Control: Use the Calex Smart App to control your lighting from anywhere.
- **Dimming:** Adjust the brightness of the lamp to your desired level.

- Color Temperature Adjustment: Select the perfect ambiance by changing the color temperature from warm white to cool white.
- Color Changing: Explore a full spectrum of colors to match any mood or occasion.
- **Timers and Schedules:** Enhance your daily routine by setting customizable timers and schedules. Lights can automatically turn on or off at specified times, promoting energy efficiency and perfectly lit spaces.
- **Voice Control:** Seamlessly integrate with Google Home, Amazon Alexa, and Siri. Use voice commands to switch lights on/off, dim them, or change color temperature for ultimate convenience.



Image: A dining room setting showcasing the Calex Smart LED Lamp's ability to adjust from warm to cool white light, creating different atmospheres.



Image: A smartphone app interface showing a color wheel, used to select and change the color of the smart LED lamp.




Image: A woman in a kitchen setting using voice commands to control her Calex Smart LED Lamp, highlighting compatibility with Alexa, Hey Google, and Siri.



Image: An illustration showing the timer and schedule features of the Calex Smart LED Lamp, with examples for bedtime and morning routines.




Image: A diagram illustrating various scenes and automations for Calex Smart LED Lamps in different rooms of a house, managed through a smartphone app.

MAINTENANCE

To ensure the longevity and optimal performance of your Calex Smart LED Lamp, follow these simple maintenance guidelines:

- Cleaning: Ensure the lamp is switched off and cool before cleaning. Gently wipe the bulb with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- Storage: If storing the lamp for an extended period, keep it in its original packaging in a cool, dry place.
- **Disposal:** Dispose of the lamp according to local regulations for electronic waste. Do not dispose of it with general household waste.

TROUBLESHOOTING

If you encounter issues with your Calex Smart LED Lamp, refer to the following common problems and solutions:

|--|

Problem	Possible Cause	Solution
Lamp does not turn on.	No power, loose connection, or faulty bulb.	Check if the light switch is on. Ensure the bulb is screwed in correctly. Test the bulb in another working fixture.
Lamp does not connect to Wi-Fi.	Incorrect Wi-Fi password, 5 GHz network, or lamp too far from router.	Ensure you are connected to a 2.4 GHz Wi-Fi network. Verify the Wi-Fi password. Move the lamp closer to the router. Reset the lamp by turning it off and on three times, then try pairing again.
Lamp occasionally loses connection.	Weak Wi-Fi signal or network interference.	Improve Wi-Fi signal strength (e.g., use a Wi-Fi extender). Reduce interference from other devices. If the issue persists, try re-adding the device in the app.
Voice control not working.	Incorrect integration with voice assistant or network issue.	Ensure the Calex Smart App is correctly linked to your Google Home, Amazon Alexa, or Siri account. Check your internet connection. Verify the device name used in voice commands matches the name in the app.

SPECIFICATIONS

Detailed technical specifications for the Calex Smart LED Lamp E27 WiFi Filament A60:

• Model Number: 429012.1

Brand: CALEXType of Light: LED

Base: E27Wattage: 7W

• Equivalent Incandescent Power: 60W

• Voltage: 220 Volt

• Light Color: Warm White (1800K - 3000K adjustable)

• Dimmable: Yes

• Special Features: App controllable, Compatible with Alexa / Google Home


• Product Dimensions: 6 x 6 x 10.4 cm

Item Weight: 75 MilligramsEnergy Efficiency Rating: E

• First Available Date: January 1, 2020



Calex 429012.1




 $Image: Technical\ drawing\ illustrating\ the\ dimensions\ of\ the\ Calex\ Smart\ LED\ Lamp\ (105mm\ height,\ 60mm\ diameter).$

Fiche d'info	rmation sur le produit
ADDIEMENT DELEGIE DE Émergétique des sources à	C 2003/2005 DE LA COMMISSION en ce qui concerne l'étiquetage Lettinespet
Nom du fournisseur ou m	narque commerciale, Calm
Adresse du fournisseur: Notherlands	Electric Cirkel Retail BV - Public, Symmitteet 29, 3047 AV Rottenfam, the
Référence du modèle: 5:	L01300900
Type de source lumineus	

Sechnologie d'	Schenge utili-	LED	Non-dirigite ou d'in-	NOS
Type disculot di neune	la source turni.	E27	pr	
(ou d'autre smerface electrique) Secteur ou non secteur		MIS	Source luminouse connected (SLC):	Ow
Source lumineure registrie en		Out	Enveloppe:	
Source lumines Elevée:	se à luminance	Non		
Protection anti-distrussament.		Non	Utilisation avec on earliferar	Non
		Paramitres di	prodult	
Farametre.		Valence	Parameter	Valeur
		aramétres genéra		
mode marche (k	d'energie en Wh/1000 hij ar- er sopérieur le	,	Classe d'afficacité énergétique	
Plus tumineus utile (фutet), svec- indication qu'il se refiltre pas flus dans une sphère (1809), dans un côre large (1309) sus dans un côre étroit (909)		806 pur Sphére (360°)	Température de inscieur propietule, arrandie à la cen- taine de K la plus proche, ou la pluge de températures de couleur propietules qui peuvent être sé- gides	18003000
	en mode exprimée en W	7,0	Pulssance en mode veille (P _a), esprimbe en W et arrondie à la deuxième décimale	0,00
Pulsance en mode velle (P _{ee}); pour S.C., exprimée en W et ar- ronde à la dessième décimale		0,50	Indice de renda des couleurs, arron- di à l'entier le plus proche, ou la plage	90 Page 1-1
pour S.C. expeli	exprimes on W (cla vella (P _{se}), nde on W et ar-		qui pervent être si- gides Puissance en mode velle (P _a), esprisable en W et arrorde à la desaitene décirrale latice de senda des contents, aron- de Contents, aron- de à l'entre le plus proche, du la plage	
			de valeurs d'IAC qui peuvent être régiées	
Dimensions	Hauteur	305	Distribution six la	Voir l'image de la
odinevno en	Largeur	50	pulssance spectrale	page policidente
non, same ap-	Profondeur	60	dam; la pluge de 250 nm. à 800 nm, à pleine charge	

			provent itire rigides	
Dimensions	Hauteur	305	Distribution six la	Voir l'image de la
extérioures en mm, sans ep- jurellage de communde séparé, été- ments de ré- gulation de l'echerage n' éléments sans fonction d'értainage (le	Largeur	50	pulsance apendrale dams (a plage dra 250) mm à 8 500 mm, à pleine charge	page policidente
	Frefendeur	60		
	icéchéant) éclaration de puissance équi- alainte*		Si our, pursumos équivalente (W)	60
			Coordonnies chro- matigues (x et y)	0,434
Parametres po	or les sources lumin	numen LEO et 0	NED:	
85 valeur de l'Indice de rendu des couleurs		1	Fecteur de survie	0.90
Factorur de comutriration du flux luminaux		0,98		
Paramittres po	ur les sources lumbre	NAME AND POST	LEO et OLEO:	
Factour de déphasage (con (cl.)		0,50	Complance des cou- leurs dans les el- lipses de MacAdam	
	Ame source la-	N	Si out, déclaration	
mineuse 120 source luminor	remplace une ow fluorescents agré d'une puo- particulière		relative au rempla- sement (W)	





Foundamen: Electro-Crisil Annal II.V (Fabricant)
Service applications:
None; Dectry Crisil Retail BV - Public
Countries inhalteractrycolol zone
Addresse:
Lycostowa 2 & SOAT AJ Nottendam, the Nottendands

Image: EU Energy Label for Calex LED Lamp, model 429012.1, indicating an energy efficiency class E and consumption of 7 kWh per 1000

hours.

For more details, refer to the EPREL Product Information Sheet

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Calex customer service. Refer to the official Calex website or your purchase documentation for contact details.

Online Resources:

• Visit the Calex Brand Store on Amazon for additional products and information.

Related Documents - 429012.1





Calex Smart Bulb C1: Quick Start Guide and Compliance Information

Comprehensive setup guide for the Calex Smart Bulb C1. Learn how to pair via Bluetooth, connect to WiFi, and access important safety and compliance information. Includes troubleshooting tips and disposal guidelines.









Forestandardon
 Forestan

Art. No. 4301004301 - 4301005400 - 4301005500

Calex Falerna Outdoor Battery Rechargeable Wall Lamp User Manual

User manual for the Calex Falerna outdoor battery rechargeable wall lamp. Includes installation instructions, operation guide, safety information, and recycling details.

