

## HOLOSUN 510C-HM3X

# HOLOSUN HS510C & HM3X Combo User Manual

Model: 510C-HM3X

Brand: HOLOSUN

## 1. INTRODUCTION

This manual provides instructions for the proper setup, operation, and maintenance of your HOLOSUN HS510C Multi-Reticle Circle Dot Open Reflex Sight and HM3X 3x Flip-to-Side Magnifier combo. Please read this manual thoroughly before using the product to ensure safe and effective operation.

## 2. SAFETY INFORMATION

Always handle firearms and optical devices responsibly. Follow all local and federal laws regarding firearm safety. Ensure the firearm is unloaded and safe before installing, adjusting, or performing maintenance on the sight or magnifier. Never look directly at the sun through the optic, as this can cause permanent eye damage. Keep batteries out of reach of children.

## 3. PACKAGE CONTENTS

Verify that all items are present in your package:

- HOLOSUN HS510C Open Reflex Sight
- HOLOSUN HM3X 3x Flip-to-Side Magnifier
- Quick Detach Mounts (Pre-installed or separate)
- CR2032 Battery (Pre-installed in HS510C)
- Lens Cloth
- T10 L Key
- User Manual



Image: The Holosun HS510C sight, HM3X magnifier, and included tools are shown organized within the protective hard case.

#### 4. PRODUCT FEATURES

The HOLOSUN HS510C & HM3X combo offers advanced features for enhanced aiming and target acquisition:

- **Multi-Reticle System (MRS):** Choose between a 2 MOA dot, a 65 MOA circle, or a 2 MOA dot with 65 MOA circle.
- **Solar Failsafe:** Automatically adjusts reticle brightness based on ambient light, with battery backup.
- **Shake Awake Technology:** Powers on the optic upon motion detection and powers off after a period of inactivity to conserve battery.
- **Parallax-Free:** The reticle remains parallel to the bore regardless of eye position.
- **3x Magnification:** The HM3X magnifier provides 3 times optical magnification for extended range engagements.
- **Flip-to-Side Mount:** The HM3X magnifier can be quickly flipped out of the line of sight when not needed.
- **Durable Construction:** Both units feature robust housing for reliability in various conditions.



Image: The Holosun HS510C reflex sight and HM3X magnifier are displayed alongside their protective carrying case.

## 5. SETUP

### 5.1. Battery Installation (HS510C)

1. The HS510C comes with a CR2032 battery pre-installed.
2. To replace, unscrew the battery tray cover on the right side of the sight using the T10 L key.
3. Insert a new CR2032 battery with the positive (+) side facing up.
4. Securely close the battery tray cover.

### 5.2. Mounting the Sight and Magnifier

Both the HS510C and HM3X utilize quick-detach (QD) mounts designed for Picatinny rails.

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Loosen the QD lever on both the sight and magnifier mounts.
3. Place the HS510C sight onto the desired section of your Picatinny rail. Position it forward enough to allow space for the magnifier behind it.
4. Close the QD lever. If the mount is too loose or too tight, adjust the tension screw on the opposite side of the lever using the T10 L key until a firm lock is achieved.
5. Place the HM3X magnifier onto the rail directly behind the HS510C. Ensure proper eye relief for comfortable viewing.
6. Close the QD lever for the magnifier, adjusting tension as needed.



Image: The HS510C reflex sight and HM3X magnifier are shown securely mounted on the Picatinny rail of a rifle.



Image: A side profile of the HS510C sight and HM3X magnifier, illustrating their compact combined footprint.

## 6. OPERATING

### 6.1. Power On/Off (HS510C)

- **Power On:** Press either the '+' or '-' button.
- **Power Off:** Press both '+' and '-' buttons simultaneously for 3 seconds.

### 6.2. Brightness Adjustment (HS510C)

- Press the '+' button to increase brightness.
- Press the '-' button to decrease brightness.
- The HS510C has 12 brightness settings, including 2 night vision compatible settings.

### 6.3. Reticle Selection (HS510C)

Press and hold the '-' button for 3 seconds to cycle through the available reticle options:

- 2 MOA Dot & 65 MOA Circle
- 2 MOA Dot only
- 65 MOA Circle only

### 6.4. Zeroing the HS510C Sight

Zeroing should be performed at a safe shooting range. Use the included T10 L key for adjustments.

1. Fire a group of shots at your desired zeroing distance.
2. Identify the point of impact relative to your aim point.
3. Use the windage (R/L) and elevation (U/D) adjustment turrets on the sight. Each click adjusts the point of impact by 0.5 MOA.
4. To move the point of impact **UP**, turn the elevation screw counter-clockwise.
5. To move the point of impact **DOWN**, turn the elevation screw clockwise.

6. To move the point of impact **RIGHT**, turn the windage screw counter-clockwise.
7. To move the point of impact **LEFT**, turn the windage screw clockwise.
8. Repeat firing and adjusting until the point of impact matches your aim point.



Image: The HS510C reflex sight, highlighting the windage and elevation adjustment screws for zeroing.

## 6.5. Using the HM3X Magnifier

- The HM3X magnifier is designed to be used in conjunction with the HS510C sight.
- To engage magnification, simply push the magnifier from its flipped-to-side position into the inline viewing position behind the HS510C.
- To disengage magnification, push the magnifier to the side until it locks into the flipped-to-side position.
- The diopter adjustment ring on the eyepiece of the HM3X can be rotated to achieve a clear focus for your eye.



Image: An angled view of the HS510C sight and HM3X magnifier, showing the magnifier in its operational position behind the sight.

## 7. MAINTENANCE

---

### 7.1. Cleaning

Use a soft, clean cloth to wipe away dust and debris from the exterior surfaces. For lenses, use a lens cleaning pen or a soft lens cloth with a small amount of lens cleaning solution. Avoid using harsh chemicals or abrasive materials.

### 7.2. Storage

When not in use, store the sight and magnifier in a dry, cool place, preferably in their protective case. Remove the battery if storing for extended periods (several months or more) to prevent potential leakage.

## 8. TROUBLESHOOTING

---

- **Reticle is dim or not visible:**

- Check battery level and replace if necessary.
- Adjust brightness settings using the '+' button.
- Ensure the solar panel is not obstructed if operating in solar mode.

- **Reticle appears distorted or blurry:**

- Adjust the diopter on the HM3X magnifier for your vision.
- Ensure lenses are clean and free of smudges.
- If using only the HS510C, ensure your eye is focused on the target, not the reticle itself.

- **Sight or magnifier is loose on the rail:**

- Tighten the QD lever.
- Adjust the tension screw on the QD mount using the T10 L key.

## 9. SPECIFICATIONS

---

<b>Product</b>	HOLOSUN HS510C & HM3X Combo
<b>Model</b>	510C-HM3X
<b>Reticle (HS510C)</b>	2 MOA Dot, 65 MOA Circle, or Dot & Circle
<b>Brightness Settings (HS510C)</b>	12 (10 Day, 2 NV)
<b>Battery Type (HS510C)</b>	CR2032
<b>Magnification (HM3X)</b>	3x
<b>Mount Type</b>	Quick Detach (QD) for Picatinny Rail
<b>Dimensions (Package)</b>	9.19 x 6.75 x 3.75 inches
<b>Weight (Package)</b>	4.96 ounces



## 10. WARRANTY AND SUPPORT

---

HOLOSUN products are backed by a limited lifetime warranty on the optics and a limited warranty on electronics and batteries. For specific warranty details, service, or technical support, please visit the official HOLOSUN website or contact their customer service department. Keep your proof of purchase for warranty claims.

For further assistance, please refer to the official HOLOSUN website: [www.holosun.com](http://www.holosun.com)

## Related Documents

	<p><a href="#"><u>Holosun HS510C Reflex Sight User Manual</u></a></p> <p>User manual for the Holosun HS510C Reflex Sight, detailing features, operation, installation, maintenance, and warranty information. This open reflex sight features a circle dot reticle, rugged aluminum housing, titanium hood, Shake Awake Technology, and dual power (solar &amp; battery).</p>
	<p><a href="#"><u>HOLOSUN HS507COMP Reflex Sight User Manual   Installation, Operation &amp; Maintenance</u></a></p> <p>Comprehensive user manual for the HOLOSUN HS507COMP and HE507COMP-GR reflex sights. Learn about installation, features, operation modes, zeroing, maintenance, and warranty.</p>
	<p><a href="#"><u>Holosun HS503R Circle Dot Sight User's Manual</u></a></p> <p>User's manual for the Holosun HS503R Circle Dot Sight, detailing features, operation, zeroing, maintenance, and warranty information.</p>
	<p><a href="#"><u>HOLOSUN HE507C-GR X2 Reflex Sight User's Manual</u></a></p> <p>User's manual for the HOLOSUN HE507C-GR X2 Open Reflex Sight, detailing its features, operation, installation, zeroing, maintenance, and warranty information.</p>

Documents - HOLOSUN – 510C-HM3X

## [pdf] Price List

2024 2 HOLOSUN Master Price List.xls Compatibility Mode Luis Chirino VendorLink myvendorlink âº vfile  
MSRP2024 external d vrf s 161269 v 107648 sv 0 i 268 ft b |||

HOLOSUN LEM DEALER PRICELIST ver. 2024.2 LEM Products for Agency and IOP  
Sales SKU Description MSRP UPC HOLOSUN Self Charging Sights SCS SCS-M-GR  
LEM SCS-MP2-GR LEM SCS-VP9-GR LEM SCS-PDP-GR LEM SCS-P10-GR LEM  
SCS SCS-320-GR LEM SCS-CARRY-GR LEM Solar Charging Sight Pistol Open  
Green Multi-

lang:de score:30 filesize: 156.81 K page\_count: 2 document date: 2024-05-22

## [pdf] Price List

2024 2 HOLOSUN Master Price List xls Compatibility Mode Luis Chirino VendorLinkHS507C X2 LEM \$ 419 39 810047071853 HE507K GR 432 93 810047071846 Picatinny Rail Mount for all 407C 507C 508T Models 509 Adapter MOSHOLOSUN MSRP2024myvendorlink external vfile d vrf s 179008 v 107648 sv i 268 ft b |||

HOLOSUN LEM DEALER PRICELIST ver. 2024.2 LEM Products for Agency and IOP  
Sales SKU Description MSRP UPC HOLOSUN Self Charging Sights SCS SCS-M-GR  
LEM SCS-MP2-GR LEM SCS-VP9-GR LEM SCS-PDP-GR LEM SCS-P10-GR LEM  
SCS SCS-320-GR LEM SCS-CARRY-GR LEM Solar Charging Sight Pistol Open  
Green Multi-


lang:de score:29 filesize: 156.81 K page\_count: 2 document\_date: 2024-05-22

Holosun LEM IOP+SAP Pricelist Ver. 2024.2

Holosun LEM IOP+SAP Pricelist for Agency and IOP Sales, featuring a comprehensive list of optics, sights, lasers, magnifiers, and accessories with SKUs, descriptions, and pricing.

lang:en score:28 filesize: 88.06 K page count: 3 document date: 2024-02-02

[\[pdf\]](#) Price List



SKU	Product	Price
570	LEM IOP SAP	\$ 533.49
58	LEM IOP SAP	\$ 394.88
59	LEM IOP SAP	\$ 384.84
60	LEM IOP SAP	\$ 21.99
61	LEM IOP SAP	\$ 16.00
62	LEM IOP SAP	\$ 15.27
63	LEM IOP SAP	\$ 15.12
64	LEM IOP SAP	\$ 15.00
65	LEM IOP SAP	\$ 14.86
66	LEM IOP SAP	\$ 14.71
67	LEM IOP SAP	\$ 14.64
68	LEM IOP SAP	\$ 14.57
69	LEM IOP SAP	\$ 14.50
70	LEM IOP SAP	\$ 14.43
71	LEM IOP SAP	\$ 14.36
72	LEM IOP SAP	\$ 14.29
73	LEM IOP SAP	\$ 14.22
74	LEM IOP SAP	\$ 14.15
75	LEM IOP SAP	\$ 14.08
76	LEM IOP SAP	\$ 14.01
77	LEM IOP SAP	\$ 13.94
78	LEM IOP SAP	\$ 13.87
79	LEM IOP SAP	\$ 13.80
80	LEM IOP SAP	\$ 13.73
81	LEM IOP SAP	\$ 13.66
82	LEM IOP SAP	\$ 13.59
83	LEM IOP SAP	\$ 13.52
84	LEM IOP SAP	\$ 13.45
85	LEM IOP SAP	\$ 13.38
86	LEM IOP SAP	\$ 13.31
87	LEM IOP SAP	\$ 13.24
88	LEM IOP SAP	\$ 13.17
89	LEM IOP SAP	\$ 13.10
90	LEM IOP SAP	\$ 13.03
91	LEM IOP SAP	\$ 12.96
92	LEM IOP SAP	\$ 12.89
93	LEM IOP SAP	\$ 12.82
94	LEM IOP SAP	\$ 12.75
95	LEM IOP SAP	\$ 12.68
96	LEM IOP SAP	\$ 12.61
97	LEM IOP SAP	\$ 12.54
98	LEM IOP SAP	\$ 12.47
99	LEM IOP SAP	\$ 12.40
100	LEM IOP SAP	\$ 12.33
101	LEM IOP SAP	\$ 12.26
102	LEM IOP SAP	\$ 12.19
103	LEM IOP SAP	\$ 12.12
104	LEM IOP SAP	\$ 12.05
105	LEM IOP SAP	\$ 11.98
106	LEM IOP SAP	\$ 11.91
107	LEM IOP SAP	\$ 11.84
108	LEM IOP SAP	\$ 11.77
109	LEM IOP SAP	\$ 11.70
110	LEM IOP SAP	\$ 11.63
111	LEM IOP SAP	\$ 11.56
112	LEM IOP SAP	\$ 11.49
113	LEM IOP SAP	\$ 11.42
114	LEM IOP SAP	\$ 11.35
115	LEM IOP SAP	\$ 11.28
116	LEM IOP SAP	\$ 11.21
117	LEM IOP SAP	\$ 11.14
118	LEM IOP SAP	\$ 11.07
119	LEM IOP SAP	\$ 11.00
120	LEM IOP SAP	\$ 10.93
121	LEM IOP SAP	\$ 10.86
122	LEM IOP SAP	\$ 10.79
123	LEM IOP SAP	\$ 10.72
124	LEM IOP SAP	\$ 10.65
125	LEM IOP SAP	\$ 10.58
126	LEM IOP SAP	\$ 10.51
127	LEM IOP SAP	\$ 10.44
128	LEM IOP SAP	\$ 10.37
129	LEM IOP SAP	\$ 10.30
130	LEM IOP SAP	\$ 10.23
131	LEM IOP SAP	\$ 10.16
132	LEM IOP SAP	\$ 10.09
133	LEM IOP SAP	\$ 10.02
134	LEM IOP SAP	\$ 9.95
135	LEM IOP SAP	\$ 9.88
136	LEM IOP SAP	\$ 9.81
137	LEM IOP SAP	\$ 9.74
138	LEM IOP SAP	\$ 9.67
139	LEM IOP SAP	\$ 9.60
140	LEM IOP SAP	\$ 9.53
141	LEM IOP SAP	\$ 9.46
142	LEM IOP SAP	\$ 9.39
143	LEM IOP SAP	\$ 9.32
144	LEM IOP SAP	\$ 9.25
145	LEM IOP SAP	\$ 9.18
146	LEM IOP SAP	\$ 9.11
147	LEM IOP SAP	\$ 9.04
148	LEM IOP SAP	\$ 8.97
149	LEM IOP SAP	\$ 8.90
150	LEM IOP SAP	\$ 8.83
151	LEM IOP SAP	\$ 8.76
152	LEM IOP SAP	\$ 8.69
153	LEM IOP SAP	\$ 8.62
154	LEM IOP SAP	\$ 8.55
155	LEM IOP SAP	\$ 8.48
156	LEM IOP SAP	\$ 8.41
157	LEM IOP SAP	\$ 8.34
158	LEM IOP SAP	\$ 8.27
159	LEM IOP SAP	\$ 8.20
160	LEM IOP SAP	\$ 8.13
161	LEM IOP SAP	\$ 8.06
162	LEM IOP SAP	\$ 8.00
163	LEM IOP SAP	\$ 7.93
164	LEM IOP SAP	\$ 7.86
165	LEM IOP SAP	\$ 7.79
166	LEM IOP SAP	\$ 7.72
167	LEM IOP SAP	\$ 7.65
168	LEM IOP SAP	\$ 7.58
169	LEM IOP SAP	\$ 7.51
170	LEM IOP SAP	\$ 7.44
171	LEM IOP SAP	\$ 7.37
172	LEM IOP SAP	\$ 7.30
173	LEM IOP SAP	\$ 7.23
174	LEM IOP SAP	\$ 7.16
175	LEM IOP SAP	\$ 7.09
176	LEM IOP SAP	\$ 7.02
177	LEM IOP SAP	\$ 6.95
178	LEM IOP SAP	\$ 6.88
179	LEM IOP SAP	\$ 6.81
180	LEM IOP SAP	\$ 6.74
181	LEM IOP SAP	\$ 6.67
182	LEM IOP SAP	\$ 6.60
183	LEM IOP SAP	\$ 6.53
184	LEM IOP SAP	\$ 6.46
185	LEM IOP SAP	\$ 6.39
186	LEM IOP SAP	\$ 6.32
187	LEM IOP SAP	\$ 6.25
188	LEM IOP SAP	\$ 6.18
189	LEM IOP SAP	\$ 6.11
190	LEM IOP SAP	\$ 6.04
191	LEM IOP SAP	\$ 5.97
192	LEM IOP SAP	\$ 5.90
193	LEM IOP SAP	\$ 5.83
194	LEM IOP SAP	\$ 5.76
195	LEM IOP SAP	\$ 5.69
196	LEM IOP SAP	\$ 5.62
197	LEM IOP SAP	\$ 5.55
198	LEM IOP SAP	\$ 5.48
199	LEM IOP SAP	\$ 5.41
200	LEM IOP SAP	\$ 5.34
201	LEM IOP SAP	\$ 5.27
202	LEM IOP SAP	\$ 5.20
203	LEM IOP SAP	\$ 5.13
204	LEM IOP SAP	\$ 5.06
205	LEM IOP SAP	\$ 5.00
206	LEM IOP SAP	\$ 4.93
207	LEM IOP SAP	\$ 4.86
208	LEM IOP SAP	\$ 4.79
209	LEM IOP SAP	\$ 4.72
210	LEM IOP SAP	\$ 4.65
211	LEM IOP SAP	\$ 4.58
212	LEM IOP SAP	\$ 4.51
213	LEM IOP SAP	\$ 4.44
214	LEM IOP SAP	\$ 4.37
215	LEM IOP SAP	\$ 4.30
216	LEM IOP SAP	\$ 4.23
217	LEM IOP SAP	\$ 4.16
218	LEM IOP SAP	\$ 4.09
219	LEM IOP SAP	\$ 4.02
220	LEM IOP SAP	\$ 3.95
221	LEM IOP SAP	\$ 3.88
222	LEM IOP SAP	\$ 3.81
223	LEM IOP SAP	\$ 3.74
224	LEM IOP SAP	\$ 3.67
225	LEM IOP SAP	\$ 3.60
226	LEM IOP SAP	\$ 3.53
227	LEM IOP SAP	\$ 3.46
228	LEM IOP SAP	\$ 3.40
229	LEM IOP SAP	\$ 3.33
230	LEM IOP SAP	\$ 3.26
231	LEM IOP SAP	\$ 3.19
232	LEM IOP SAP	\$ 3.12
233	LEM IOP SAP	\$ 3.05
234	LEM IOP SAP	\$ 2.98
235	LEM IOP SAP	\$ 2.91
236	LEM IOP SAP	\$ 2.84
237	LEM IOP SAP	\$ 2.77
238	LEM IOP SAP	\$ 2.70
239	LEM IOP SAP	\$ 2.63
240	LEM IOP SAP	\$ 2.56
241	LEM IOP SAP	\$ 2.50
242	LEM IOP SAP	\$ 2.43
243	LEM IOP SAP	\$ 2.36
244	LEM IOP SAP	\$ 2.30
245	LEM IOP SAP	\$ 2.23
246	LEM IOP SAP	\$ 2.16
247	LEM IOP SAP	\$ 2.10
248	LEM IOP SAP	\$ 2.03
249	LEM IOP SAP	\$ 1.96
250	LEM IOP SAP	\$ 1.90
251	LEM IOP SAP	\$ 1.83
252	LEM IOP SAP	\$ 1.76
253	LEM IOP SAP	\$ 1.70
254	LEM IOP SAP	\$ 1.63
255	LEM IOP SAP	\$ 1.56
256	LEM IOP SAP	\$ 1.50
257	LEM IOP SAP	\$ 1.43
258	LEM IOP SAP	\$ 1.37
259	LEM IOP SAP	\$ 1.30
260	LEM IOP SAP	\$ 1.23
261	LEM IOP SAP	\$ 1.17
262	LEM IOP SAP	\$ 1.10
263	LEM IOP SAP	\$ 1.03
264	LEM IOP SAP	\$ 0.97
265	LEM IOP SAP	\$ 0.90
266	LEM IOP SAP	\$ 0.84
267	LEM IOP SAP	\$ 0.78
268	LEM IOP SAP	\$ 0.72
269	LEM IOP SAP	\$ 0.66
270	LEM IOP SAP	\$ 0.60
271	LEM IOP SAP	\$ 0.54
272	LEM IOP SAP	\$ 0.48
273	LEM IOP SAP	\$ 0.42
274	LEM IOP SAP	\$ 0.36
275	LEM IOP SAP	\$ 0.30
276	LEM IOP SAP	\$ 0.24
277	LEM IOP SAP	\$ 0.18
278	LEM IOP SAP	\$ 0.12
279	LEM IOP SAP	\$ 0.06
280	LEM IOP SAP	\$ 0.00

2024 2 HOLOSUN Master Price List xls Compatibility Mode Luis Chirino VendorLink HS510C HM3X  
Combo Kit with Hard Case 570 58 \$ 533.49 394.88 384.84 Spacer Lower 1 3 Co witness 23 52 21 99 16  
27 15 86 LEM IOP SAP myvendorlink external vfile d vrf s 179003 v 121228 sv 0 i 206 ft b |||  
HOLOSUN LEM IOP SAP PRICELIST ver. 2024.2 LEM Products for Agency and IOP  
Sales SKU Description HOLOSUN Self Charging Sights SCS SCS-M-GR LEM SCS-  
MP2-GR LEM SCS-VP9-GR LEM SCS-PDP-GR LEM SCS-P10-GR LEM SCS SCS-  
320-GR LEM SCS-CARRY-GR LEM Solar Charging Sight Pistol Open Green Multi-  
Reticle, Ti...  
lang:en **score:28** filesize: 88.06 K page\_count: 3 document date: 2024-02-02



[\[pdf\]](#) Catalog  
Holosun Product Catalog 2024 srstactical |||  
2024 CATALOG ABOUT US Holosun Technologies, where innovation meets  
precision in the world of cutting-edge optics, lasers and weaponlights. We are driven  
by a passion for developing high-performance, technologically advanced optical laser  
sighting solutions that redefine the way enthusiasts and pro...  
lang:en **score:26** filesize: 14.72 M page\_count: 58 document date: 2024-01-03



[\[pdf\]](#) Catalog  
Holosun Product Catalog 2024 SRS Tacticalsrstactical ca â° Prod srstactical |||  
2024 CATALOG ABOUT US Holosun Technologies, where innovation meets  
precision in the world of cutting-edge optics, lasers and weaponlights. We are driven  
by a passion for developing high-performance, technologically advanced optical laser  
sighting solutions that redefine the way enthusiasts and pro...  
lang:en **score:25** filesize: 14.74 M page\_count: 58 document date: 2024-01-03

[\[pdf\]](#) Dimension Guide Catalog

[pdf] Specifications Catalog Recall

CATALOG 2025 SRS Tactical Holosun offers open pistol sights rifle optics weaponlights magnifiers lasers and digital reflex including thermal night vision options Product Catalog srsltid AfmBOOr8ButlAdBG 8WYJYvXcXeGVp XcFLYSheSb0vD2hqzajBsG9a6 srstactical TacticalCATALOG TacticalHolosun optionsHM3X HM3X T 3X Magnification 7° FOV Eye Relief 70mm 2 75 in Exit Pupil 7 6mm 29 Weight HM3XT 10 5 oz 9 6X 3XThe 507Comp handgunsight features a large 1 x 87 objective lens for enhanced shooting performance Technologies Inc © HolosunThe X2 version adds improved glass clarity Lock Mode our Multi Reticle HS407C HE407C GR HS507K HE507K HS407K HE407K X2HS510C HE510C HS510C Page 59 RIFLE OPTICS Up to a 50 000 Hour Battery life Shake Awake Technology with

Last Setting Recall Solar SCRS is available a2MOAdot or MRS System Redor Green models PRODUCT

OVERVIEW SCRS RD 2The DPS TH Digital Pistol Sight ared dot andthermal fusion sight that

combinesHolosun sred technology imaging capabilityThe capabilityHE515GM CM HE515CM HE515GM

IP Rating IPX8 Travel Range ± 50 MOA HE515GT HE515CT FUNCTIONS HS515CM Selectable

ReticleThe capability407C 47 OPEN PISTOL SIGHTS 30 Type CR123A 16340 3 2oz Housing Material

7075 T6 The capabilityARO EVO an all new 26mm housing design alarger picture providing the user

more information shooting The capability2025 XcFLYSheSb0vD2hqzajBsG9a62025

AfmBOopNRkAQGa9ByMhEHXc ecKSVgR3RgkGxcwWXVv 1KjHHBYTjn1F2025 AfmBOoqL JOF7I

zlxu7yxgmvxxjGvj4X5t p2sN0 mBN7WjWld7paCc2025

AfmBOoqFz1CXwxU1POfOVsgKgwow43FSiJAwkBn4MMDG7vEyCawCXMzO2025 AfmBOoq xiqkum

59qNxCMGmxz9HsaRsFfPEDT3KYEDEYpob4 UhUE9b2025 AfmBOoR07ir 3aQn5qfLt

395JMKICuJrSxypKT8dmZ0ZbmKrqw5 g2025 AfmBOoqcS8K4s iAB JRbtAjrxs9G8N

qZFJkMNJjy6JqGpOmmhgBb732025 AfmBOop1wjMo c8pByE9UBPg7fVcP84TVL0Zskp1yHLDc7d

Tw13rfAg2025 AfmBOopqUUm1eQLxTSJdXxotVEBi55 cOx1bd0KVx0eOwi0ILO4NB9kF2025

AfmBOoomCMJ1SQ4QZ50jfy7C3bgdHF3j7T5tclgYYnpY Zk13UMnQD882025

AfmBOopwEOi1vxooNYWMXmdrpF l8ldjFZx0YZ CeilJy6X0sJQl3Cs2025

AfmBOooOG29g22j4gjlcYdw1uIL4C amT19i72siD2oARLRvwA5DfmXc2025

AfmBOorjDnIWFj52oxc5Vha6RnPwFbWUGuJikVOg2LzQjRiAH9oz2bF2025

AfmBOopUcTE8Sp3st4o0GJ1GeQ4PVpoy GGIBfBn bjEDK S1Z3aXo322025

AfmBOooNtlT8G4nNfDW4kEmu UVkSYz wSjmlKDisPhJpgU410W54Rr22025

AfmBOor2alBmY98KLhStaEoOqDthbMt g P04SP944xvzuQelsAPbR32025 Catalogsrstactical

XcFLYSheSb0vD2hqzajBsG9a6srstactical 1KjHHBYTjn1Fsrstactical mBN7WjWld7paCcsrstactical

AfmBOoqFz1CXwxU1POfOVsgKgwow43FSiJAwkBn4MMDG7vEyCawCXMzOsrstactical

UhUE9bsrstactical gsrstactical qZFJkMNJjy6JqGpOmmhgBb73srstactical Tw13rfAgsrstactical

cOx1bd0KVx0eOwi0ILO4NB9kFsrstactical Zk13UMnQD88srstactical CeilJy6X0sJQl3Cssrstactical

amT19i72siD2oARLRvwA5DfmXcsrstactical

AfmBOorjDnIWFj52oxc5Vha6RnPwFbWUGuJikVOg2LzQjRiAH9oz2bFsrstactical S1Z3aXo32srstactical

wSjmlKDisPhJpgU410W54Rr2srstactical P04SP944xvzuQelsAPbR3srstactical

AfmBOooXnvVYTg6fBf5OymwyqneAHt5 D10f3u8X5jkWG0 Noaidxcos capabilityHM3X Durable

Aluminum Grade Titanium in2025 Catalog2025 Noaidxcossrstactical

AfmBOoq6uOupCq8BfGy2sX5nPyrOgir7FQUg9ONBfIdwfbabZQR3OyW Y inThe Ysrstactical

AfmBOooeP6De0zwmD2uUD1crcPiTED2lb F57UKbAxgfFc5HIRzZBAFs

F57UKbAxgfFc5HIRzZBAFssrstactical AfmBOopagRGSbLvlWg7albqltnlgjE1mGHXK5VTvPwx8Kk15lZ

TDTNF RML has ambidextrous activation buttons includes adapter keys universal compatibility

Holosun2025 TDTNfsrstactical AfmBOorQ4BeNxFfk7zOWx4xUbHbOMhFrTw9dSmNW7KoY4IJ ZI3Hivj

HolosunRML The Rail MountedLaser aminiature red laser aiming device designed handgun applications a durable polymer is 2025 ZI3Hivjsrstactical

AfmBOoq78AcvpOSjFfq3ISyZCVMcsKtWU7xJDjPAV8akGlkBr2Xnof4V

AfmBOoq78AcvpOSjFfq3ISyZCVMcsKtWU7xJDjPAV8akGlkBr2Xnof4Vsrstactical AfmBOorog

iQm8Ka3FOsXUb2hNoeflc4ukU9tMmb9pyiWwRILIHlKsF

iQm8Ka3FOsXUb2hNoeflc4ukU9tMmb9pyiWwRILIHlKsFsrstactical AfmBOoqxicGY1

1SyTiHtoo88v7hJHYqjYWdy3SK8 Cm3nPeCOhDKBpA 22mm mates perfectly magnifier series new1 63

lower co witness pedestal mount ARO Cm3nPeCOhDKBpAsrstactical

AfmBOoo9JtxdpLK8yOHSKOoa5WwhuCj7PzVuG2rxVkf5ySYH7wlc6FA0 is SCS CARRY Direct Fit For

K Footprint Includes RMSc Adapter Plate SCS 320 Sig Sauer Optics ReadyP320 Handguns DPP 2025

AfmBOoo9JtxdpLK8yOHSKOoa5WwhuCj7PzVuG2rxVkf5ySYH7wlc6FA0srstactical

AfmBOoo9JFhUQ1ZQ IqjG5d6ChMHIXoDDimbt6GXwL828yvOTBx1 VklI DPP The VklIsrstactical

AfmBOooRL zE9edVm GTwqwd9ywH tGyKmmqB7MH8o0wKNryuD7GC5Jq ||| ||| DIGITAL REFLEX

SIGHTS - 1 C ATA L OG 2 0 2 5 2 - DIGITAL REFLEX SIGHTS CONTENTS 4 DIGITAL REFLEX

SIGHTS 14 PRISM OPTICS 20 SOLAR CHARGING SIGHTS 30 ENCLOSED PISTOL SIGHTS 38 OPEN

PISTOL SIGHTS 48 RIFLE OPTICS 62 WEAPONLIGHTS 74 MAGNIFIERS 8 ||| DIGITAL REFLEX

SIGHTS - 1 C ATA L OG 2 0 2 5 2 - DIGITAL REFLEX SIGHTS CONTENTS 4 DIGITAL REFLEX



**HOLOSUN**  
CATALOG 2025

language:en score:17 filesize:4.83 M page\_count:108 document\_date:2025-01-09

## [pdf] Price List

2025 1 HOLOSUN Master Price List xls Compatibility Mode Luis Chirino VendorLink ARO EVO SPR RD  
HM3X LEM Combo Kit with Hard Case \$ 505 87 366 76 810047074076 RAID Rifle Flashlight 1000  
Lumen 80000 effective1 myvendorlink external vfile d vrf s 179003 v 90409 sv 0 i 206 ft b |||  
SKU SCS-MP2-GR LEM SCS-VP9-GR LEM SCS-PDP-GR LEM SCS-P10-GR LEM  
SCS-320-GR LEM SCS-CARRY-GR LEM SCRS-GR-MRS LEM SCRS-RD-MRS LEM  
SCRS-GR-2 LEM SCRS-RD-2 LEM HE508T-GR X2 LEM HE508T-RD X2 LEM  
HE507COMP-GR LEM HS507COMP LEM HE507C-GR X2 LEM HS507C X2 LEM  
HE507K-GR X2 LEM HS507K X2 LEM HF407C-GR X2 LEM ...

lang:de score:17 filesize: 111.39 K page\_count: 2 document\_date: 2025-05-23