

[Manuals.plus](#) /

› [ENERGETIC SMARTER LIGHTING](#) /

› Energetic PAR38 LED Flood Outdoor Light Bulb, 5000K Daylight, 90 Watt Equivalent (11W), Wet Rated, 900LM, E26 Base, Non-Dimmable, UL, 6 Pack Daylight 5000k 6 Count (Pack of 1)

ENERGETIC SMARTER LIGHTING YGA08C30

Energetic PAR38 LED Flood Outdoor Light Bulb User Manual

Model: YGA08C30

INTRODUCTION

Thank you for choosing Energetic PAR38 LED Flood Outdoor Light Bulbs. These high-efficiency, long-lasting LED bulbs are designed for both indoor and outdoor applications, providing bright, consistent daylight illumination. This manual provides essential information for safe installation, operation, and maintenance of your new light bulbs.

SAFETY INFORMATION

- Always turn off power at the circuit breaker before installing or replacing bulbs.
- Ensure the bulb's wattage and voltage are compatible with your fixture. These bulbs are AC-120V, 11W (90W equivalent).
- Do not attempt to disassemble or modify the bulb.
- Avoid direct eye exposure to the light source when illuminated.
- These bulbs are non-dimmable. Do not use with dimmer switches, as this may cause flickering or damage.
- Dispose of old bulbs according to local regulations.

SETUP AND INSTALLATION

Energetic PAR38 LED bulbs feature a standard E26 medium screw base for easy installation into compatible fixtures. They are wet-rated, making them suitable for outdoor and damp locations.

1. Ensure the power to the fixture is turned off at the circuit breaker.
2. Carefully remove the old bulb from the fixture.
3. Screw the Energetic PAR38 LED bulb into the E26 base socket until it is snug. Do not overtighten.
4. Restore power to the fixture.

EASY TO INSTALL

Energetic's PAR38 Bulb is the perfect spotlight, highlighting points of interests like artwork, architectural details, and landscape features.



Beam
Angle: 40°



Fits in
6" cans



Figure 1: Easy installation into a 6-inch can fixture. The bulb is designed for simple screw-in replacement.

Wet Rated Suitable for wet locations



Figure 2: The wet-rated design ensures suitability for outdoor applications, even in rainy conditions.

OPERATING INSTRUCTIONS

These PAR38 LED bulbs provide instant-on, bright daylight illumination (5000K). They are designed for consistent performance without flickering or noise.

- **Light Appearance:** 5000 Kelvin (Daylight) provides a crisp, bright white light, ideal for task lighting and outdoor security.
- **Brightness:** Each bulb produces 900 lumens, equivalent to a 90-watt incandescent bulb, while consuming only 11 watts.
- **Beam Angle:** A 40-degree beam angle ensures focused flood lighting.
- **Non-Dimmable:** These bulbs are not compatible with dimmer switches. Use with standard on/off switches only.

Energetic LED

Standard Incandescent

11W

Watts (Energy used)

90W

Watts (Energy used)

900

Lumens (Brightness)

900

Lumens (Brightness)

15,000 hours
Life

1500 hours
Life



ENERGY SAVING

87% ENERGY AND COST SAVING COMPARED WITH
INCANDESCENT BULBS, SAVES **\$130.35** DURING ITS WHOLE LIFESPAN PER BULB
***BASED ON \$0.11/KW·H**

Figure 3: Energy saving comparison highlighting the efficiency and longevity of Energetic LED bulbs.

NO FLICKER NO NOISE

Anti-glare and eye protection,
to create a more comfortable
environment.



Figure 4: Designed for anti-glare and eye protection, ensuring a comfortable lighting environment without flicker or noise.

MAINTENANCE

These LED bulbs are designed for minimal maintenance due to their long lifespan of approximately 15,000 hours (over 13 years with 3 hours of daily use).

- **Cleaning:** Ensure the bulb is cool and power is off before cleaning. Wipe with a soft, dry cloth. Do not use liquid cleaners.
- **Replacement:** Replace the bulb when its light output significantly diminishes or it ceases to function.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Bulb does not light up.	No power to the fixture, loose connection, or faulty bulb.	Check circuit breaker. Ensure bulb is screwed in tightly. Test bulb in another working fixture.
Bulb flickers or hums.	Used with a dimmer switch, incompatible fixture, or unstable power supply.	Ensure the bulb is not connected to a dimmer switch (these bulbs are non-dimmable). Check fixture compatibility. Consult an electrician if power supply is suspected.
Light output is weak.	Dust accumulation or end of bulb lifespan.	Clean the bulb with a dry cloth. Replace the bulb if it has reached the end of its expected lifespan.

SPECIFICATIONS

Feature	Detail
Brand	ENERGETIC SMARTER LIGHTING
Model Number	YGA08C30
Light Type	LED
Bulb Shape Size	PAR38
Bulb Base	E26
Wattage	11 Watts
Incandescent Equivalent	90 Watts
Brightness	900 Lumens
Light Color	Daylight White (5000K)
Voltage	120 Volts
Beam Angle	40 Degrees
Average Life	15,000 Hours
Indoor/Outdoor Usage	Outdoor, Indoor (Wet Rated)

Feature	Detail
Special Features	Instant On, Advanced LED Chips, Shatter Resistant
Certifications	UL Listed
Product Dimensions	4.72"W x 5.16"H

DIMENSIONS




Figure 5: Detailed dimensions and key specifications of the PAR38 LED bulb.

CERTIFIED PRODUCT

The safety and quality of our PAR38Light is proudly backed by Energy Star,FCC, UL and RoHS Certificates



Buy with confidence! energetic offers an industry leading warranty on all our products.

Figure 6: UL certification ensures the bulbs meet strict safety and performance standards.

WARRANTY AND SUPPORT

Energetic Smarter Lighting provides a **2-year hassle-free guarantee** for these PAR38 LED flood light bulbs. This warranty covers defects in materials and workmanship under normal use.

For technical support, warranty claims, or any inquiries, please contact Energetic Smarter Lighting customer service through their official website or the retailer where the product was purchased. Please have your product model number (YGA08C30) and purchase date available when contacting support.

© 2024 Energetic Smarter Lighting. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question