

BoxWave ClearTouch Crystal

BoxWave ClearTouch Crystal Screen Protector for Farenheit MD-1430H User Manual

Model: ClearTouch Crystal

INTRODUCTION

This manual provides detailed instructions for the installation, use, and maintenance of your BoxWave ClearTouch Crystal Screen Protector, designed specifically for the Farenheit MD-1430H device. This screen protector offers enhanced clarity and protection against scratches and minor impacts.




Image: The Farenheit MD-1430H device, for which this screen protector is designed.

Note: The Farenheit MD-1430H device is not included with this product.

PACKAGE CONTENTS

Your BoxWave ClearTouch Crystal Screen Protector package includes the following items:

- Two (2) ClearTouch Crystal Screen Protectors
- One (1) Applicator Card
- One (1) Microfiber Cleaning Cloth
- One (1) Dust Removing Sticker



INCLUDES: 2x Screen Protector
1x Microfiber Cloth
1x Dust Removal Sticker
1x Applicator Card



Please note this is a general product photo for display purposes.
The actual product is tailored specifically to fit your device

Image: Included accessories for the ClearTouch Crystal Screen Protector, showing two protectors, an applicator card, a microfiber cloth, and a dust removal sticker.

SETUP: INSTALLATION INSTRUCTIONS

Follow these steps carefully for optimal installation of your screen protector:

- 1. Prepare Your Workspace:** Choose a clean, dust-free environment to prevent particles from getting trapped under the protector.
- 2. Clean the Device Screen:**
 - Use the included microfiber cleaning cloth to thoroughly wipe the Farenheit MD-1430H screen.
 - Ensure all dust, fingerprints, and smudges are removed.
 - For stubborn marks, a small amount of screen cleaner (not included) can be applied to the cloth, then wipe dry.
- 3. Remove Dust:** Use the dust removing sticker to lift any remaining dust particles from the screen surface. Lightly dab the sticker across the screen.
- 4. Align the Screen Protector:**

- Carefully peel back a small portion of the protective film (usually labeled "Step 1" or similar) from one end of the screen protector.
- Align the exposed edge of the screen protector with one edge of your Farenheit MD-1430H screen. Pay close attention to cutouts for speakers, cameras, or buttons to ensure proper alignment.

5. Apply the Protector:

- Once aligned, slowly and steadily lower the rest of the screen protector onto the device screen.
- As you lower it, use the applicator card to gently push out any air bubbles from the center towards the edges.
- Continue peeling back the remaining protective film (usually labeled "Step 2" or similar) while simultaneously using the applicator card to smooth the protector onto the screen.

6. **Remove Remaining Bubbles:** Use the applicator card to push any persistent air bubbles towards the nearest edge. Small bubbles may dissipate naturally within 24-48 hours as the low-tack adhesive settles.

7. **Final Wipe:** Use the microfiber cloth to gently wipe the newly installed screen protector.




Image: Illustration emphasizing the precision design of the screen protector for a perfect fit.

OPERATING: PRODUCT FEATURES AND BENEFITS

The BoxWave ClearTouch Crystal Screen Protector is engineered to enhance your device experience while providing essential protection.

- **High Transparency:** Enjoy up to 99% visual clarity, ensuring your Farenheit MD-1430H screen's vibrant colors and sharp details are preserved without distortion. The smooth, glass-like surface maintains original touch sensitivity.
- **Durable Protection:** Constructed from high-quality thermoplastics (Polyethylene Terephthalate), this protector shields your screen from daily scratches, dust accumulation, and minor impacts, extending the lifespan of your device's display.
- **Precision Fit:** Custom-designed and precision-cut to match the exact dimensions of the Farenheit MD-1430H screen, ensuring full coverage and access to all ports and functionalities.
- **Residue-Free Application:** The glueless adhesive allows for smooth application and clean removal without leaving any sticky residue on your device screen.

Image: Visual representation of the screen protector's high definition clarity, showing a clear view through the protector.



Image: Infographic highlighting key features: vibrant colors, 99% transparency, two protectors per pack, and precise manufacturing.

MAINTENANCE

To ensure the longevity and optimal performance of your BoxWave ClearTouch Crystal Screen Protector, follow these maintenance guidelines:

- **Cleaning:** Regularly wipe the screen protector with the included microfiber cleaning cloth to remove fingerprints, dust, and smudges. For more thorough cleaning, lightly dampen the cloth with water or a mild, non-abrasive screen cleaner. Avoid harsh chemicals or abrasive materials.
- **Avoid Sharp Objects:** While the protector offers scratch resistance, extreme care should be taken to avoid contact with sharp objects that could damage the film.
- **Temperature Exposure:** Avoid exposing your device and screen protector to extreme temperatures, as this can affect the adhesive and material integrity.

TROUBLESHOOTING

Here are solutions to common issues you might encounter during or after installation:

- **Air Bubbles:**
 - **Small Bubbles:** Many small air bubbles will naturally disappear within 24-48 hours as the adhesive fully settles.
 - **Large Bubbles:** Gently lift the nearest edge of the screen protector and re-apply, using the applicator card to push the air out as you re-adhere it. Ensure no dust is trapped underneath.
- **Dust Particles Trapped:** If you notice dust under the protector, carefully lift the nearest edge. Use the dust removing sticker (or a piece of scotch tape) to gently dab and lift the dust particle from both the screen and the protector's adhesive side. Then, re-apply the protector.
- **Misalignment:** If the protector is significantly misaligned, carefully peel it off entirely. Clean the screen thoroughly again and re-attempt installation, paying close attention to alignment before fully applying.
- **Edges Not Sticking:** Ensure the screen edges are clean and free of oil or dust. The low-tack adhesive may take up to 48 hours to fully settle along the edges. Gently press down on the edges periodically during this time.

SPECIFICATIONS

Feature	Detail
Brand	BoxWave
Model	ClearTouch Crystal
Compatible Device	Fahrenheit MD-1430H
Material	Polyethylene Terephthalate (PET)
Screen Surface Description	Glossy
Clarity	Up to 99% Visual Clarity
Number of Items	2 (Two-Pack)
Item Weight	4.3 ounces (package weight)
First Available	November 15, 2019

WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the official BoxWave website or contact their customer service directly. Contact details are typically provided on the product packaging or their official online channels.

You can visit the BoxWave website for further assistance:www.boxwave.com

© 2023 BoxWave Corporation. All rights reserved.

Related Documents - ClearTouch Crystal

	<p>Quikcell Screen Care Guide: Crystal-Clear Film Screen Protector Installation</p> <p>Follow the Quikcell Screen Care Guide for easy installation of your Crystal-Clear Film screen protector. Learn how to clean, align, and attach the protector to your device for optimal protection.</p>
---	--




- 1 x Crystal HD 9H Screen Protector Film
- 1 x Cleaning Kit

- Crystal HD Display**
 - ↳ Ensures pixel perfect color with ultra-clear and vibrant visuals.
- Anti-Scratch**
 - ↳ Durable tempered glass resists scratches from keys, drops, and play.
- Anti-Fingerprint**
 - ↳ Oleophobic coating repels smudges for a cleaner, clearer screen.
- Ultra Responsive**
 - ↳ Ultra-thin tempered glass for reliable and precise touchscreen sensitivity.

⁴ Precisely cut for NS2 for full screen coverage and seamless installation.

3. Use alcohol pad remove the smudges and fingerprints on console



A CRYSTAL KIT
TO PROMOTE
PROTECTION



Name:	
Website:	
Client:	
Date:	

Specification

Product Name: CBSP Electric Projection Screen
 File Number:
 Edition: A01

Customer Confirmation


Please return one copy after confirmation

Customize	Proofread	Review	Approve
-----------	-----------	--------	---------

Detailed guide for installing the MEL3T GAMING Crystal HD 9H Screen Protector Film on the Nintendo Switch 2, featuring anti-scratch, anti-fingerprint, and ultra-responsive properties.


Explore the Protected AF Crystal Kit from My Little Magic Shop. This comprehensive guide details how to use Onyx, Black Tourmaline, Clear Quartz, Palo Santo, and a Black Ritual Candle for enhanced protection, cleansing, and manifestation practices.

Comprehensive technical specifications and features for the Yovanxer CBSP Electric Projection Screen, including dimensions, installation, operation, and suitability for ultra-short throw projectors. Available in sizes from 72 to 130 inches.



Micro Crystal RV-3032-C7 Application Manual: DTCXO Real-Time Clock Module

Detailed application manual for the Micro Crystal RV-3032-C7 DTCXO Temp. Compensated Real-Time Clock Module with I2C-Bus Interface, covering features, specifications, and operational details.



How to Grow Crystals: A Fun Planting Activity

Step-by-step instructions for growing beautiful crystals at home. This guide explains the process for children to experience crystal formation and surprise.