

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Simon Rack](#) /

> [Simon Rack Simonclick Galvanized Metal Shelving Unit Instruction Manual, 1500x900x500mm, 180kg per Shelf](#)

Simon Rack SIMONCLICK 4/500 1500

Simon Rack Simonclick Galvanized Metal Shelving Unit Instruction Manual

MODEL: SIMONCLICK 4/500 1500

Brand: Simon Rack

1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient assembly, operation, and maintenance of your Simon Rack Simonclick Galvanized Metal Shelving Unit. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

The Simonclick shelving system is designed for durability and ease of use, featuring a screw-free assembly process. It is suitable for various storage needs in garages, workshops, shops, or home environments.

2. PACKAGE CONTENTS

Verify that all components are present before starting assembly:

- Metal structure components (uprights, beams)
- 4 Shelves (trays)
- 4 Plastic feet
- Illustrated assembly instructions

Note: A nylon hammer (not included) is recommended for correct fitting of parts during assembly.

3. ASSEMBLY INSTRUCTIONS

The Simonclick shelving unit features a screw-free assembly system for quick and easy setup. Follow these steps:

1. **Prepare the Area:** Ensure you have a clear, flat, and stable surface for assembly.

2. **Assemble the Uprights:** Connect the vertical uprights using the horizontal beams. The design allows for easy interlocking. Use a nylon hammer to gently tap components into place, ensuring a secure fit.
3. **Install Shelves:** Insert the shelves into the desired height slots on the uprights. The shelves can be adjusted to various heights to suit your storage needs. Ensure each shelf is level and securely seated in its position.
4. **Attach Plastic Feet:** Place the four plastic feet onto the bottom of the uprights. These feet protect your floor from scratches and provide additional stability.
5. **Final Check:** Once assembled, gently push and pull the unit to ensure all connections are secure and the unit is stable. The shelving unit is designed to be stable without needing to be anchored to a wall.





Figure 3.1: Components ready for assembly.



Figure 3.2: Example of assembled shelving units in use, demonstrating height adjustability and modularity.

4. OPERATION AND LOAD CAPACITY

The Simon Rack Simonclick shelving unit is designed for heavy-duty storage. Each of the four shelves has a certified Flex Point load capacity of **180 kg (approximately 396 lbs)**. The Flex Point certification indicates that the shelf will recover its original shape after the load is removed, ensuring greater durability over time.

- **Evenly Distribute Load:** To prevent damage and ensure stability, distribute weight evenly across each shelf. Avoid concentrating heavy items in one small area.
- **Total Load Capacity:** The total weight limit for the entire unit is **720 kg (approximately 1587 lbs)**, assuming even distribution across all four shelves.

- **Accessibility:** The open design provides free access to all shelves.




Figure 4.1: Shelving unit dimensions and individual shelf load capacity.





Figure 4.2: Illustration of Flex Point Certificate, demonstrating shelf recovery under load.

5. CARE AND MAINTENANCE

To ensure the longevity and appearance of your Simon Rack shelving unit, follow these simple care instructions:

- **Cleaning:** Wipe the metal surfaces with a damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the galvanized finish.

- **Inspection:** Periodically check all connections to ensure they remain secure. Re-tap with a nylon hammer if any components feel loose.
- **Environment:** While durable, avoid prolonged exposure to extreme moisture or corrosive environments to maintain the galvanized coating.

6. TROUBLESHOOTING

Most issues can be resolved by ensuring correct assembly and load distribution.

- **Unit Wobbles:** Ensure all components are fully seated and tapped into place with a nylon hammer. Verify the floor surface is level.
- **Shelf Sagging:** Check that the load on the shelf does not exceed 180 kg and is evenly distributed. Remove excess weight if necessary.
- **Difficulty Assembling:** Refer to the illustrated instructions provided with the product. Ensure components are oriented correctly before tapping them into place.

7. PRODUCT SPECIFICATIONS

Feature	Detail
Model Name	SIMONCLICK 4/500 1500
Dimensions (H x W x D)	1500 mm x 900 mm x 500 mm (59.06" x 35.43" x 19.69")
Number of Shelves	4
Load Capacity per Shelf	180 kg (Flex Point Certified)
Total Load Capacity	720 kg
Material	Galvanized Steel (DC 01, S325, Z275 coating)
Shelf Thickness (Steel Profiles)	1.5 mm
Assembly Required	Yes (Screw-free)
Included Components	Metal structure, trays, plastic feet
Item Weight	20.01 kg (44 lbs)
Manufacturer	SimonRack
Origin	Manufactured in Spain

8. WARRANTY INFORMATION

All Simon Rack products are manufactured in Spain and come with a **5-year warranty**. This warranty covers manufacturing defects under normal use conditions. Please retain your proof of purchase for warranty claims.

9. CUSTOMER SUPPORT

For further assistance, questions, or to report any issues with your Simon Rack shelving unit, please refer to the

contact information provided at the point of purchase or visit the official Simon Rack website.



© 2023 Simon Rack. All rights reserved.