

[Manuals.plus](#) /

› [Kircuit](#) /

› Kircuit AC Adapter Instruction Manual for Onn ONB13AV001 FM Alarm Clock Radio

Kircuit ONB13AV001

Kircuit AC Adapter Instruction Manual

For Onn ONB13AV001 FM Alarm Clock Radio

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your Kircuit AC Adapter. This adapter is specifically designed to provide power to the Onn ONB13AV001 FM Alarm Clock Radio. Please read this manual thoroughly before use and retain it for future reference.

2. IMPORTANT SAFETY INFORMATION

To prevent fire, electric shock, or injury, always follow these basic safety precautions:

- Do not expose the adapter to rain or moisture.
- Do not use the adapter if the cord or plug is damaged.
- Ensure the adapter's voltage and current ratings match your device's requirements.
- Keep the adapter away from heat sources and direct sunlight.
- Unplug the adapter from the wall outlet when not in use for extended periods.
- Do not attempt to open or modify the adapter. Refer all servicing to qualified personnel.

Built Safety Protections




Image: Built-in safety protections of the Kircuit AC Adapter, including short circuit, excess voltage, over temperature, and overcurrent protection.

3. SETUP INSTRUCTIONS

Follow these steps to properly set up your Kircuit AC Adapter:

1. **Verify Compatibility:** Ensure your Onn ONB13AV001 FM Alarm Clock Radio requires an AC adapter with the specifications provided by Kircuit.
2. **Connect to Device:** Insert the adapter's output plug firmly into the power input port of your Onn ONB13AV001 FM Alarm Clock Radio.
3. **Plug into Wall Outlet:** Insert the adapter's prongs into a standard 100V-240V AC wall outlet. Ensure the connection is secure.
4. **Power On:** Once connected, your device should receive power. Refer to your device's manual for specific power-on procedures.



Image: The Kircuit AC Adapter, illustrating the main unit and its coiled power cord with the output plug.



Image: The Kircuit AC Adapter connected to a power strip, demonstrating a typical setup scenario.

4. OPERATING INSTRUCTIONS

The Kircuit AC Adapter operates automatically once connected. It converts the alternating current (AC) from your wall outlet into direct current (DC) suitable for your Onn ONB13AV001 FM Alarm Clock Radio. No user intervention is required for its operation beyond proper connection.

- Ensure the adapter is always plugged into a functional wall outlet.
- Avoid placing the adapter in areas with poor ventilation to prevent overheating.

5. CARE AND MAINTENANCE

Proper care ensures the longevity and safe operation of your AC adapter:

- **Cleaning:** Disconnect the adapter from the power outlet and your device before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cord to prevent damage.
- **Inspection:** Periodically inspect the adapter and its cord for any signs of damage, such as cuts, fraying, or exposed wires. Discontinue use if damage is found.

Durable design




Image: Illustration of the adapter's durable cable design, emphasizing high-quality materials and robust construction for longevity.

6. TROUBLESHOOTING

If you encounter issues with your Kircuit AC Adapter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Device not receiving power.	Adapter not properly plugged in. Wall outlet is not functional. Device power port issue.	Ensure adapter is securely plugged into both the wall and the device. Test the wall outlet with another appliance. Check the device's power port for damage.
Adapter feels excessively hot.	Poor ventilation. Overload (unlikely for this specific adapter).	Ensure the adapter is in a well-ventilated area. If overheating persists, discontinue use and contact support.

Problem	Possible Cause	Solution
Visible damage to adapter or cord.	Physical stress or wear.	Discontinue use immediately to prevent electrical hazards. Replace the adapter.

7. SPECIFICATIONS

Technical details for the Kircuit AC Adapter:

- **Model:** Compatible with Onn ONB13AV001 FM Alarm Clock Radio
- **Input:** 100V-240V AC, 50/60Hz, 0.3A
- **Output:** DC, 0.3A (Output voltage must match the device's requirement, typically 5V-9V for similar devices)
- **Cord Length:** Approximately 6.5 feet (2 meters)
- **Weight:** Approximately 8 ounces (227 grams)
- **Safety Features:** Built-in protection against short circuit, overcurrent, overvoltage, and over temperature.



Image: The Kircuit AC Adapter, highlighting its 6.5 ft cord length.

- The plugs on the power cable also well-made and designed to provide a secure and stable connection.
- The plugs can handle high electrical loads without overheating or causing a fire hazard.




Image: Comparison illustrating the secure and durable design of the Kircuit adapter's plug for stable connection.

8. WARRANTY AND SUPPORT

Kircuit products are manufactured to high-quality standards. This AC adapter is covered by a limited warranty against defects in materials and workmanship. Please refer to the product packaging or contact your retailer for specific warranty terms and duration. For technical support or warranty claims, please contact Kircuit customer service through your purchase platform.



Image: Product packaging indicating a 3-year warranty for the Kircuit AC Adapter.

© 2023 Kircuit. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

