

Kircuit B082KG52CH

Kircuit Adapter Charger User Manual

For dodocool Wireless Stereo Sports in-Ear Headphone Da144

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your Kircuit AC Wall Power Charger. Please read this manual thoroughly before using the product and retain it for future reference. This adapter is designed to provide reliable power for compatible devices, such as the dodocool Wireless Stereo Sports in-Ear Headphone Da144.

2. SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following precautions:

- Do not expose the adapter to liquids, moisture, or extreme temperatures.
- Do not disassemble or attempt to repair the adapter. Refer servicing to qualified personnel.
- Ensure the input voltage of the adapter matches the local power supply (100V-240V AC).
- Avoid placing heavy objects on the power cord.
- Disconnect the adapter from the power outlet when not in use for extended periods.

This Kircuit adapter is built with multiple safety protections to safeguard your devices:

Built Safety Protections




Image Description: A circular diagram with the Kircuit logo at its center, surrounded by four icons representing different safety features: a broken chain for Short Cut protection, a lightning bolt for Excess Voltage protection, a thermometer for Over Temperature protection, and a wavy line with an arrow for Overcurrent protection. This illustrates the comprehensive safety measures integrated into the adapter.

- **Short Circuit Protection:** Prevents damage from electrical shorts.
- **Excess Voltage Protection:** Guards against power surges and overvoltage conditions.
- **Over Temperature Protection:** Monitors and regulates internal temperature to prevent overheating.
- **Overcurrent Protection:** Protects against excessive current flow.

3. PRODUCT OVERVIEW

The Kircuit Adapter Charger is a high-quality AC wall power charger designed for specific electronic devices. It features a compact design and a durable power cord.



Image Description: A Kircuit AC/DC adaptor, black in color, with a two-prong US plug. The label on the adaptor clearly states 'KIRCUIT

AC/DC ADAPTOR INPUT: 100-240V AC 50/60Hz 0.3A OUTPUT: [specific output details]'. A coiled black power cord extends from the adapter, ending in a yellow-tipped barrel connector. This image provides a clear view of the product's main unit and its connector.

The adapter is equipped with a robust cable designed for longevity and safety:

Durable design



- **Power cable made of high-quality materials with thick insulation layer to protect against wear and tear, as well as abrasion-resistant outer sheathing to prevent damage from external factors.**
- **The cable can withstand high temperatures without melting or degrading, which is especially important for cables carrying high current loads.**

Image Description: This image displays a section titled 'Durable design'. It features three smaller images: one showing the internal wires of a cable (red and blue), another showing a coiled black cable, and a third showing a hand bending a black cable. Text next to these images highlights that the power cable is made of high-quality materials with thick insulation and abrasion-resistant outer sheathing, designed to withstand high temperatures without degradation.

- **High-Quality Materials:** The power cable is constructed from durable materials with a thick insulation layer.
- **Abrasion-Resistant:** The outer sheathing is designed to resist wear and tear, protecting against external factors.
- **Temperature Resistance:** The cable can withstand high temperatures without melting or degrading, crucial for carrying high current loads.

- The plugs on the power cable also well-made and designed to provide a secure and stable connection.
- The plugs can handle high electrical loads without overheating or causing a fire hazard.




Image Description: This image compares the plug design of 'Ours' (Kircuit) versus 'Others'. It shows cross-sectional and side views of two-prong plugs. The 'Ours' plug is depicted as having a secure, well-made connection, indicated by a green checkmark, while 'Others' show a less secure or easily breakable connection, marked with a red 'X'. Text emphasizes that Kircuit plugs are well-made, provide a secure connection, and can handle electrical loads without overheating.

- **Secure Connection:** The plugs are well-made to provide a stable and secure connection.
- **Load Handling:** Designed to handle electrical loads without overheating or posing a fire hazard.

4. SETUP INSTRUCTIONS

Follow these steps to set up your Kircuit Adapter Charger:

1. **Identify Your Device:** Ensure your device, such as the dodocool Wireless Stereo Sports in-Ear Headphone Da144, requires the specific output voltage and connector type provided by this adapter.
2. **Connect to Device:** Carefully insert the barrel connector of the adapter's cable into the charging port of your device. Ensure a snug fit.
3. **Plug into Power Outlet:** Insert the adapter's two-prong plug into a standard 100V-240V AC wall power outlet.



Image Description: A Kircuit adapter charger is shown plugged into a white power strip on a wooden desk. The adapter's black body and coiled cable are visible. In the background, a calculator, a small green plant, and a paper holder are present, illustrating a typical office or home charging environment.

Once connected, your device should begin charging. Refer to your device's manual for specific charging indicators.

5. OPERATING INSTRUCTIONS

The Kircuit Adapter Charger operates automatically once connected to a power source and a compatible device. It provides a stable power supply for charging or operating your device.

- **Charging:** Connect the adapter to your device and a wall outlet. The adapter will supply power for charging.
- **Continuous Power:** For devices that can operate while connected to power, the adapter will provide continuous power.

The built-in Dynamic IC, Charger IC, and Power fuse ensure rapid charging and protection against overcharge.

6. MAINTENANCE AND CARE

Proper care will extend the life of your Kircuit Adapter Charger:

- **Cleaning:** Use a soft, dry cloth to clean the adapter. Do not use liquid cleaners or aerosols.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures.
- **Cable Management:** Avoid sharp bends or kinks in the power cord. Do not wrap the cord too tightly around the adapter.
- **Inspection:** Periodically inspect the adapter and cable for any signs of damage, such as frayed wires or cracked casing. Discontinue use if damage is found.

7. TROUBLESHOOTING

If you encounter issues with your Kircuit Adapter Charger, consider the following:

- **No Power Output:**
 - Ensure the adapter is securely plugged into a working wall outlet.
 - Verify the wall outlet is functional by testing it with another device.
 - Check if the adapter's connector is properly inserted into your device.
- **Slow Charging:**
 - Confirm that your device is compatible with the adapter's output specifications.
 - Ensure the device's charging port is clean and free of debris.
- **Adapter Overheating:**
 - Disconnect the adapter immediately.
 - Ensure adequate ventilation around the adapter. Do not cover it.
 - If overheating persists, discontinue use and contact support.

If these steps do not resolve the issue, please refer to the Warranty and Support section.

8. SPECIFICATIONS

Feature	Detail
Product Name	Kircuit AC Wall Power Charger
Model Number (ASIN)	B082KG52CH
Input	100V-240V AC, 50/60Hz, 0.3A
Output	<i>(Specific output details are typically printed on the adapter label, e.g., 5V 1A)</i>
Compatibility	Designed for dodocool Wireless Stereo Sports in-Ear Headphone Da144 and other compatible devices.

Feature	Detail
Cable Length	Approximately 6.5 ft (2 meters)
Item Weight	8 ounces
Manufacturer	Kircuit
Safety Features	Dynamic IC, Charger IC, Power fuse, Short Circuit Protection, Excess Voltage Protection, Over Temperature Protection, Overcurrent Protection.



Image Description: A Kircuit AC/DC adapter is shown with its black power cord neatly coiled. A text overlay on the image explicitly states 'Cord Length: 6.5 ft', highlighting a key specification of the product.

9. WARRANTY AND SUPPORT

Kircuit products are designed for reliability and performance. This product is covered by a standard return policy, typically allowing returns within 30 days of purchase, as per retailer terms.

For technical support or warranty inquiries, please refer to the contact information provided by your retailer or the Kircuit official support channels.

© 2025 Kircuit. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question