

[Manuals.plus](#) /

› [Hiplok](#) /

› Hiplok Z LOK Armoured Security & Bike Lock User Manual

Hiplok ZLK2RD

Hiplok Z LOK Armoured Security & Bike Lock User Manual

Model: ZLK2RD

Brand: Hiplok

ABOUT YOUR HIPLOK Z LOK

The Hiplok Z LOK is a revolutionary reusable zip-style security tie designed to provide convenient, lightweight protection for a variety of items. Its unique design, featuring a toughened nylon outer and a reinforced steel core, offers an effective deterrent against opportunistic theft. Ideal for securing bikes, skis, luggage, and other outdoor equipment, the Z LOK is a versatile solution for quick stops and added security.

PRODUCT FEATURES

- The lightest bicycle lock! Weighs only 20g including key
- Flexible toughened nylon outer with reinforced steel core and locking head
- 40cm locking diameter
- Multiuse, reusable zip-like security tie
- Perfect security measure for a short stops and accessories
- Twin Pack of Z LOK Security ties



The Hiplok Z LOK in its secured, looped configuration, showcasing the key mechanism.

INITIAL SETUP

The Z LOK comes ready to use. No complex setup is required. Simply ensure you have the provided key for unlocking.



Close-up view of the Z LOK's locking head and the two-pin key.

OPERATING INSTRUCTIONS

Locking the Z LOK

1. Thread the tapered end of the Z LOK through the item(s) you wish to secure and then through the locking head.
2. Pull the tapered end firmly until the Z LOK is taut around the item(s) and the locking mechanism engages. You will hear a click as it secures.
3. Ensure the Z LOK is tightly secured and cannot be easily removed.

Unlocking the Z LOK

1. Insert the two-pin key fully into the keyhole located on the side of the locking head.
2. Apply gentle pressure to the key while simultaneously pulling the tapered end of the Z LOK away from the locking head. The mechanism will release.
3. Remove the Z LOK from the secured item(s).

Your browser does not support the video tag.

This video demonstrates various applications and the simple locking and unlocking process of the Hiplok Z LOK security tie.



The Z LOK in use, securing skis and a snowboard to a rack.

CARE AND MAINTENANCE

To ensure the longevity and optimal performance of your Hiplok Z LOK, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the Z LOK with a damp cloth to remove dirt and debris. Avoid harsh chemicals or abrasive cleaners.
- **Storage:** Store the Z LOK in a dry place away from extreme temperatures when not in use.
- **Key Care:** Keep the key clean and free of obstructions. Do not force the key if it feels stiff; a small amount of graphite lubricant can be applied to the keyhole if necessary.

TROUBLESHOOTING COMMON ISSUES

Problem	Possible Cause	Solution
Z LOK won't lock	Tapered end not fully inserted or obstruction	Ensure the tapered end is fully inserted into the locking head until it clicks. Check for any debris in the locking mechanism.
Z LOK won't unlock	Key not fully inserted or mechanism stiff	Insert the key fully and apply gentle, steady pressure while pulling the Z LOK. If stiff, try wiggling the key slightly or applying a small amount of graphite lubricant to the keyhole.

Problem	Possible Cause	Solution
Z LOK feels loose after locking	Not pulled taut enough	Ensure you pull the tapered end firmly until the Z LOK is taut around the secured items before the mechanism engages.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Hiplok
Model Name	Z LOK
Lock Type	Key Lock
Material	Nylon (with reinforced steel core)
Item Weight	40 Grams (approx. 1.41 ounces)
Dimensions (L x W x H)	18.25 x 2.75 x 1 inches
Locking Diameter	40cm (approx. 15.7 inches)
Included Components	2 x Z LOK Security Ties
Warranty	12 Month Warranty



The Hiplok Z LOK shown fully extended, illustrating its length.

WARRANTY INFORMATION AND SUPPORT

Your Hiplok Z LOK is covered by a 12-month warranty from the date of purchase, covering manufacturing defects. For warranty claims, technical support, or general inquiries, please visit the official Hiplok website or contact their customer service.

Official Hiplok Website: www.hiplok.com

For further assistance, refer to the product packaging or contact your retailer.