

HTTMT MT247-001-BK

HTTMT MT247-001-BK Black Bolts Toppers Caps Instruction Manual

Model: MT247-001-BK | Brand: HTTMT

1. PRODUCT OVERVIEW

The HTTMT MT247-001-BK Black Bolts Toppers Caps are designed to enhance the aesthetic appearance of your motorcycle by covering various bolts on the engine, transmission, and other primary components. This kit provides a clean, uniform look to exposed fasteners.

These caps are made from durable ABS plastic and are specifically designed for compatibility with 2007 and up Harley Davidson FLT / FLH models.

2. SAFETY INFORMATION

Please read and understand all instructions before installation. While this product is designed for easy installation, improper handling or installation can lead to damage to the product or your motorcycle.

- Ensure the motorcycle is stable and turned off before beginning any installation.
- Wear appropriate personal protective equipment, such as gloves, if handling adhesives or cleaning agents.
- Keep small parts away from children.
- Do not force caps onto bolts; this can cause cracking or damage.

3. PACKAGE CONTENTS

The package includes a comprehensive set of black ABS plastic bolt toppers and caps designed to fit various bolt sizes on your Harley Davidson motorcycle.



Image 1: Overview of the HTTMT Black Bolts Toppers Caps kit, showing various sizes and shapes of caps along with some matching bolts.



Image 2: An angled perspective of the bolt topper caps, highlighting their smooth, glossy black finish and the included hex bolts.



Image 3: A different angled shot of the kit, providing a clearer view of the quantity and variety of caps provided.



Image 4: Detailed top-down view of five distinct cap sizes, showcasing their varying diameters and dome/pyramid shapes.



Image 5: Detailed view of the underside of five different cap sizes, revealing the internal ridges designed for a secure fit over bolt heads.

4. INSTALLATION GUIDE

While specific instructions are not included with the product, the installation process for these bolt toppers is generally straightforward. It is recommended to use a few drops of silicone adhesive on the stem of the cap to ensure a secure fit and prevent them from dislodging due to vibration.

Recommended Installation Steps:

1. **Prepare the Surface:** Ensure the bolt heads you intend to cover are clean and free of grease, dirt, or rust. Use a degreaser or alcohol wipe if necessary, and allow to dry completely.
2. **Select the Correct Cap:** Identify the appropriate size and shape of the cap for each bolt head. The caps are designed to fit snugly over the bolt.
3. **Apply Silicone Adhesive:** Apply a small amount (a few drops) of high-quality, clear silicone adhesive to the inside rim or stem of the bolt topper cap. Avoid excessive adhesive that could squeeze out and be visible.
4. **Position and Press:** Carefully align the cap over the bolt head and press firmly until it seats securely. Twist slightly if needed to ensure an even distribution of the adhesive and a tight fit.

- 5. **Cure Time:** Allow the silicone adhesive to cure fully according to the manufacturer's instructions (typically 24-48 hours) before operating the motorcycle. This will ensure maximum adhesion and prevent the caps from falling off.
- 6. **Inspect:** After the curing period, gently check each cap to ensure it is firmly attached.

Note: This is an aftermarket custom item. Professional installation is recommended if you are unsure about the process.

5. MAINTENANCE

These bolt toppers require minimal maintenance. Regular cleaning with a soft cloth and mild soap and water is sufficient to maintain their appearance. Avoid abrasive cleaners or harsh chemicals that could damage the plastic finish. Periodically inspect the caps to ensure they remain securely attached. If a cap becomes loose, carefully remove it, clean both the cap and the bolt head, and reapply silicone adhesive as per the installation instructions.

6. TROUBLESHOOTING

Common Issues and Solutions:

- **Caps do not fit:**
 - Ensure you have selected the correct size cap for the specific bolt head.
 - Verify that your motorcycle model and year fall within the compatible fitment range (2007 and UP Harley Davidson FLT / FLH).
 - Check for any obstructions or debris on the bolt head preventing a proper fit.
- **Caps fall off:**
 - This is typically due to insufficient or improperly cured silicone adhesive. Reapply silicone adhesive following the installation steps carefully, ensuring adequate cure time.
 - Ensure the bolt head was clean and dry before initial application.
 - Excessive vibration from the motorcycle can also contribute; ensure a strong adhesive bond.
- **Caps crack during installation:**
 - This indicates the cap is either too small for the bolt or excessive force was applied. Do not force the caps. Select a larger size if available, or confirm compatibility.

7. SPECIFICATIONS

Attribute	Detail
Brand	HTTMT
Model Number	USMT247-001-BK
Material	ABS Plastic
Color	Black
Exterior Finish	Black (also available in Chrome)
Compatible Fitment	2007 and UP Harley Davidson FLT / FLH
Item Weight	3.2 ounces

Package Dimensions	7.05 x 4.61 x 0.79 inches
UPC	703180785612

8. FITMENT AND COMPATIBILITY

These bolt topper caps are specifically designed to be compatible with:

- **Harley Davidson FLT / FLH models from 2007 and up.**

Please ensure your motorcycle model falls within this range for proper fitment. While designed to fit, some minor modifications or specific application of silicone may be required for optimal results.

9. LEGAL DISCLAIMER

PLEASE NOTE:

This product is an aftermarket custom item and is not an Original Equipment Manufacturer (OEM) part. It is designed to fit the models listed, but modification may or may not be required depending on your specific motorcycle's condition or previous modifications. This item is intended for professional installation. Please ensure compatibility and suitability for your vehicle before purchase and installation. Thank you for your understanding.

10. WARRANTY AND SUPPORT

Specific warranty information for this product is not provided in the available documentation. For any product-related inquiries, support, or to report issues, please contact the seller or manufacturer directly through your purchase platform. For general information about HTTMT products, you may visit the official HTTMT Store on Amazon [HTTMT Store](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question