

[Manuals.plus](#) /

› [FORGING MOUNT](#) /

› FORGING MOUNT HY9389-B Long Arm TV Wall Mount User Manual

FORGING MOUNT HY9389-B

FORGING MOUNT HY9389-B Long Arm TV Wall Mount User Manual

Model: HY9389-B | Brand: FORGING MOUNT

PRODUCT OVERVIEW

The FORGING MOUNT HY9389-B is a robust and versatile long arm TV wall mount designed to accommodate most 37-75 inch flat or curved televisions. It supports VESA patterns ranging from 200x100mm up to 600x400mm and can safely hold TVs weighing up to 99 lbs. Its full-motion capabilities allow for optimal viewing angles from various positions within a room.



Figure 1: FORGING MOUNT HY9389-B TV Wall Mount and included accessories.

KEY FEATURES

- **Wide Compatibility:** Fits 37-75 inch TVs with VESA patterns from 200x100mm to 600x400mm, supporting up to 99 lbs.
- **Extended Reach:** Features a 30-inch long extension arm, allowing the TV to be pulled out from the wall for flexible viewing.
- **Full Motion Adjustments:**
 - **Tilt:** Adjustable from +5° to -10° to reduce glare and optimize viewing.
 - **Swivel:** Up to 180° swivel ($\pm 90^\circ$ from center) for versatile positioning.
 - **Level Adjustment:** Post-installation leveling of $\pm 3^\circ$ for perfect screen alignment.
- **Space-Saving Design:** Retracts to a slim 2.5 inches from the wall when not extended.
- **Robust Construction:** Made from heavy-duty carbon steel, ensuring durability and stability. Passed a 310 lbs loading test for safety.
- **Corner Installation:** Specifically designed to effectively utilize corner spaces, providing sturdy and adjustable mounting.
- **Integrated Cable Management:** Helps organize and conceal cables for a neat appearance.

Long Arm Tv Wall Mount

customize your viewing experience

Extends

30 inch

Tilt 5°

Tilt - 10°

Retracts

2.5"




Figure 2: Extension, retraction, and tilt capabilities of the mount.

Wide Compatibility




Concrete Wall



Wood Studs(16" 12")



Brick wall



VESA Compatible

200×100 | 200×200 | 200×300mm
300×200 | 300×300 | 400×200mm
400×300 | 400×400 | 600×400mm

Max.Load

100lbs



DO NOT INSTALL IT IN DRYWALL ALONE!

Figure 3: Compatibility details for TV size, VESA, and wall types.

TV Wall Mount Extendable Long Arm

achieve the perfect viewing angle with ease



Figure 4: The mount's 180° swivel feature for optimal viewing.

Suitable For Corner TV Bracket



Figure 5: Example of the mount installed in a corner.

KEY FEATURES OF THE PRODUCT

Note: Only Fit 16" Wood Stud Wall



Cover the screws for more beautiful appearance



Tilt adjustment



Level adjustment



Security lock



Cable management

Figure 6: Detailed view of the mount's adjustment mechanisms and cable management.

SETUP AND INSTALLATION

Proper installation is crucial for the safety and performance of your TV mount. Please read all instructions carefully before beginning. This mount is designed for installation on 16-inch wood stud walls, solid concrete walls, or brick walls. **DO NOT install on drywall alone.**

Before You Begin:

- **Check TV Compatibility:** Ensure your TV's size (37-75 inches), weight (up to 99 lbs), and VESA pattern (200x100mm to 600x400mm) are within the mount's specifications.
- **Identify Wall Type:** Confirm your wall is suitable (wood stud, concrete, or brick).
- **Gather Tools:** You will need a drill, stud finder (for wood studs), level (a small one is included), measuring tape, pencil, and a screwdriver.
- **Unpack and Verify:** Carefully unpack all components and compare them against the parts list in the included instruction manual.




Figure 7: Important checks before installation.

Installation Steps (General Overview):

- 1. Mark Drilling Locations:** Use the provided drilling template to mark the precise locations for drilling on your wall. Ensure it is level.
- 2. Mount Wall Plate:** Securely attach the wall plate to the wall using the appropriate hardware for your wall type.
- 3. Attach Brackets to TV:** Fasten the TV brackets to the back of your television using the correct screws and spacers.
- 4. Hang TV on Mount:** Carefully lift and attach the TV (with brackets) onto the wall plate. Secure it with the safety locks.
- 5. Adjust and Level:** Make any necessary tilt, swivel, or leveling adjustments for your desired viewing position.



Figure 8: Simplified 4-step installation process.

Installation Video:

Your browser does not support the video tag.

Video 1: Demonstrates the installation process, particularly highlighting the long arm and corner mounting capabilities.

OPERATING INSTRUCTIONS

The FORGING MOUNT HY9389-B offers flexible adjustments to achieve the perfect viewing angle for any room setup.

- Extending/Retracting:** Gently pull the TV away from the wall to extend the arm up to 30 inches. Push it back towards

- the wall until it retracts to 2.5 inches.
- **Tilting:** Use the tilt adjustment mechanism (wrench included) to adjust the screen angle from +5° (upward) to -10° (downward) to minimize glare or optimize viewing from different heights.
 - **Swiveling:** The mount allows for a wide 180° swivel range (±90° from the center point) to direct the screen towards your viewing area.
 - **Leveling:** After initial installation, fine-tune the horizontal level of the TV by adjusting the leveling screws, allowing for a ±3° correction.

Operation Video:

Your browser does not support the video tag.

Video 2: Demonstrates the full motion capabilities of the mount, including extension, articulation, and swivel.

MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your TV wall mount.

- **Periodic Inspection:** Annually, inspect all screws and connections to ensure they are tight and secure. Re-tighten if necessary.
- **Cleaning:** Wipe the mount with a soft, dry cloth to remove dust. For stubborn marks, use a slightly damp cloth with mild soap, then dry thoroughly. Avoid abrasive cleaners or solvents.
- **Lubrication:** Moving parts are designed for smooth operation. If any movement becomes stiff over time, a small amount of silicone-based lubricant can be applied to the pivot points.
- **Weight Limits:** Never exceed the maximum weight capacity of 99 lbs.

TROUBLESHOOTING

Problem	Possible Cause	Solution
TV is not level after installation.	Minor misalignment during installation.	Use the post-installation level adjustment screws (±3°) to fine-tune the horizontal alignment.
Mount feels loose or wobbly.	Screws are not tightened sufficiently or incorrect wall anchors used.	Ensure all mounting screws are securely tightened. Verify correct wall anchors were used for your wall type. If installed on drywall alone, re-install on a wood stud or concrete/brick wall.
Difficulty extending or swiveling the mount.	Lack of lubrication or excessive weight.	Apply a small amount of silicone-based lubricant to the pivot points. Ensure TV weight does not exceed 99 lbs.
Cables are messy or tangled.	Cables not properly routed.	Utilize the integrated cable management clips/channels on the mount to organize and secure cables.

SPECIFICATIONS

Feature	Detail
Model Number	HY9389-B

Feature	Detail
Compatible TV Sizes	37 - 75 inches
Max Load Capacity	99 lbs (45 kg)
VESA Compatibility	200x100mm to 600x400mm
Extension from Wall	2.5 inches (retracted) to 30 inches (extended)
Tilt Angle	+5° / -10°
Swivel Angle	Up to 180° (±90° from center)
Level Adjustment	±3°
Material	Heavy-duty Carbon Steel
Color	Black
Item Weight	14 pounds
Product Dimensions	27 x 17 x 30 inches (when extended)

WARRANTY AND SUPPORT

FORGING MOUNT stands behind the quality of its products. For warranty information, technical support, or any inquiries regarding your HY9389-B TV wall mount, please refer to the contact information provided in the original product packaging or visit the official FORGING MOUNT website.

You may also consider purchasing extended protection plans for added peace of mind:

- 2-Year Protection Plan
- 3-Year Protection Plan
- Complete Protect (Monthly Renewal)

For further assistance, please contact customer service.