

Evenflo TS100112510C

Evenflo Omni Signature Travel System with LiteMax Infant Car Seat Instruction Manual

Model: TS100112510C | Brand: Evenflo

1. IMPORTANT SAFETY INFORMATION

Please read this entire manual carefully before assembling or using your Evenflo Omni Signature Travel System. Failure to follow these instructions could result in serious injury or death to your child. Keep this manual for future reference.

- Always secure your child with the harness system.
- Never leave your child unattended in the stroller or car seat.
- Ensure all locking mechanisms are engaged before use.
- Do not use accessories or replacement parts other than those approved by Evenflo.
- The LiteMax Infant Car Seat is designed for children weighing 3 to 30 lb (15.7 to 32 in. tall).
- The stroller frame is suitable for children up to 50 lb (or 40 in. tall).

2. PRODUCT OVERVIEW

The Evenflo Omni Signature Travel System offers versatility and convenience, adapting to your child's needs from infancy through toddlerhood. This system includes a multi-mode stroller and the LiteMax Infant Car Seat.

Key Features:

- **8-Mode Flexibility:** Supports rear-facing or forward-facing infant, carriage, and toddler modes.
- **LiteMax Infant Car Seat:** Designed for infants 3-30 lbs, featuring harness covers and a removable body pillow.
- **Comfortable Fabric:** Extra-soft fabric for child comfort in both car seat and stroller.
- **Large Canopy:** Features 50+ UPF protection to shield your child from the sun.
- **Parent Conveniences:** Includes a parent organizer, dual-sided storage hook, parent cup holder, and an integrated BPA-free child snack tray.
- **Compact Fold:** Self-standing fold for easy storage and transport.



Figure 2.1: The Evenflo Omni Signature Travel System, showing the stroller in carriage mode, the stroller frame, and the LiteMax Infant Car Seat.

3. SETUP AND ASSEMBLY

3.1 Stroller Assembly

1. Unfold the stroller frame until it locks into place.
2. Attach the wheels by pushing them onto the axles until they click.
3. Install the stroller seat or carriage bassinet onto the frame, ensuring it is securely latched.
4. Attach the canopy, parent organizer, and child snack tray as indicated in the detailed assembly guide.

3.2 Car Seat Installation

The LiteMax Infant Car Seat can be installed in a vehicle using the car seat base or without the base, depending on your vehicle and local regulations. Always refer to the car seat manual for detailed installation instructions and vehicle

compatibility. Ensure the car seat is installed at the correct recline angle and is secured tightly with either the vehicle's seat belt or LATCH system.

For assistance with car seat installation, Evenflo offers live video support with certified car seat safety technicians through their ParentLink® Consumer Care Team.

3.3 Configuring Stroller Modes

The Omni Signature Travel System offers 8 distinct modes to accommodate your child's growth and preferences. These modes include various combinations of the infant car seat, carriage, and toddler seat, facing either forward or rearward.



Figure 3.1: Illustration of the 8 versatile modes of the Evenflo Omni Signature Travel System.



BPA-FREE CHILD SNACK TRAY

Figure 3.2: The LiteMax Infant Car Seat securely nests within the toddler seat for integrated travel.

4. OPERATING INSTRUCTIONS

4.1 Using the Stroller

- **Harness System:** Always secure your child with the 5-point harness. Adjust the shoulder straps to be at or slightly above your child's shoulders.
- **Recline Adjustment:** The stroller seat offers multiple recline positions. Use the recline lever or strap at the back of the seat to adjust.
- **Canopy:** Extend the large canopy for sun protection. The canopy features 50+ UPF.
- **Brakes:** Engage the foot-activated parking brake when the stroller is stationary.
- **Carriage Mode:** For infants under 6 months, the toddler seat converts to a lay-flat carriage mode, providing a comfortable space for stretching out.



LAY FLAT FOR COMFORT FOR BABY TO STRETCH OUT

Figure 4.1: The stroller configured in lay-flat carriage mode, suitable for infants.



SHADE YOUR LITTLE ONE WITH UPF 50+

Figure 4.2: The large canopy provides UPF 50+ sun protection for your child.

4.2 Folding the Stroller

To fold the stroller, ensure the seat is in an upright position and the canopy is retracted. Follow the specific folding mechanism instructions in your detailed manual. The stroller is designed for a compact, self-standing fold.






Figure 4.3: Dimensions of the Evenflo Omni Signature Travel System when folded for storage.

4.3 Using the LiteMax Infant Car Seat

- **Carrying Handle:** Adjust the carrying handle to the desired position for transport.
- **Harness Adjustment:** Ensure the harness straps are snug against your child's body, and the chest clip is at armpit level.

- **Stroller Integration:** The infant car seat can be securely attached to the stroller frame or nested within the toddler seat.



Figure 4.4: Dimensions of the Evenflo LiteMax Infant Car Seat.

4.4 Accessories

- **Parent Organizer:** Attach to the stroller handle for convenient storage of personal items.
- **Child Snack Tray:** The integrated BPA-free snack tray provides a surface for snacks and drinks.



INFANT CAR SEAT SECURELY NESTS IN TODDLER SEAT

Figure 4.5: The convenient parent organizer attaches to the stroller handle.



ENJOY MORE EXTRAS INCLUDING A PARENT ORGANIZER

Figure 4.6: The integrated BPA-free child snack tray provides a convenient surface.

5. MAINTENANCE

5.1 Cleaning Instructions

- **Fabric:** Spot clean fabric with mild soap and cold water. Air dry. Do not bleach.
- **Frame:** Wipe the stroller frame and plastic parts with a soft, damp cloth.
- **Wheels:** Periodically clean wheels and axles to remove dirt and debris. Lubricate moving parts if necessary with a light oil.

5.2 Storage

Store the travel system in a dry, cool place away from direct sunlight. Ensure the stroller is folded and all components are

clean before storing for extended periods.

6. TROUBLESHOOTING

- **Stroller does not fold/unfold easily:** Ensure all locking mechanisms are disengaged and the seat is in the correct position. Check for any obstructions.
- **Wheels squeak:** Clean the wheel axles and apply a small amount of lubricant.
- **Car seat feels loose in vehicle:** Re-read the car seat installation instructions carefully. Ensure the seat belt or LATCH system is tightened correctly and the car seat base is firmly against the vehicle seat. Contact ParentLink for installation support.
- **Harness difficult to adjust:** Check for twists in the straps. Ensure the harness adjuster is free of debris.

If you encounter issues not covered here, please contact Evenflo Customer Service.

7. SPECIFICATIONS

Feature	Specification
Model Number	TS100112510C
Product Dimensions (Unfolded)	86.36 x 63.5 x 106.68 cm (34 x 25 x 42 inches)
Product Dimensions (Folded)	86.36 x 63.5 x 30.48 cm (34 x 25 x 12 inches)
Item Weight	10.4 kg (23 lbs)
Stroller Maximum Weight Recommendation	50 Pounds
Infant Car Seat Weight Range	3 to 30 Pounds
Infant Car Seat Height Range	15.7 to 32 Inches
Material Type	Alloy Steel, Cotton, Polyester, Polypropylene
Harness Type	5 Point
Safety Standards Met	ASTM, JPMA



Figure 7.1: Dimensions of the Evenflo Omni Signature Travel System when unfolded.

8. WARRANTY AND SUPPORT

Evenflo products are designed with safety and durability in mind. For specific warranty information, please refer to the warranty card included with your product or visit the official Evenflo website.

For product support, installation assistance, or to speak with a certified car seat safety technician, please contact the Evenflo ParentLink® Consumer Care Team. Contact details can typically be found on the Evenflo website or on the product packaging.

Online Resources: For additional guides and FAQs, visit the official Evenflo support page.

© 2025 Evenflo. All rights reserved. This manual is for informational purposes only.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question