

## SMALLRIG BUT2664

# SmallRig Mini Tripod BUT2664 Instruction Manual

Model: BUT2664 | Brand: SMALLRIG

### INTRODUCTION

This manual provides detailed instructions for the proper setup, operation, and maintenance of your SmallRig Mini Tripod BUT2664. Please read this manual thoroughly before using the product to ensure optimal performance and longevity.

### PRODUCT FEATURES

- **Upgraded Design:** The ball head features laser-engraved 5° increments for precise panning. A 3-position leg angle adjustment system offers flexible shooting options.
- **Arca-Swiss Compatible QR Plate:** Includes a quick-release plate and clamp compatible with Arca-Swiss standards for fast camera mounting and dismounting. The QR plate has rubber padding to protect your camera.
- **High Stability Construction:** Constructed from durable aluminum alloy. The tripod legs support up to 44 lbs (20 kg), and the ball head supports up to 4.4 lbs (2 kg).
- **360° Swivel Ball Head:** Allows for 360° horizontal rotation and -90° to +45° tilting, ideal for panoramic photography and versatile angle adjustments.
- **Solid Base Support:** Rubber feet prevent the tripod from sliding and protect delicate surfaces, providing enhanced stability.



Image: Detailed view of the 360° panoramic photography features, including the quick release plate, thumb wheel, 3 bubble levels, 36mm diameter ball joint, and 360° panorama base.



Image: Illustration of the knob ball head, demonstrating its multi-angle adjustment and quick switching between vertical and horizontal shooting orientations.



Image: Visual representation of the tripod's aluminum alloy construction, highlighting its payload capacity: up to 20 kg (44 lbs) for the tripod without the ball head, and up to 2 kg (4.4 lbs) for the ball head itself.

### SETUP AND ASSEMBLY

1. **Unfolding the Legs:** Gently pull the tripod legs outwards until they click into one of the three available angle positions. The legs are designed to lock securely.
2. **Adjusting Leg Angles:** The tripod offers three leg angle positions for varied stability and height. To change the angle, press the small buttons near the leg hinges and reposition the legs.
3. **Attaching the Quick Release Plate:** The Arca-Swiss compatible quick-release plate is designed for rapid attachment. Slide your camera or device onto the plate and secure it using the screw.
4. **Mounting Your Device:** Open the clamp on the ball head by turning the thumb wheel. Insert the quick-release plate with your device into the clamp and tighten the thumb wheel until secure.



Image: The SmallRig Mini Tripod shown in its compact form and with various devices like a camera and smartphone mounted, illustrating its versatility.



Image: A diagram illustrating the five-second quick mount/dismount process for the standard Arca-Swiss style quick release plate.

## OPERATING INSTRUCTIONS

---

1. **Ball Head Adjustment:** To adjust the angle of your mounted device, loosen the large knob on the ball head. Position your device as desired, then tighten the knob to secure it. The ball head allows for 360° rotation and tilting.
2. **Panning Adjustment:** For smooth horizontal panning, loosen the smaller knob located at the base of the ball head. This allows the head to rotate 360° independently of the legs. Tighten to lock the panning position.
3. **Center Column Extension:** The tripod features a small adjustable center column. Twist the dial below the ball head to unlock and extend or retract the center column for minor height adjustments. Tighten the dial to lock it in place.
4. **Low-Profile Shooting:** For extremely low-angle shots, the center column can be fully removed by unscrewing it. The ball head can then be directly attached to the tripod base, allowing the legs to spread wide for a very low setup.

## MAINTENANCE

---

To ensure the longevity of your SmallRig Mini Tripod, keep it clean and free from dust and debris. Use a soft, dry cloth for cleaning. Avoid using harsh chemicals. Store the tripod in a dry place away from extreme temperatures.

## TROUBLESHOOTING

---

- **Legs feel loose or too tight:** The leg hinges can be adjusted using a standard Allen wrench. If the legs are too loose or too tight, you can tighten or loosen the screws at the hinges to achieve your preferred tension.
- **Tripod not stable at 130° leg angle:** Please note that the leg screws should not be adjusted for leg angle. The tripod is designed to stand stably when the legs are set at 130°. For tripods with leg angle notches/locks, refer to model BUT2666.
- **Ball head knob interferes with folded legs:** When folding the tripod for storage, ensure the ball head knob is positioned to allow the legs to fold flush against the body. A slight adjustment of the ball head may be necessary.

## SPECIFICATIONS

---

Specification	Value
Product Dimensions	9.06 x 3.15 x 2.36 inches
Item Weight	14.5 ounces (410 Grams)
Material	Aluminum, Rubber
Tripod Head Type	Ball Heads
Ball Head Screw	1/4"-20
Ball Head Diameter	80.0 mm
Ball Head Load Capacity	4.4 Pounds (2.0 kg)
Mini Tripod Load Capacity	44 Pounds (20.0 kg)
Panning Range	360°
Number of Leg Sections	1
Quick-Release Plate	For Arca Standard
Maximum Height	9.1 Inches
Minimum Height	4.4 Inches









Image: Contents of the product packaging, including the ball head, mini tripod, hex spanner, and quick release plate, alongside a detailed table of specifications.

## WARRANTY AND SUPPORT

For warranty information, technical support, or service inquiries, please refer to the official SmallRig website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

### Related Documents - BUT2664

<div><div>SmallRig</div><div></div><div>Aluminum Panoramic Ball Head</div></div>	<div><a href="#">SmallRig Aluminum Panoramic Ball Head 3034 - Operating Instructions &amp; Specifications</a></div> <div>Detailed operating instructions and specifications for the SmallRig Aluminum Panoramic Ball Head 3034. Learn about its features, safety guidelines, and how to use it for professional photography, including 360° panoramic shots.</div>
---	--

<p>SmallRig</p>  <p>Arca-Type Quick Release Mount Plate Kit</p>	<p><a href="#">SmallRig Arca-Type Quick Release Mount Plate Kit 2280 Operating Instructions</a></p> <p>Operating instructions for the SmallRig Arca-Type Quick Release Mount Plate Kit 2280, designed for mirrorless and DSLR cameras. Includes product details, safety guidelines, specifications, and what's in the box.</p>
<p>SmallRig</p>  <p>Heavy-Duty Fluid Head Tripod Kit AD-01S</p>	<p><a href="#">SmallRig AD-01S Heavy-Duty Fluid Head Tripod Kit: Operating Instructions &amp; Specifications</a></p> <p>Comprehensive operating instructions and specifications for the SmallRig AD-01S Heavy-Duty Fluid Head Tripod Kit (Model 4686), designed for professional video shooting. Features include adjustable legs, a step-less damping fluid head, quick-release plate compatibility, and robust aluminum alloy construction.</p>
<p>SmallRig</p>  <p>CT195 Video Tripod Kit User Manual</p>	<p><a href="#">SmallRig CT195 Video Tripod Kit User Manual</a></p> <p>User manual for the SmallRig CT195 Video Tripod Kit, detailing product features, specifications, warnings, and contents. Includes instructions for setup and use.</p>
<p>SmallRig</p>  <p>Travel Video Tripod Kit User Manual</p>	<p><a href="#">SmallRig Travel Video Tripod Kit User Manual</a></p> <p>User manual for the SmallRig Travel Video Tripod Kit, detailing its features, specifications, warnings, and warranty information. Includes instructions on setup, adjustments, and maintenance.</p>
<p>SmallRig</p>  <p>Mount Plate for AirTag for Canon</p>	<p><a href="#">SmallRig MD5424 Mount Plate for AirTag for Canon Cameras - Operating Instructions</a></p> <p>Detailed operating instructions and specifications for the SmallRig MD5424 Arca-Swiss mount plate designed for Canon EOS R5, R5 C, R5 Mark II, R6, R7, and R10 cameras. Features integrated AirTag compartment, quick-release system, and multiple mounting points.</p>