

Evenflo 37312310

Evenflo Gold Shyft DualRide Infant Car Seat and Stroller Combo

Model: 37312310

1. SETUP

1.1 Unpacking and Initial Inspection

Carefully remove all components from the packaging. Inspect the car seat and stroller combo for any signs of damage or missing parts. Refer to the 'Included Components' section for a complete list of items.

1.2 Car Seat Installation (with Base)

The Evenflo Gold Shyft DualRide features LockStrong Installation and Quick Connectors for secure installation. Position the car seat base on the vehicle seat. Follow the instructions on the base for proper belt routing and tensioning to achieve a solid, secure fit. Ensure the base is level according to the indicators.



FITS EVEN THE TINIEST RIDERS

Image Description: A person is shown installing the car seat base into a vehicle seat, demonstrating the LockStrong installation method with a blue lever for tightening the seatbelt.

1.3 Car Seat Installation (without Base)

For travel in different vehicles or when the base is not available, the infant car seat can be installed using only the vehicle's seatbelt. Follow the detailed instructions provided in the product manual for proper seatbelt routing and securing the car seat directly to the vehicle seat.

1.4 Harness Adjustment

The no-rethread harness adjusts to 8 positions, allowing for easy customization as your child grows. To adjust the harness height, pull the adjustment tab located at the back of the headrest upwards or downwards until the harness straps are at or below your child's shoulders when rear-facing.

1.5 Infant Insert Usage

The car seat accommodates infants as small as 3 lbs and up to 35 lbs. For newborns and smaller infants, use the provided infant insert to ensure a snug and secure fit. Remove the insert as your child grows and no longer requires the additional support.



4-MODE VERSATILITY

Image Description: This image illustrates the 4-mode versatility of the product, showing it as an infant car seat, a stroller with storage, an infant carrier with wheels, and a standalone infant carrier.

2. OPERATING INSTRUCTIONS

2.1 Transitioning from Car Seat to Stroller

The Evenflo Gold Shyft DualRide allows for a one-step transition from infant car seat to stroller. To deploy the wheels, simply lift the carrier off the base (if attached), locate the release mechanism, and the wheels will unfold. To retract the wheels, reverse the process.



TRANSITION FROM INFANT CAR SEAT TO STROLLER IN ONE STEP

Image Description: An arrow indicates the motion of the car seat transforming into a stroller, with a close-up showing a hand squeezing a release button to unfold the wheels.

2.2 Using the Stroller

Once the wheels are deployed, extend the handle to a comfortable height for pushing. The stroller is designed for smooth maneuverability. When placing the car seat into the vehicle, the wheels can be tucked securely into removable, washable wheel wells in the base to keep dirt off your backseat.



INFANT CARRIER ON STROLLER SITS HIGHER TO KEEP BABY CLOSE

Image Description: The car seat is shown installed in a car, with its wheels neatly tucked into the base, preventing dirt from soiling the car's interior.

2.3 SensorSafe Alerts

The integrated SensorSafe technology alerts you in real-time to 4 potentially unsafe conditions via Bluetooth connection to your smartphone: unsafe ambient temperature, child unattended, unexpected chest clip unbuckling, and child buckled too long. Ensure the SensorSafe chest clip is properly buckled and your smartphone is connected to receive these alerts.



LOCKSTRONG™ FOR SOLID INSTALLATION IN NO TIME

Image Description: A baby is secured in the car seat, with a close-up on the SensorSafe chest clip. A smartphone screen shows a notification related to the SensorSafe system, indicating real-time safety alerts.

2.4 Canopy Usage

The full-coverage canopy provides protection from the elements. Adjust the canopy by pulling it forward or pushing it back as needed to shield your child from sun or light rain.

2.5 Carryall Storage Bag and Cup Holder

The product includes a removable carryall storage bag for essentials and a removable parent cup holder for convenience. Attach these accessories as desired for your outings.

2.6 Official Product Videos

Video Description: This video provides an official overview of the Evenflo Shyft DualRide Infant Car Seat & Stroller Combo, demonstrating its key features and ease of use.

Video Description: This video demonstrates how to use the Evenflo Shyft DualRide car seat, focusing on practical aspects of its functionality.

3. MAINTENANCE

3.1 Cleaning Instructions

- **Plastic and Metal Parts:** DO NOT lubricate or immerse in water any part of this child restraint, unless rinsing is permitted. Plastic and metal parts may be wiped clean with mild soap and water and dried with a soft cloth.
- **Harness:** The harness can be wiped clean with mild soap and water. Allow harness to air dry.
- **Seat Pad:** Machine wash the seat pad separately in cold water, delicate cycle. Tumble dry 10 to 15 minutes on low heat.

4. TROUBLESHOOTING

4.1 SensorSafe Alerts

If you receive a SensorSafe alert, immediately check the condition indicated on your smartphone. Address issues such as unsafe temperature, child unattended, unbuckled chest clip, or prolonged time in the seat.

4.2 Stroller Functionality

If the stroller mechanism (e.g., folding, unfolding wheels, handle adjustment) is not operating smoothly, ensure all locking mechanisms are fully engaged or disengaged as required. Check for any obstructions that might prevent proper movement. Refer to the operating instructions for correct procedures.

5. SPECIFICATIONS

Feature	Detail
Item Weight	29 Pounds
Folded Size	18.8x30x27.5 inches
Rear Facing Stroller Maximum Height	41.5 Inches
Item Dimensions L x W x H	18"L x 31"W x 18"H
Car Seat Weight Capacity Maximum	35 Pounds
Rear Facing Car Seat Maximum Height	32 Inches
Harness Type	5 Point
Stroller Type	Standard Stroller
Is Car Seat Compatible	Yes

Number of Cup Holders	1
Seating Capacity	1
Additional Features	Convertible, LockStrong Installation, Quick Connectors, SensorSafe alerts, Removable Carryall Storage, Removable Cup Holder, Wheels Nest in Base
Built-in Light	No
Number of Wheels	4
Material Type	Polyester
Frame Material	Alloy Steel
Canopy Material	Polyester
Seat Material	Polyester
Tire Material	Plastic
Fabric Type	Polyester
Brand	Evenflo
Age Range Description	Infant
Included Components	Removable carryall storage bag, removable parent cup holder, wheels that nest in removable, washable wheel wells in base, full-coverage canopy, LockStrong Installation and Quick Connectors
Model Number	37312310
UPC	032884204038
Global Trade Identification Number	00032884204038
Part Number	37312310
Manufacturer	Evenflo
Unit Count	1.0 Count
Maximum Weight Recommendation	35 Pounds
Rear Facing Minimum Weight	3 Pounds
Rear Facing Maximum Weight	35 Pounds
Installation Type	Seat Belt

Color	Onyx Black
-------	------------

6. WARRANTY

Warranty information for the Evenflo Gold Shyft DualRide Infant Car Seat and Stroller Combo is typically provided with your product purchase or can be found on the official Evenflo website. Please retain your proof of purchase for warranty claims.

7. SUPPORT

For further assistance, troubleshooting, or to inquire about replacement parts, please contact Evenflo customer support. Visit the official Evenflo website for contact information and additional resources.

You can visit the [Evenflo Store](#) for more information.