Giraffe Tools 50ft garden hose

Giraffe Tools Garden Hose 50ft x 5/8" Instruction Manual

Model: 50ft garden hose
Brand: Giraffe Tools

1. Product Overview

The Giraffe Tools Garden Hose is engineered for durability and ease of use in various watering tasks. Constructed from a hybrid material blend of rubber and polymer, it offers superior flexibility and abrasion resistance while remaining lighter than traditional rubber hoses. Its innovative design includes a swivel handle and professional nickel fittings to ensure a leak-proof and tangle-free experience.



Figure 1: The Giraffe Tools Garden Hose, coiled for storage, showcasing its black and orange design.

Key features include:

- **Lightweight & Durable:** Expertly developed hybrid material (rubber and polymer) with 3mm thickness, lighter than traditional hoses while being abrasion-resistant.
- **Swivel Handle:** Movable handle allows the hose to rotate freely, preventing twisting and simplifying connection to faucets, nozzles, or hose reels.
- **Leak-Proof Fittings:** Professional nickel fittings ensure secure, crush-resistant connections. Features male and female connectors.
- **All-Weather Flexible:** Maintains flexibility in extreme temperatures (-40°F to 150°F), making it easy to coil and uncoil year-round.
- **Wide Application:** Designed for residential water pressure (150PSI working pressure), suitable for various yard and garden watering needs.

2. Setup

Before first use, ensure all components are present and undamaged. Follow these steps to set up your Giraffe Tools Garden Hose:

1. **Uncoil the Hose:** Carefully uncoil the entire length of the hose to prevent initial kinks. Lay it flat on the ground.
2. **Connect to Faucet:** Attach the female end of the hose to your outdoor faucet. Use the swivel handle to easily tighten the connection without twisting the hose.
3. **Attach Accessories:** Connect your desired watering accessory (e.g., nozzle, sprinkler) to the male end of the hose. Again, utilize the swivel handle for a secure and easy attachment.



Figure 2: Close-up of the swivel handle and nickel fittings, designed for easy and secure connections.



Figure 3: Illustration of the robust 3/4 inch nickel connector, ensuring leak-proof performance.

3. Operating

The Giraffe Tools Garden Hose is designed for efficient and comfortable watering:

- **Water Flow:** Turn on the water at your faucet. The 5/8-inch diameter ensures excellent water flow for various tasks.
- **Kink Prevention:** The hybrid material and swivel handle significantly reduce kinking. If a kink occurs, simply rotate the swivel handle to recover it.
- **Flexibility:** The hose remains highly flexible, allowing for easy maneuverability around your garden, even in tight spaces.



Figure 4: The hose's material allows for exceptional flexibility, preventing permanent kinks.



Figure 5: The swivel handle mechanism allows for easy untwisting and kink removal.

4. Maintenance

Proper maintenance will extend the life of your garden hose:

- **Storage:** After each use, drain any remaining water from the hose. Coil it neatly for storage. The hose's flexibility makes coiling easy.
- **All-Weather Use:** The hose is designed for all-weather conditions, remaining flexible from -40°F to 150°F. However, for prolonged extreme cold, storing it indoors can further extend its lifespan.
- **Cleaning:** Periodically clean the exterior of the hose with mild soap and water to remove dirt and debris.
- **Inspect Fittings:** Regularly check the nickel fittings for any signs of wear or damage. Ensure they are tightly secured to prevent leaks.



Figure 6: The hose maintains its flexibility across a wide range of temperatures, from extreme heat to freezing cold.

5. Troubleshooting

Here are solutions to common issues you might encounter:

- **Kinks:** If the hose kinks, rotate the swivel handle at the affected area to release the tension and restore flow. Ensure the hose is fully uncoiled before use.
- **Leaks at Connections:** Check that the nickel fittings are securely tightened to the faucet and any accessories. Ensure rubber washers are properly seated and not damaged.
- **Low Water Pressure:** Verify that the faucet is fully open. Check for any blockages in the hose or attached accessories. Ensure there are no severe kinks restricting flow.

6. Specifications

Feature	Detail

Brand	Giraffe Tools
Model Number	50ft garden hose
Material	Polymer (Hybrid Rubber and Polymer)
Color	5/8 Inch Black
Product Dimensions	600"L x 0.6"W
Item Weight	7.04 pounds (3.2 Kilograms)
Maximum Pressure	150 Pound per Square Inch (PSI)
Nominal Wall Thickness	3 millimeters
Outside Diameter	21 Millimeters
Item Length	50 Feet

7. Warranty & Support

Giraffe Tools is committed to providing timely solutions and lifetime friendly support for your product. If you encounter any issues or have questions, please do not hesitate to contact us. Our professional support team is ready to assist you in the most effective way possible.
For assistance, please refer to the contact information provided with your product packaging or visit the official Giraffe Tools website.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question