

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Goetland](#) /

› [Goetland Rifle Scope 3-9x50 Illuminated Mil Dot SFP Optics Instruction Manual](#)

### Goetland RSC0009-20

# Goetland Rifle Scope 3-9x50 Illuminated Mil Dot SFP Optics User Manual

## INTRODUCTION

---

This manual provides comprehensive instructions for the proper setup, operation, and maintenance of your Goetland 3-9x50 Rifle Scope. Designed for precision and durability, this scope features adjustable magnification, an illuminated Mil Dot reticle, and robust construction suitable for various applications. Please read this manual thoroughly before use to ensure optimal performance and longevity of your product.

## PACKAGE CONTENTS

---

Verify that all items listed below are included in your package:

- 1. Rifle Scope
- 2. Gift Box (Packaging)
- 3 & 4. Protective Lens Covers (Flip-up)
- 5. Wrench
- 6. Ring Mounts for 11mm Dovetail rails (1 pair)
- 7. Ring Mounts for 20mm Picatinny/Weaver rails (1 pair)
- 8. Sunshade
- 9. Cleaning Cloth
- 10. User Manual (This document)



- 1. Rifle Scope
- 2. Gift Box
- 3&4. Protective Covers
- 5. Wrench
- 6. Ring Mounts for 11mm Dovetail
- 7. Ring Mounts for 20mm Picatinny
- 8. Sunshade
- 9. Cleaning Cloth
- 10. User Manual

This image displays the complete package contents: 1. Rifle Scope, 2. Gift Box, 3 & 4. Protective Covers, 5. Wrench, 6. Ring Mounts for 11mm Dovetail, 7. Ring Mounts for 20mm Picatinny, 8. Sunshade, 9. Cleaning Cloth, 10. User Manual.

## SPECIFICATIONS

<b>Model Number</b>	RSC0009-20
<b>Magnification</b>	3-9x
<b>Objective Lens Diameter</b>	50 mm
<b>Reticle Type</b>	Mil Dot
<b>Illumination</b>	Red/Green/Blue, 3 Brightness Levels
<b>Material</b>	Aerospace-grade Aluminum Alloy
<b>Product Dimensions</b>	33.4 x 6.8 x 6.3 cm
<b>Item Weight</b>	600 g
<b>Features</b>	Waterproof, Fogproof, Shockproof



This image focuses on the 50mm objective lens, indicating a large aperture for light gathering, and mentions the fully multi-coated optics for enhanced clarity.

## SETUP

### 1. Mounting the Scope

Select the appropriate mounting rings (11mm Dovetail or 20mm Picatinny/Weaver) for your rifle. Securely attach the rings to your rifle's rail. Place the scope into the rings, ensuring proper eye relief and reticle alignment. Tighten the ring screws evenly to avoid damaging the scope tube. Do not overtighten.

### 2. Attaching the Sunshade

Thread the sunshade onto the objective end of the scope if desired. The sunshade helps reduce glare and protect the objective lens.

### 3. Installing the Illumination Battery

The scope requires one CR2032 battery for reticle illumination (battery not included due to shipping policies). Unscrew the illumination control cap, insert the CR2032 battery with the positive (+) side facing

outwards, and then screw the cap back on securely.



This image highlights the adjustable turrets for windage and elevation, along with the mounting ring screws for secure attachment.

## OPERATING INSTRUCTIONS

### 1. Adjusting Magnification

Rotate the magnification ring, located near the eyepiece, to adjust the zoom level from 3x to 9x. Turn clockwise for higher magnification and counter-clockwise for lower magnification.

# 3-9X Zoom Magnification



For Reference Only



This image illustrates the visual difference between 3x, 6x, and 9x magnification settings, controlled by the zoom ring on the scope.

## 2. Reticle Illumination

Turn the illumination control dial, located on the left side of the scope, to activate the reticle illumination. You can select between red, green, or blue colors and adjust the brightness to one of three levels for optimal visibility in varying light conditions.



This image displays the three reticle illumination colors (red, green, blue) and the dial used to select the color and adjust brightness levels.

### 3. Windage and Elevation Adjustments

The scope features finger-adjustable turrets for windage (horizontal adjustment) and elevation (vertical adjustment). To adjust, pull up the turret cap, make the necessary clicks for adjustment, and then push the cap back down to lock the setting. Each click typically represents a specific change in point of impact (e.g., 1/4 MOA).

### 4. Using Flip-Up Lens Covers

The included flip-up lens covers protect the objective and eyepiece lenses from dust, dirt, and scratches when not in use. Simply flip them open for immediate use and close them for protection.

## MAINTENANCE

---

### Cleaning the Lenses

Use the provided cleaning cloth or a soft, lint-free cloth to gently wipe the lenses. For stubborn smudges, use a lens cleaning solution specifically designed for optics. Avoid using harsh chemicals or abrasive materials that could scratch the lens coatings.

## General Care

The Goetland Rifle Scope is constructed from aerospace-grade aluminum alloy and is designed to be waterproof, fogproof, and shockproof. While durable, avoid unnecessary impacts. Store the scope in a dry, cool place when not in use. Ensure all caps and covers are in place to protect against environmental elements.



This image emphasizes the durable construction of the scope, featuring icons for waterproof, shockproof, and fogproof capabilities, indicating its robust design.

## TROUBLESHOOTING

- **Blurred Image:** Ensure the eyepiece focus is correctly adjusted for your vision. Also, check if the objective lens is clean.
- **Reticle Not Illuminating:** Verify that a fresh CR2032 battery is correctly installed with the positive (+) side facing out. Check if the illumination dial is turned to an 'ON' position and not between settings.
- **Inconsistent Point of Impact:** Ensure the scope is securely mounted to the rifle with all screws tightened. Check that the windage and elevation turrets are locked after adjustment.
- **Fogging:** While the scope is fogproof, extreme temperature changes can sometimes cause temporary external condensation. Allow the scope to acclimate to the temperature. If internal fogging

occurs, contact customer support.

## **WARRANTY AND SUPPORT**

---

Your Goetland Rifle Scope is backed by a 1-year replacement warranty. For any issues, questions, or support needs, please contact our customer service team. We are committed to providing responsive assistance.

**Customer Support Email:** [cs@goetland.com](mailto:cs@goetland.com)