

## YAMAZAKI 5069

# YAMAZAKI 5069 Slim Two-Way Draining Wire Basket Instruction Manual

Model: 5069

## 1. INTRODUCTION

Thank you for purchasing the YAMAZAKI 5069 Slim Two-Way Draining Wire Basket. This manual provides essential information for the proper setup, operation, and maintenance of your new draining basket. Please read these instructions carefully before use and retain them for future reference.

## 2. PRODUCT OVERVIEW AND FEATURES

The YAMAZAKI 5069 Slim Two-Way Draining Wire Basket is designed for efficient dish drying in compact kitchen spaces. Its extendable design allows it to fit various sink sizes, and the two-way drainage system offers flexible placement options. The durable construction ensures long-lasting use.

- **Extendable Design:** Accommodates sink inner dimensions from approximately 14.6 to 18.5 inches (37 to 47 cm).
- **Efficient Drainage:** Mesh bottom prevents water accumulation and promotes ventilation for hygiene.
- **Versatile Drying:** Features a slit to prop up dishes and cutting boards for optimal drying.
- **Protective Cushions:** Includes cushions to attach to the sink surface, preventing scratches and slipping.
- **Durable Finish:** Powder coating provides water, stain, and rust resistance for extended product life.



Image: The YAMAZAKI 5069 Slim Two-Way Draining Wire Basket in black, showcasing its overall design and structure.

### 3. PACKAGE CONTENTS

Please verify that all components are present before assembly:

- Wire Basket (Main Unit) x 1
- Drainage Tray x 1
- Cutlery Pocket x 1
- Hooks x 2
- Cushions (for sink protection)

### 4. SETUP AND ASSEMBLY

1. **Unpack Components:** Carefully remove all parts from the packaging.
2. **Attach Cushions:** Apply the provided cushions to the bottom edges of the wire basket where it will contact the sink or countertop. This prevents scratches and ensures stability.
3. **Position Drainage Tray:** Place the drainage tray on a flat surface or directly into your sink. The tray features a spout that can be rotated to direct water flow into the sink.
4. **Place Wire Basket:** Position the wire basket onto the drainage tray. Ensure it is securely seated.
5. **Adjust Extension (if applicable):** If using over a sink, extend the basket to fit the inner dimensions of your sink (14.6 - 18.5 inches). Ensure both ends are stable.
6. **Attach Accessories:** Hook the cutlery pocket and additional hooks onto the sides of the wire basket as desired for convenient access.

### 5. OPERATING INSTRUCTIONS

The YAMAZAKI draining basket is designed for daily use to air-dry your dishes and utensils.

- **Dish Placement:** Place plates upright in the designated slits to maximize drying efficiency. Bowls and cups can be inverted on the flat mesh bottom.
- **Utensil Storage:** Use the cutlery pocket for forks, spoons, knives, and chopsticks. The additional hooks can hold dishcloths or small utensils.

- **Cutting Board Drying:** Utilize the wider slits to prop up cutting boards for thorough drying.
- **Drainage:** Ensure the drainage tray's spout is positioned over the sink to allow water to flow directly into the drain, preventing water accumulation on your countertop.



Image: The draining basket positioned next to a sink, demonstrating its capacity for dishes, cutlery, and a hanging cloth.



Image: A close-up view of the drainage tray, illustrating how cups and bowls can be placed for drying.

## 6. MAINTENANCE AND CARE

Regular cleaning will maintain the appearance and functionality of your draining basket.

- **Daily Cleaning:** After each use, empty any remaining water from the drainage tray. Wipe down the wire basket and tray with a soft cloth.
- **Deep Cleaning:** Periodically, wash all components with mild soap and warm water. Use a soft brush for the mesh bottom to remove any residue.
- **Drying:** Ensure all parts are thoroughly dried before reassembly to prevent water spots and maintain the rust-resistant coating.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, or strong chemical detergents, as these can damage the powder coating and ABS resin.

## 7. TROUBLESHOOTING

If you encounter any issues with your draining basket, refer to the following common solutions:

- **Water Accumulation:** Ensure the drainage tray's spout is correctly positioned over the sink and is not blocked. Check that the basket is level.
- **Instability:** Verify that the basket is fully extended and securely placed on the sink or countertop. Ensure the protective cushions are properly attached.
- **Rust Spots:** While the product is rust-resistant, prolonged exposure to standing water or harsh chemicals can affect the coating. Ensure regular drying and avoid abrasive cleaning agents. If minor rust appears, it can often be removed with a non-abrasive rust remover designed for coated metals.

## 8. SPECIFICATIONS

Feature	Detail
Model Number	5069
Color	Black
Material (Wire Basket)	Steel (unichrome plated + powder coating)
Material (Drainage Tray, Cutlery Pocket, Hook)	ABS resin
Material (Drain Plate)	Polypropylene
Material (Stopper)	Silicone
Main Unit Dimensions (W x D x H)	Approx. 22.6 x 6.3 x 7.3 inches (57.5 x 16 x 18.5 cm)
Draining Tray Dimensions (W x D x H)	Approx. 21.7 x 5.8 x 1.4 inches (55 x 14.8 x 3.5 cm)
Cutlery Pocket Dimensions (W x H)	Approx. 1 x 4.3 inches (2.5 x 11 cm)
Product Weight	Approx. 5.07 lbs (2.3 kg)
Load Capacity	Approx. 17.6 lbs (8 kg)
Extendable Sink Inner Dimensions	Approx. 14.6 - 18.5 inches (37 - 47 cm)










Image: Detailed dimensions of the YAMAZAKI 5069 Slim Two-Way Draining Wire Basket.

### 9. WARRANTY AND SUPPORT

YAMAZAKI products are manufactured with quality and durability in mind. For any questions regarding your product, or if you require support, please contact the retailer or manufacturer directly. Please retain your proof of purchase for warranty claims, if applicable.

### Related Documents - 5069

	<p><a href="#">Yamazaki Tower Rolling 5-Tier Shoe Rack Assembly Instructions</a></p> <p>Step-by-step assembly guide for the Yamazaki Tower Rolling 5-Tier Shoe Rack with Wooden Top, including parts list and assembly diagrams.</p>
	<p><a href="#">Tower Coat Hanger Assembly Instructions - Yamazaki ZK-313</a></p> <p>Step-by-step assembly guide for the Yamazaki Tower Coat Hanger (model ZK-313). Includes parts list, fitting instructions, warnings, and care advice.</p>

	<p><a href="#">Yamazaki Over-the-door Hook Hanger Ply: Installation and Usage Guide</a></p> <p>Detailed instructions and specifications for the Yamazaki Over-the-door Hook Hanger Ply, including how to attach it to doors and walls, compatible materials, and weight limits.</p>
	<p><a href="#">CompactLogix 5380 Controllers Installation Guide</a></p> <p>Comprehensive guide for installing Rockwell Automation's CompactLogix 5380 controllers, detailing setup, wiring, power connections, and network integration for industrial automation applications.</p>
	<p><a href="#">CompactLogix 5380 Controllers Specifications and Technical Data</a></p> <p>Detailed specifications, features, and technical data for the Allen-Bradley CompactLogix 5380 family of controllers, including catalog numbers, I/O capabilities, communication protocols, environmental specifications, and accessories.</p>
	<p><a href="#">Controladores CompactLogix 5380 y Compact GuardLogix 5380: Rendimiento y Seguridad Industrial</a></p> <p>Explore los controladores Allen-Bradley CompactLogix 5380 y Compact GuardLogix 5380, diseñados para mejorar el rendimiento, la productividad y la seguridad en aplicaciones de automatización industrial. Descubra sus características integradas, conectividad EtherNet/IP y cumplimiento de normas de seguridad.</p>