

Ikea 103.570.04

Ikea KALLROR 103.570.04 Stainless Steel Cabinet Handles - Installation and Care Manual

1. INTRODUCTION

Thank you for choosing Ikea KALLROR cabinet handles. These stainless steel handles are designed to provide a modern aesthetic and reliable functionality for your kitchen or furniture. This manual contains important information regarding the safe installation, proper use, and maintenance of your new handles. Please read it thoroughly before proceeding with installation.

2. SAFETY INFORMATION

- Always use appropriate safety gear, such as eye protection, when drilling.
- Ensure the drilling area is clear of electrical wires or plumbing before drilling.
- Keep small parts, such as screws, out of reach of children to prevent choking hazards.
- Do not overtighten screws, as this may damage the handle or the cabinet door/drawer.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 2 x Ikea KALLROR Cabinet Handles (Stainless Steel)
- Mounting Screws (suitable for door thickness 16-21 mm)



This image displays two Ikea KALLROR cabinet handles made of stainless steel, along with the necessary mounting screws. The handles are cylindrical bars, designed for a modern aesthetic, and are shown ready for installation.

4. SETUP AND INSTALLATION

Follow these steps to correctly install your KALLROR cabinet handles:

1. **Measure and Mark:** Determine the desired position for your handle on the cabinet door or drawer. The hole spacing for these handles is 352 mm. Use a ruler and pencil to accurately mark the two drilling points.
2. **Drill Holes:** Using a 5 mm drill bit, carefully drill through the marked points. Ensure the drill is perpendicular to the surface to create clean holes.
3. **Attach Handles:** From the back side of the cabinet door/drawer, insert the provided screws through the drilled holes. Align the handle with the screws on the front side and gently tighten the screws until the handle is secure. Do not overtighten.

5. USAGE

The Ikea KALLROR handles are designed for opening and closing cabinet doors and drawers. Grip the handle firmly and apply gentle, even pressure to operate the cabinet mechanism. Avoid excessive force or sudden movements to prevent damage to the handle or furniture.

6. MAINTENANCE AND CARE

To maintain the appearance and longevity of your stainless steel handles:

- **Cleaning:** Wipe the handles regularly with a soft cloth dampened with water or a mild, non-abrasive cleaning solution.
- **Drying:** Always dry the handles thoroughly after cleaning to prevent water spots or streaks.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, steel wool, or chemical solvents, as these can scratch or damage the stainless steel finish.
- **Periodic Check:** Periodically check the tightness of the mounting screws and retighten if necessary.

7. TROUBLESHOOTING

- **Loose Handle:** If a handle feels loose, gently tighten the mounting screws from the inside of the cabinet door or drawer. Do not overtighten.
- **Scratches on Handle:** Minor scratches on stainless steel can sometimes be buffed out with a specialized stainless steel polish and a soft cloth, following the grain of the steel. For deeper scratches, professional repair may be required.
- **Difficulty Installing:** Ensure that the drilled holes are precisely 352 mm apart and that the drill bit used was 5 mm in diameter. Verify that the cabinet door/drawer thickness is between 16 mm and 21 mm.

8. SPECIFICATIONS

Model Number	103.570.04
Material	Stainless Steel (Handle/End cap), Polyethylene Plastic (Plastic parts)
Length	405 mm
Depth	38 mm
Drilled Hole Diameter	5 mm
Hole Spacing	352 mm
Suitable Door Thickness	16 - 21 mm
Weight (per handle)	Approximately 160 grams (320 grams for 2 handles)

9. WARRANTY INFORMATION


Specific warranty details for the Ikea KALLROR 103.570.04 cabinet handles are not available in this document. Please refer to your purchase receipt or contact Ikea customer service for information regarding applicable warranties.











10. CUSTOMER SUPPORT

For further assistance, questions, or to report any issues with your Ikea KALLROR cabinet handles, please contact Ikea customer support through their official website or visit your nearest Ikea store. Have your product model number (103.570.04) and purchase details ready when contacting support.



Related Documents - 103.570.04

	KALERUM Handles Assembly Instructions IKEA Step-by-step guide to installing IKEA KALERUM handles. Learn how to measure, drill, and attach these stylish handles to your furniture with ease.
---	---

<p>KNIVSHULT</p>  	<p>KNIVSHULT Drawer Runner Assembly Instructions IKEA</p> <p>Step-by-step guide to assembling and installing the IKEA KNIVSHULT push-open drawer runner system for cabinets and drawers. Includes parts list, assembly steps, and care instructions.</p>
<p>KNIVSHULT</p>  	<p>IKEA KNIVSHULT Push Opener Assembly Instructions</p> <p>Comprehensive guide for assembling the IKEA KNIVSHULT push opener for drawers. Includes parts identification, step-by-step instructions, and care information.</p>
<p>KNIVSHULT</p>  	<p>IKEA KNIVSHULT Drawer Slide Assembly Instructions</p> <p>Comprehensive assembly guide for IKEA KNIVSHULT drawer slides, detailing parts, preparation, installation steps, and care instructions for smooth drawer operation in furniture.</p>
<p>MAXIMERA</p>  	<p>MAXIMERA Drawer Runner Assembly Instructions</p> <p>Step-by-step guide for assembling and installing the IKEA MAXIMERA drawer runner system, including parts identification and detailed instructions for kitchen cabinets.</p>
<p>KALERUM</p>  	<p>KALERUM Handle Assembly Instructions</p> <p>Step-by-step assembly guide for the IKEA KALERUM handle, including required tools and measurements for cabinet and drawer installation.</p>