

[Manuals.plus](#) /

› [Spurtar](#) /

› Spurtar Extended Lug Wrench Instruction Manual

## Spurtar TTW0201

# Spurtar Extended Lug Wrench Instruction Manual

Model: TTW0201

### PRODUCT OVERVIEW

The Spurtar Extended Lug Wrench is engineered for durability and ease of use, making tire changes more manageable. It features an extendable design for increased leverage and comes with versatile double-ended sockets to fit a wide range of vehicle lug nuts. Its robust construction ensures reliable performance in emergency situations or routine maintenance.



*The Spurtar Extended Lug Wrench is a versatile tool designed for efficient tire changes, featuring an extendable handle and dual-size sockets.*

## WHAT'S IN THE BOX


- 1 x Tire Iron Wrench
- 1 x Wrench Handle
- 1 x Extended Handle
- 1 x Oxford Storage Bag
- 2 x Two Way Sockets (17mm/19mm & 21mm/23mm)

## LABOR-SAVING

Maximum length up to 25 in



2X more torque



*All components of the Spurtar Extended Lug Wrench are neatly organized for easy access and storage.*

## SETUP

Before use, assemble the lug wrench by inserting the handle into the main body. Select the appropriate double-ended socket (17mm/19mm or 21mm/23mm) for your vehicle's lug nuts and attach it securely to the 1/2 inch drive head. Ensure all connections are firm before applying torque.

*This video demonstrates the assembly of the Spurtar Extended Lug Wrench, showing how to connect the handle and attach the appropriate socket.*

## 360° Smooth Rotation 1/2" Drive Head



*The wrench features a 1/2 inch drive head for secure attachment of sockets and smooth 360-degree rotation.*

### OPERATING INSTRUCTIONS

- 1. Preparation:** Ensure the vehicle is on a flat, stable surface and the parking brake is engaged. If changing a tire, block the wheels that are not being worked on.
- 2. Loosening Lug Nuts:** Place the correct size socket onto a lug nut. Extend the wrench handle to its full length for maximum leverage. Apply steady, firm pressure in a counter-clockwise direction to loosen the lug nuts. For extremely tight nuts, you may carefully use your foot on the extended handle for additional force.
- 3. Removing Lug Nuts:** Once loosened, unscrew the lug nuts by hand or with the wrench until they are completely removed.
- 4. Tightening Lug Nuts:** When reattaching the wheel, hand-tighten the lug nuts first. Then, use the wrench to tighten them in a star pattern to ensure even pressure. Extend the handle for better torque. Tighten until snug, but avoid over-tightening, which can damage the lug nuts or studs. Refer to your vehicle's manual for specific

torque specifications.

## DIMENSION



*The extendable design allows for increased leverage, making it easier to loosen stubborn lug nuts. The dual-sided sockets accommodate common lug nut sizes.*



*The versatile design allows the wrench to be used as a cross wrench for maximum torque or a T-wrench for quick rotation.*

## MAINTENANCE


To ensure the longevity and optimal performance of your Spurtar Extended Lug Wrench, follow these maintenance guidelines:

- **Cleaning:** After each use, wipe down the wrench and sockets with a clean, dry cloth to remove dirt, grease, and moisture.
- **Lubrication:** Periodically apply a light coat of machine oil to the moving parts and chrome surfaces to prevent rust and ensure smooth operation.
- **Storage:** Store the wrench and its components in the provided Oxford storage bag in a dry, cool place, away from direct sunlight and corrosive materials.
- **Inspection:** Regularly inspect the wrench for any signs of wear, damage, or deformation. Ensure the rubber grip is intact and the connections are secure. Do not use if any part is damaged.

## MULTIPLE USAGE



**CROSS WRENCH**



**T-WRENCH**



**MORE TORQUE**



**STURDY CR-V**

*Regular cleaning and inspection of the chrome vanadium steel components and ergonomic handle will ensure longevity and reliable performance.*

## SPECIFICATIONS

Feature	Detail
Brand	Spartar
Material	Chrome Vanadium Steel
Item Length	25 Inches (Extended)
Head Style	Box End
Model	Extended Lug Wrench

Item Weight	4 pounds
UPC	696177832324

## TROUBLESHOOTING

### Stuck Lug Nuts

If lug nuts are excessively tight and difficult to loosen by hand or with standard leverage, ensure the wrench is fully extended. Apply steady, increasing pressure. In some cases, carefully stepping on the extended handle (while maintaining balance and safety) can provide additional force. Avoid sudden jerking motions, which can damage the wrench or the lug nut.

### Wrench Components Not Fitting Securely

Ensure that all components are clean and free of debris before assembly. Align the pins and holes correctly when connecting the handle and sockets. If components still do not fit, inspect for any manufacturing defects or damage. Do not force components together.

## WARRANTY & SUPPORT

Spurtar products are manufactured to high-quality standards. For any questions regarding product operation, maintenance, or potential warranty claims, please contact Spurtar customer support through the retailer's platform or the official Spurtar website. Please retain your proof of purchase for warranty validation.