

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Ibergrif](#) /

› [Ibergrif M22137 Kitchen Tap User Manual](#)

Ibergrif M22137

Ibergrif Kitchen Tap Instruction Manual

MODEL: M22137

Pull Out Sprayer, Single Lever High Arc 360 Degree Swivel Kitchen Faucet

1. Introduction

Thank you for choosing the Ibergrif M22137 Kitchen Tap. This high-quality kitchen faucet is designed to provide convenience and efficiency in your daily kitchen tasks. With its pull-out sprayer, 360-degree swivel, and dual spray functions, it offers versatility and ease of use. This manual provides detailed instructions for installation, operation, and maintenance to ensure optimal performance and longevity of your new tap.



Figure 1.1: A full view of the Ibergreif M22137 kitchen tap, showcasing its high arc design and brushed nickel finish.

2. Product Features

- **Wide Cleaning Range:** Features a pull-out kitchen faucet with 360° rotatable water outlet elbow, suitable for double sink designs. The pull-down function, achieved by a gravity ball, allows for easy

extension and retraction, providing a larger cleaning range.

- **3 Functions:** Offers three distinct modes: stream for filling water, spray for powerful rinsing, and pause to conserve water.
- **Cold and Hot Water Support:** Supports both cold and hot water, indicated by red for hot and blue for cold. Includes a cold start design for energy saving. Comes with two 50CM cold/warm connection hoses that are rustproof and explosion-proof.
- **Leak-proof Design:** Equipped with a high-quality ceramic cartridge, tested over 500,000 times for anti-leak performance. Rubber gaskets ensure excellent sealing, reducing the risk of leaks.
- **Durable Material:** Constructed with a stainless steel faucet body, brass cartridge, and a brushed finish for sturdiness and durability. Includes all standard installation accessories and 20mm G3/8" to G1/2" adapters for UK standard compatibility.

3. Package Contents

Please verify that all components listed below are included in your package before beginning installation:

- 1 x Kitchen Tap (with connector hoses and extend hose pre-installed)
- 2 x Washers (1 rubber, 1 metal)
- 1 x Fixing nut
- 1 x Non-slip base
- 1 x Gravity ball
- 2 x G3/8" to G1/2" adapters
- 1 x English Manual



Figure 3.1: An overhead view of all components included in the package, such as the faucet body, hoses, and installation hardware.

4. Specifications

Attribute	Value
Brand	Ibergrif
Model Number	M22137
Colour	Gray
Style	Lever
Finish	Brushed
Material	Stainless Steel, Brass
Installation Method	Single Hole
Number of Handles	1
Mounting Type	Deck Mount
Spout Height	8.6 Inches (219mm)
Product Dimensions	50 x 25 x 10 cm
Item Weight	1.78 kg



Figure 4.1: Diagram illustrating the key dimensions of the kitchen tap, including spout height and overall height.

5. Setup and Installation

Before installation, ensure your water supply is turned off. It is recommended to have a professional plumber install the faucet if you are not familiar with plumbing work.

1. **Prepare the Sink Hole:** Ensure the sink hole is clean and appropriately sized for a single-hole installation.
2. **Install the Faucet Body:** Insert the faucet body into the sink hole. Ensure the non-slip base is correctly positioned under the faucet body on the sink surface.
3. **Secure the Faucet:** From underneath the sink, slide the metal washer and rubber washer onto the threaded shank of the faucet. Secure it with the fixing nut. Tighten the nut firmly to prevent wobbling, but do not overtighten.
4. **Connect Water Supply Hoses:** The tap comes with pre-installed cold and hot water braided hoses. Connect these hoses to your hot and cold water supply lines. Use the provided G3/8" to G1/2" adapters if your supply lines are G1/2". Ensure all connections are tight to prevent leaks.
5. **Install Gravity Ball:** Attach the gravity ball to the pull-out hose underneath the sink. This provides the necessary weight for the sprayer to retract smoothly. Position it approximately 6-8 inches from the end of the hose.

6. **Test for Leaks:** Once all connections are made, slowly turn on the main water supply. Check all connections for any signs of leaks. If leaks are detected, tighten the connections as necessary.

6. Operating Instructions


Your Ibergrif M22137 Kitchen Tap is designed for intuitive and efficient operation.

1. Water Flow and Temperature Control:

- The single lever handle controls both water flow and temperature.
- Lift the handle to increase water flow. Push down to decrease or turn off.
- Move the handle to the right for cold water and to the left for hot water. The cold start design ensures that when the handle is in the central position, only cold water flows, saving energy.

Smart Handle Design

Single lever handle operates with a 90° forward rotation, allowing for installation in tighter spaces with no backsplash clearance needed



Water savings.



Energy savings.



Low noise.

Figure 6.1: Illustration of the single lever handle's 90-degree forward rotation for cold start and water/energy saving, along with an internal view of the ceramic cartridge.

2. Pull-Out Sprayer Functionality:

- Gently pull the spray head from the spout to extend the hose. The hose extends up to 40cm (15.7 inches) for extended reach.
- After use, the gravity ball will assist the spray head in retracting smoothly back into the spout.



Figure 6.2: Image demonstrating the pull-out functionality of the sprayer, showing the hose extended from the faucet body.

3. Spray Modes:

- The spray head features buttons to switch between three modes:
- **Stream Mode:** Ideal for filling pots and general washing.
- **Spray Mode:** Provides a powerful spray for rinsing dishes and heavy-duty cleaning.
- **Pause Mode:** Temporarily stops water flow without turning off the main handle, useful for moving the sprayer between tasks without splashing.

Dual Function Spray Head

Easily switches between aerated stream for everyday cleaning or powerful spray for heavy-duty rinsing.

Easy-clean rubber nozzles allow you to wipe away mineral build-up, for a long-lasting powerful flow.



Figure 6.3: Close-up of the spray head, highlighting the two spray modes (stream and spray) and the easy-clean rubber nozzles.

4. 360° Swivel Spout:

- The faucet spout can rotate 360 degrees, allowing you to direct water flow to any part of your sink, making it convenient for single or double sinks.

360° Rotation

Spout rotates independently for a full range of motion, allowing you to position the faucet exactly how you need



Figure 6.4: Visual representation of the faucet's 360-degree rotation capability, allowing for flexible positioning.

7. Maintenance

Regular cleaning and maintenance will help preserve the finish and functionality of your Ibergrif kitchen tap.

- **Cleaning the Finish:** Use a soft, damp cloth and mild soap to clean the brushed nickel finish. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the surface. Rinse thoroughly with water and dry with a soft cloth to prevent water spots.
- **Cleaning the Spray Nozzles:** The spray head features easy-clean rubber nozzles. If mineral deposits build up, gently rub the rubber nozzles with your finger or a soft brush to dislodge them. This will restore the spray pattern.
- **Check for Leaks:** Periodically inspect all connections under the sink for any signs of leaks. Tighten connections if necessary.
- **Cartridge Maintenance:** The ceramic cartridge is designed for long-term, leak-free performance. If you notice a persistent drip or difficulty controlling water flow/temperature, the cartridge may need inspection or replacement by a qualified professional.



Figure 7.1: Detailed view of the spray head's rubber nozzles, designed for easy cleaning and preventing mineral build-up.

8. Troubleshooting

Problem	Possible Cause	Solution
Low Water Pressure	<ul style="list-style-type: none"> ◦ Aerator/nozzles clogged with mineral deposits. ◦ Partially closed shut-off valves. ◦ Kinked supply lines. 	<ul style="list-style-type: none"> ◦ Clean the aerator/nozzles (refer to Maintenance section). ◦ Ensure shut-off valves under the sink are fully open. ◦ Check supply lines for kinks and straighten them.
Leaking from Faucet Base	<ul style="list-style-type: none"> ◦ Loose mounting nut. ◦ Damaged O-rings or gaskets. 	<ul style="list-style-type: none"> ◦ Tighten the mounting nut under the sink. ◦ Inspect and replace O-rings or gaskets if damaged (professional assistance recommended).
Dripping from Spout	<ul style="list-style-type: none"> ◦ Worn or faulty ceramic cartridge. 	<ul style="list-style-type: none"> ◦ Replace the ceramic cartridge (professional assistance recommended).

Problem	Possible Cause	Solution
Sprayer Does Not Retract Fully	<ul style="list-style-type: none"> Gravity ball is obstructed or not properly positioned. Hose is kinked or tangled under the sink. 	<ul style="list-style-type: none"> Ensure the gravity ball is free to move and positioned correctly on the hose. Untangle or straighten the hose under the sink.

9. Warranty and Support


Ibergrif products are manufactured to high-quality standards and are backed by our commitment to customer satisfaction. For specific warranty details, please refer to the warranty card included with your purchase or visit the official Ibergrif website.

If you encounter any issues or have questions regarding your Ibergrif M22137 Kitchen Tap that are not covered in this manual, please contact Ibergrif customer support for assistance. Our team is ready to help you with troubleshooting, parts replacement, or any other inquiries.

Contact Information: Please refer to the contact details provided on the product packaging or the official Ibergrif website for the most up-to-date support information.

© 2025 Ibergrif. All rights reserved.
This manual is subject to change without prior notice.

Related Documents - M22137

	<p>Ibergrif M22136-99 Pull-Out Kitchen Mixer Touch On/Off Installation Guide</p> <p>Detailed installation instructions for the Ibergrif M22136-99 pull-out kitchen mixer with touch on/off functionality. Includes manufacturer and marketer information, safety warnings, and step-by-step visual guidance.</p>
	<p>Ibergrif M85043 Stainless Steel Sink Installation Manual</p> <p>Comprehensive installation guide for the Ibergrif M85043 Stainless Steel Sink, covering undermount and topmount methods, overflow fitting installation, and drainage assembly. Includes dimensions and safety warnings.</p>
	<p>Ibergrif M22025-3/8 Angle Valve: Operating Instructions and Safety Guide</p> <p>Detailed operating instructions and safety warnings for the Ibergrif M22025-3/8 Angle Valve. Learn about installation, water pressure limits, and product specifications.</p>
	<p>Ibergrif M20406 Shower Head Bracket Assembly and Installation Guide</p> <p>Comprehensive guide for assembling and installing the Ibergrif M20406 Shower Head Bracket using self-adhesive or wall-mounted methods. Includes product details and safety warnings.</p>



[Ibergrif M20293 Rain Shower Head Installation and Maintenance Guide](#)

Official installation and maintenance guide for the Ibergrif M20293 Rain Shower Head. Learn how to install, troubleshoot water flow issues, and replace silicone tips.



[Ibergrif M41002 O Shape Toilet Seat Installation Guide](#)

Concise installation guide for the Ibergrif M41002 O Shape Toilet Seat, featuring easy-to-follow steps, parts list, and product information. Learn how to quickly and correctly install your new toilet seat.