

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [LITEMATIRA](#) /

› LITEMATIRA Media Interface Aux Cable with Type C for Mercedes-Benz COMAND-APS NTG4.5 (Model 8567) - Instruction Manual

## LITEMATIRA 8567

# LITEMATIRA Media Interface Aux Cable with Type C for Mercedes-Benz COMAND-APS NTG4.5 (Model 8567)

Instruction Manual

## 1. OVERVIEW

---

The LITEMATIRA Media Interface Aux Cable with Type C is designed to connect your modern Type-C enabled devices to compatible Mercedes-Benz vehicles equipped with the COMAND-APS NTG4.5 system and 2nd generation Media Interface. This cable facilitates audio playback from your device through the car's sound system.



*Image 1: LITEMATIRA Media Interface Aux Cable with Type C, showing both ends of the cable. The cable measures approximately 39 inches (99 cm) in length, providing sufficient reach for convenient placement of your connected device.*

# SIZE

39"



*Image 2: The LITEMATIRA Media Interface Aux Cable with Type C, illustrating its 39-inch length.*

## 2. SETUP INSTRUCTIONS

Follow these steps to set up your LITEMATIRA Media Interface Aux Cable:

1. **Locate the Media Interface (MMI) Port:** The MMI port is typically found in the glove box or center armrest console of your Mercedes-Benz vehicle. It is a multi-pin connector designed for media devices.

**Media Interface Port  
usually install on glove box  
or center armrest box**



*Image 3: Illustration of the Media Interface port location, often in the glove box, and the corresponding menu option on the car's infotainment screen.*

2. **Connect the Cable to the MMI Port:** Plug the AMI interface end of the LITEMATIRA cable into the MMI port in your vehicle. Ensure a secure connection.
3. **Select the Media Source:** On your car's infotainment system (COMAND-APS NTG4.5), navigate to the audio or media menu. Select 'Media Interface' or 'Auxiliary' as the input source. The exact menu option may vary slightly depending on your vehicle model and year.

Your browser does not support the video tag.

*Video 1: Demonstrates connecting the Type C Aux Cable to the AMI interface and selecting the media source on a Mercedes-Benz infotainment system.*

4. **Connect Your Device:** Plug the Type-C end of the cable into your smartphone, tablet, or other compatible audio device.



No car installation required

Plug in and play

Image 4: Shows the Type C cable being plugged into a smartphone, highlighting the 'Plug in and play' functionality without requiring complex car installation.

#### Important Note:

- This cable is designed for audio transmission only. It does not support video output.
- The cable is compatible only with Mercedes-Benz vehicles that have the COMAND NTG 4.5 system and 2nd generation Media Interface (Optional code: 518).

### 3. OPERATING INSTRUCTIONS

Once the cable is connected and the correct media source is selected, you can begin playing audio from your device.

- **Device Control:** All audio playback controls (e.g., play, pause, skip tracks, volume) must be managed directly from your connected Type-C device. The car's infotainment screen will not display song names or allow track changes directly through its interface.
- **Audio Output:** Audio will be routed through your Mercedes-Benz sound system. Adjust the volume using your car's volume controls or your device's volume settings.
- **Charging Functionality:** The cable may provide charging to your connected device while in use,

depending on the vehicle's MMI port power output and your device's power requirements.

Your browser does not support the video tag.

*Video 2: A brief overview of the cable's features, including the AMI and Type C interfaces, and its flexible design.*

## 4. COMPATIBILITY

---

### Mercedes-Benz Vehicles:

This cable is compatible with Mercedes-Benz vehicles from model years 2011-2015 that feature the COMAND-APS NTG4.5 system and 2nd generation Media Interface (Optional code: 518). This includes various models such as:

- A-Class
- B-Class
- C-Class
- CLA-Class
- E-Class
- CLS-Class
- G-Class
- GLE-Class
- SL-Class
- S-Class
- GLK-Class
- GL-Class
- R-Class
- M-Class
- SLS AMG-Class

### Compatible Type-C Devices:

The cable supports a wide range of Type-C enabled devices, including but not limited to:

- Smartphones: iPhone 15, 15 Plus, 15 Pro, 15 Pro Max, iPhone 16, 16 Pro, 16 Pro Max, iPhone 17, 17 Pro, 17 Pro Max, Google Pixel 2, 2 XL, 3, 4, 4 XL, Samsung Galaxy S8, S9, S10, S10e, S10 Plus, Note 8, Note 9, A8S, HTC U11, U12, U Ultra, U11 Eyes, Bolt, U Play, LG G5, G6, V30, Essential PH-1, Huawei Mate 9, Mate 10 Plus, OnePlus 5, 5T, Razer Phone.
- Other Type-C audio devices.

## Compatible with all system devices:

16, 16 Pro, 16 Pro Max, 16e, 15 , 15 Plus, 15 Pro, 15 Pro Max. Google Pixel 4,4 XL, 3, 2, 2 XL, Motorola Moto Z2, Z Droid, Z Force Droid, Z Play, Z3 Play, Galaxy S10 S10e S10 Plus,S8 S9 Note 9 8 A8S, U12, U11, U Ultra, U11 Eyes, Bolt, U Play, G6 G5 V30, Essential PH-1, Huawei Mate9 Mate10 plus, OnePlus5 /5T, Razer Phone



*Image 5: The LITEMATIRA Media Interface Aux Cable with Type C, accompanied by a list of compatible smartphone models.*

## 5. MAINTENANCE

To ensure the longevity and optimal performance of your LITEMATIRA Media Interface Aux Cable, please follow these maintenance guidelines:

- Keep the cable clean and free from dust and debris. Use a soft, dry cloth to wipe it down regularly.
- Avoid bending or kinking the cable sharply, especially near the connectors, as this can damage the internal wiring.
- Store the cable in a cool, dry place when not in use.
- Do not expose the cable to extreme temperatures or direct sunlight for extended periods.

## 6. TROUBLESHOOTING

If you encounter issues with your LITEMATIRA Media Interface Aux Cable, consider the following troubleshooting steps:

- **No Audio Output:**
  - Ensure the cable is securely plugged into both the car's MMI port and your Type-C device.
  - Verify that 'Media Interface' or 'Auxiliary' is selected as the audio source on your car's infotainment system.
  - Check the volume levels on both your device and the car's audio system.
  - Confirm that your Mercedes-Benz vehicle has the COMAND NTG 4.5 system and 2nd generation Media Interface (Optional code: 518). This cable is not compatible with other MMI versions.
  - Test with a different Type-C device to rule out device-specific issues.
- **Device Not Charging:**
  - While the cable may provide charging, its primary function is audio transmission. Charging capability can vary based on the vehicle's MMI port power output and the device's power demands.
  - Ensure the car's ignition is on or in accessory mode.
  - Some devices may require higher power input than the MMI port can provide for optimal charging.
- **Intermittent Connection:**
  - Check for any damage to the cable or connectors.
  - Ensure the connectors are clean and free from lint or debris.
  - Avoid excessive movement or strain on the cable during use.

## 7. SPECIFICATIONS

Feature	Detail
Brand	LITEMATIRA
Model Number	8567
Connector Type	Auxiliary, USB Type C
Compatible Car System	Mercedes-Benz COMAND-APS NTG4.5 (2nd generation Media Interface, Optional code: 518)
Cable Length	Approximately 39 inches (0.99 meters)
Item Weight	2.39 ounces (0.07 Kilograms)
Functionality	Audio playback from Type-C devices to car stereo. May provide charging.

## 8. WARRANTY AND SUPPORT

---

For warranty information or technical support regarding your LITEMATIRA Media Interface Aux Cable, please contact the seller directly through the platform where the purchase was made. Provide your order details and a clear description of the issue for prompt assistance.