



Manuals.plus /

› EXTRASTAR /

› EXTRASTAR 6-Outlet Power Strip Instruction Manual (Model US-KF-USG-6)

EXTRASTAR US-KF-USG-6

EXTRASTAR 6-Outlet Power Strip Instruction Manual

Model: US-KF-USG-6

PRODUCT OVERVIEW

The EXTRASTAR 6-Outlet Power Strip is designed to expand available power outlets for various electronic devices. It features a 6-foot extension cord, a built-in circuit breaker for protection, and a mountable design for versatile placement.

- **6 AC Outlets:** Provides power for multiple appliances and mobile devices.
- **6-Foot Extension Cord:** Offers extended reach for convenient placement.
- **14AWG Heavy Duty Cord:** Ensures durability and efficient power delivery.
- **15A / 1875W Capacity:** Supports a wide range of electrical loads.
- **Built-in Circuit Breaker:** Protects against overloads and voltage spikes.
- **Flat Plug Design:** Allows furniture to sit closer to the wall, saving space.
- **Mountable Design:** Features keyholes for secure installation on walls, workbenches, or under counters.



Image: The EXTRASTAR 6-Outlet Power Strip in white, showing its six outlets, power switch, and attached 6-foot cord with a flat plug.

SAFETY INFORMATION

- Do not exceed the maximum electrical rating of 1875W (15A at 125V).
- Do not use in wet environments.
- Do not disassemble or modify the power strip.
- Keep away from children and pets.
- Ensure plugs are fully inserted into outlets.
- This device is for indoor use only.



Image: Icons indicating flame retardant material and fire prevention features of the power strip.

SETUP AND INSTALLATION

1. Plugging In

1. Ensure the power strip's ON/OFF switch is in the "OFF" position.
2. Plug the power strip's flat plug into a standard 125V AC wall outlet.
3. Flip the ON/OFF switch to the "ON" position. The indicator light will illuminate, confirming power is supplied.

Your browser does not support the video tag.

Video: A demonstration of plugging in the EXTRASTAR 6-Outlet Power Strip and turning on its power switch. The video shows the power strip connected to a wall outlet and its illuminated power indicator.

2. Mounting the Power Strip

The power strip features two keyhole slots on the back for wall mounting. This allows for secure installation in various locations such as workbenches, walls, or under counters.

1. Measure the distance between the two keyhole slots on the back of the power strip.
2. Mark two corresponding points on your desired mounting surface.
3. Install two screws (not included) into the marked points, leaving a small portion of the screw head exposed.
4. Align the keyhole slots on the back of the power strip with the exposed screw heads and slide the power strip down to secure it.



Image: The back of the power strip, highlighting the two keyhole slots designed for easy wall mounting.

OPERATING INSTRUCTIONS

1. **Power On/Off:** Use the red ON/OFF switch to control power to all connected devices. "ON" illuminates the switch.
2. **Connecting Devices:** Plug your electronic devices directly into any of the six available AC outlets.
3. **Overload Protection:** The built-in circuit breaker will automatically trip (switch to "OFF" and the light will turn off) if the connected load exceeds 1875W (15A).

Max. 1875W

SJT 14AWG , 15A 125V~(1875V)



Image: The power strip in use, with various plugs inserted into its outlets, demonstrating its functionality as a charging station.

TROUBLESHOOTING

No Power to Devices:

- **Check Power Switch:** Ensure the red ON/OFF switch is in the "ON" position and illuminated.
- **Check Wall Outlet:** Verify that the wall outlet supplying power to the power strip is functional. Test with another device.
- **Reset Circuit Breaker:** If the power strip's switch is "OFF" and will not stay "ON", the built-in circuit breaker may have tripped due to an overload. Disconnect some devices, then press the "RESET" button (often integrated with the ON/OFF switch) to restore power.
- **Inspect Connections:** Ensure all plugs are securely inserted into the power strip's outlets.

Your browser does not support the video tag.

Video: A short clip demonstrating the illuminated power switch on the power strip when it is turned on, indicating active power flow.

SPECIFICATIONS

Model Number	US-KF-USG-6
Total Power Outlets	6
Cord Length	6 feet
Voltage Rating	125 Volts
Current Rating	15 Amps
Maximum Power	1875 Watts
Product Dimensions	9 x 1.6 x 1 inches
Item Weight	15 ounces
Special Feature	Mountable
Certifications	ETL Listed




Image: A diagram illustrating the compact dimensions of the power strip, including its length, width, and thickness.

WARRANTY AND SUPPORT

EXTRASTAR provides a **24-month warranty** for this power strip. For any questions or support needs, please contact EXTRASTAR customer service.

This product is ETL proved and listed, ensuring compliance with North American safety standards.