

[Manuals.plus](#) /

> [Intex](#) /

> Intex Type B Pool Filter Cartridge Instruction Manual

**Intex 29005E**

# Intex Type B Pool Filter Cartridge Instruction Manual

Model: 29005E

Brand: Intex

## INTRODUCTION

This manual provides essential information for the proper use and maintenance of your Intex Type B Easy Set Swimming Pool Pleated Replacement Filter Pump Cartridges. These cartridges are designed to ensure clean and clear water for your swimming pool by effectively filtering out debris.




Image: An 8-pack of Intex Type B filter cartridges, ready for use.

### Key Features:

- **Powerful Filtration:** Features 63 pleats designed to trap sand particles, leaves, hair, sediment, and sunscreen, ensuring sparkling blue water.
- **Durable & Reusable:** Constructed with 13.5 square feet of Dacron filament media for long-lasting durability and reusability after cleaning.
- **Optimal Performance:** Designed to maintain peak pump performance when replaced regularly.
- **Perfect Fit:** Compatible with Intex 633T, 634T, 634RC, CS8111, and CS8221/CS8231 filter pumps.

### SETUP

Before installing the filter cartridge, ensure your pool pump system is turned off and disconnected from power. Refer to your specific Intex filter pump owner's manual for detailed safety instructions and pump-specific setup procedures.

1. **Prepare the Pump:** Locate the filter housing on your Intex pump. Depending on your model, you may need to

unscrew a retaining ring or open a latch to access the cartridge compartment.

2. **Remove Old Cartridge (if applicable):** If replacing an old cartridge, carefully remove it and dispose of it properly.
3. **Insert New Cartridge:** Place the new Intex Type B filter cartridge into the filter housing. Ensure it sits securely and correctly within the compartment.
4. **Secure the Housing:** Close and secure the filter housing. Tighten any retaining rings or latches firmly to prevent leaks.
5. **Release Air:** Before starting the pump, open the air release valve(s) on the pump system. This allows air to escape as water fills the filter housing, preventing airlocks. Close the valves once a steady stream of water emerges.
6. **Connect Power:** Once the cartridge is installed and the housing is sealed, reconnect your pump to the power supply.

# INTEX®

## FILTER CARTRIDGE CARTUCHO DE FILTRO



*Model/Modelos  
633T & 634T,  
CS8111 &  
CS8221/CS8231*

## One Cartridge Un Cartucho

 CAUTION	 ADVERTENCIA
FOR USE BY ADULTS ONLY. READ AND FOLLOW FILTER PUMP OWNER'S MANUAL.	LEA Y SIGA EL MANUAL DEL PROPIETARIO ADJUNTO. EL PRODUCTO SÓLO DEBE SER UTILIZADO POR ADULTOS.

### INTEX®

©2015 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Trading Ltd. - Intex Recreation Corp. All rights reserved./ Todos los derechos reservados. ®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd./ ®™ Marcas registradas usadas en algunos países del mundo bajo licencia de Intex Trading Ltd., Intex Development Co., Ltd., G.P.O Box 28829, Hong Kong & Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801  
Made in China / Hecho En China

[www.intexcorp.com](http://www.intexcorp.com)

#29005E



0 78257 31652 6

*Manufactured by / Fabricado por  
Intex Industries (Xiamen) Co., Ltd.,  
Xiamen, Fujian, P.R.C.*

## OPERATING THE FILTER SYSTEM

The Intex Type B filter cartridge works in conjunction with your Intex filter pump to circulate and clean your pool water. Once installed, the pump draws water through the cartridge, where impurities are trapped by the pleated Dacron media, and then returns clean water to the pool.

- Ensure the pump is running for an adequate amount of time daily to maintain water clarity, typically 8-12 hours depending on pool size and usage.
- Monitor the water flow from your pump's return jet. A reduced flow may indicate a dirty filter cartridge.



Image: Illustration of superior cleaning performance, showing clear pool water.

## MAINTENANCE

Regular maintenance of your Intex Type B filter cartridge is crucial for optimal pool water quality and pump longevity.

1. **Regular Cleaning:** For extended life and efficiency, hose down the fabric of the filter cartridge regularly to remove trapped debris. This can be done every few days, depending on pool usage and debris levels.
2. **Replacement Schedule:** Replace each filter cartridge every **2 weeks** for peak pump performance and consistent water clarity. While cleaning extends life, regular replacement ensures the best filtration.
3. **Storage:** If storing the pump and filter for an extended period, ensure the cartridge is thoroughly cleaned and dried before storage to prevent mold or mildew growth.




Image: A close-up view of the pleated filter media, highlighting its design for trapping impurities.



**Easy Maintenance**  
Replace every 2 weeks for  
maximum efficiency

Image: An icon symbolizing easy maintenance, emphasizing the recommended 2-week replacement cycle for maximum efficiency.

## TROUBLESHOOTING

If you experience issues with your pool's filtration, consider the following common troubleshooting steps related to the filter cartridge:

Problem	Possible Cause	Solution
Reduced Water Flow from Pump	Clogged or dirty filter cartridge.	Remove and thoroughly hose down the filter cartridge. If flow does not improve, replace the cartridge.
Cloudy Pool Water	Filter cartridge is saturated or past its effective life.	Replace the filter cartridge. Ensure proper chemical balance in the pool.
Pump Not Priming / Air in System	Air trapped in the filter housing or pump.	Ensure all connections are tight. Open air release valves on the pump until water flows steadily, then close.

For more complex issues, consult your Intex filter pump's owner's manual or contact Intex customer support.

## SPECIFICATIONS

**Model Number:** 29005E

**Filter Type:** Type B Pleated Replacement Cartridge

**Dimensions:** Approximately 10 inches (height) x 5.75 inches (diameter) with a 1.93-inch center core.

**Filter Media:** Dacron filament media

**Pleat Count:** 63 pleats

**Compatible Pumps:** Intex 633T, 634T, 634RC, CS8111, CS8221/CS8231 series filter pumps.

**Weight (8-pack):** 8.68 pounds




Image: Detailed dimensions of the Intex Type B filter cartridge.

## Warranty Information:

Specific warranty details for Intex filter cartridges are typically provided with the product packaging or can be found on the official Intex website. Please retain your proof of purchase for any warranty claims.

## Customer Support:

For further assistance, technical support, or to purchase additional products, please visit the official Intex website or contact their customer service department.

Official Intex Store: [Intex Store on Amazon](#)

© 2024 Intex. All rights reserved.

This manual is for informational purposes only. Always follow all safety precautions and instructions provided with your Intex products.