

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VELUX](#) /

› [Velux Skylight Blind Remote Only Control-Keypad Model KLI 312 US for The Operation of Velux Motor Powered Blinds \(Operates Blinds Only - Will NOT Operate Skylights\)](#)

VELUX KLI 312 US

VELUX KLI 312 US Control-Keypad Instruction Manual

Model: KLI 312 US

1. INTRODUCTION

The VELUX KLI 312 US keypad is designed for the operation of VELUX motor-powered blinds only. This wireless control pad facilitates individual or simultaneous operation of multiple motor-powered blinds of the same product type using a 1-way io-Homecontrol RF signal. It provides convenient open, close, and stop functions for all VELUX solar-powered or electric skylight blinds. This unit can serve as a replacement for KLI 110 US or KLI 310 US models, specifically for blind operation.

2. SAFETY INFORMATION

Please read and understand all instructions before installing and operating the VELUX KLI 312 US control-keypad. Keep this manual for future reference. Ensure the product is used only for its intended purpose as described in this manual. Do not attempt to modify or repair the device yourself. Refer to qualified personnel for any service or repair needs.

3. PACKAGE CONTENTS

- VELUX KLI 312 US Control-Keypad
- Wall Mount
- 2 AAA Batteries (required for operation)

4. SETUP AND INSTALLATION

The VELUX KLI 312 US control-keypad features a battery-powered wireless installation, making it easy to mount on a wall. It is compatible with all VELUX motorized solar and electric blind products.

4.1. Battery Installation

Locate the battery compartment on the back of the control-keypad. Insert 2 AAA batteries, ensuring correct polarity (+/-). Close the battery compartment securely.

4.2. Wall Mounting

Choose a convenient location for mounting, ensuring it is within range of your VELUX blinds. Secure the wall mount to the desired surface using appropriate fasteners (not included, typically a single standard hole is sufficient). Once the mount is secure, attach the control-keypad to the wall mount.



Figure 1: VELUX KLI 312 US keypad mounted on a wall, demonstrating its discreet design and ease of access for operation.

4.3. Pairing with Blinds

To pair the control-keypad with your VELUX motorized blinds, follow the specific pairing instructions provided with your VELUX blind system. Generally, this involves activating a pairing mode on the blind and then initiating pairing from the control-keypad. The keypad uses a 1-way io-Homecontrol RF signal for communication.

5. OPERATING INSTRUCTIONS

The VELUX KLI 312 US control-keypad offers intuitive control over your motorized blinds with simple button presses.



Figure 2: The VELUX KLI 312 US control-keypad, featuring a central circular control with directional arrows and a stop button, along with a home icon for quick access.

5.1. Basic Functions

- **Open Blind:** Press and hold the **Up arrow** button to open the blind. Release the button to stop the blind at any desired position.
- **Close Blind:** Press and hold the **Down arrow** button to close the blind. Release the button to stop the blind at any desired position.
- **Stop Blind:** Press the **Center** button (dot in the middle of the arrows) to immediately stop the blind's movement.
- **Home Function:** The **Home icon** button (top left) can be programmed for specific functions, such as returning the blind to a pre-set favorite position. Refer to your VELUX blind system's manual for programming details.

Operates Blinds Only



Figure 3: The control-keypad is specifically designed to operate VELUX motor-powered blinds, allowing precise control over light and privacy through skylights.

6. MAINTENANCE

To maintain the appearance and functionality of your VELUX KLI 312 US control-keypad, follow these simple maintenance guidelines:

- **Cleaning:** Use a soft, damp cloth for spot cleaning. Avoid abrasive cleaners or solvents that could damage the surface.
- **Battery Replacement:** If the control-keypad becomes unresponsive or its range decreases, it may be time to replace the AAA batteries.

7. TROUBLESHOOTING

If you experience issues with your VELUX KLI 312 US control-keypad, consider the following common solutions:

- **Keypad not responding:** Check if the batteries are correctly installed and have sufficient charge. Replace batteries if

necessary.

- **Blind not responding:** Ensure the keypad is within the operational range of the blind. Verify that the blind itself is powered and functioning correctly. Re-pairing the keypad with the blind might be necessary if communication is lost.
- **Interference:** Other wireless devices might cause interference. Try operating the blind from a different location or temporarily disabling other nearby wireless devices to check for improvement.

For persistent issues, consult the comprehensive troubleshooting guide for your specific VELUX blind system or contact VELUX customer support.

8. SPECIFICATIONS

Brand	VELUX
Model Number	KLI 312 US
Material	Plastic
Color	White
Product Dimensions	3.1" L x 3.1" W
Item Weight	4.7 ounces (132 Grams)
Power Source	2 AAA batteries (required)
Operation Mode	Automatic
Compatible Devices	Velux Motorized Solar and Electric Blind Products
Mounting Type	Wall Mount
Control Type	Individual Control over Blinds's Movement
UPC	723314980362

9. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the official VELUX website or contact VELUX customer service directly. Keep your purchase receipt as proof of purchase.

VELUX Official Website: www.velux.com

© 2024 VELUX. All rights reserved.

Related Documents - KLI 312 US

	<u>VELUX INTEGRA KLI 310/311/312 Wall Switch User Manual</u> Comprehensive guide to installing, operating, and configuring VELUX INTEGRA KLI 310, KLI 311, and KLI 312 wall switches for smart windows and blinds, covering setup, safety, and troubleshooting.
---	--

 <p>VELUX INTEGRA® KLI 310/311/312 Wall Switch Instructions</p>	<p>Comprehensive installation and operation guide for VELUX INTEGRA KLI 310, KLI 311, and KLI 312 wall switches, including setup, advanced configuration, and troubleshooting for VELUX INTEGRA products.</p>
 <p>VELUX INTEGRA® KLI 310/311/312/313 Wall Switch Setup and Operation Guide</p>	<p>Comprehensive guide for setting up and operating VELUX INTEGRA® KLI 310, KLI 311, KLI 312, and KLI 313 wall switches with various VELUX INTEGRA® products including roof windows, blinds, and shutters. Covers manual operation and troubleshooting.</p>
 <p>VELUX Residential Skylights & Sun Tunnel Skylights</p>	<p>VELUX Residential Skylights & Sun Tunnel Skylights Brochure</p> <p>A comprehensive brochure detailing VELUX's range of residential skylights and sun tunnel skylights, including product information, glass options, flashing systems, blinds, accessories, and installation guides.</p>
 <p>VELUX Solar Blinds FSLC/FSLD/FSLH/FSLJ/FSLF/FSCC/FSCD/FSCH/FSCF Installation and Operation Manual</p>	<p>Comprehensive guide for the installation and operation of VELUX Solar Blinds, including safety information, wireless communication details, function descriptions, maintenance, and troubleshooting.</p>
 <p>VELUX VS, VSE, VSS Skylight Installation Guide</p>	<p>Comprehensive installation instructions for VELUX VS, VELUX INTEGRA® VSE, and VELUX INTEGRA® Solar VSS deck-mounted ventilated skylights. Covers planning, preparation, step-by-step installation, electrical wiring, solar panel integration, safety guidelines, and interior finishing. Features io-homecontrol compatibility.</p>



[\[pdf\] Warranty Catalog](#)

2021 Residential Skylights Catalog VELUX Solutions Fixed Skylight FS Blinds Remote KLI 312 US Light Filtering and venting options these skylights are built to fit the size residential catalog xus 20183 0121 low res veluxsolutions apps s nsf xsp ibmmodes domino OpenAttachment

188AC3A72C959DD0852586A2004F91FA WebAttachment

2021 Residential Skylights Catalog Residential Skylights and Sun Tunnel Skylights

Table of Content ... you live with daylight through skylights. 10 Get This Look VELUX Fixed Skylight FS Blinds Remote **KLI 312 US** Light-Filtering, Single-Pleated Solar Blinds Grey veluxusa.com Living Rooms 11 Bathro...

lang:en score:27 filesize: 8.18 M page_count: 47 document date: 2021-01-15



[\[pdf\] User Manual Warranty Catalog](#)

These are not Solar and manual operation models to fit every household Integrated Ultraseal Flashing for a leak proof performance Acoustic rain sensor closes skylight at the first sign of 2020 DIGITAL residential catalog xus 20183 0120 sml2 cdn2 hubspot net hubfs 3376806

2020 Residential Skylights Catalog Residential Skylights and Sun Tunnel Skylights

Table of Content ... ated in your kitchen. veluxusa.com Kitchens 9 Get This Look VELUX Fixed Skylight FS Blinds Remote **KLI 312 US** Room-Darkening, Double-Pleated Blinds Charcoal 10 Bathrooms TIME TO FRESHEN UP The days ...

lang:en score:22 filesize: 11.24 M page_count: 45 document date: 2020-01-21