

[manuals.plus](#) /

› [JOYOUNG](#) /

› [Joyoung JYL-Y15U Professional Countertop Blender User Manual](#)

JOYOUNG JYL-Y15U

Joyoung JYL-Y15U Professional Countertop Blender User Manual

Model: JYL-Y15U

1. INTRODUCTION

Thank you for choosing the Joyoung JYL-Y15U Professional Countertop Blender. This appliance is designed for versatile kitchen tasks, including blending, soy milk making, juicing, and food processing. It features functions for both warm and cold beverages, along with a convenient one-click cleaning system. Please read this manual thoroughly before first use to ensure safe and optimal operation.



Image 1.1: The Joyoung JYL-Y15U Professional Countertop Blender. This image displays the complete blender unit, showcasing its sleek design and integrated control panel.

2. IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using electrical appliances:

- Read all instructions before operating the appliance.
- Do not immerse the motor base in water or other liquids.
- Unplug from outlet when not in use, before assembling or disassembling parts, and before cleaning.
- Avoid contact with moving parts.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been dropped or damaged in any manner.
- The use of attachments not recommended or sold by the manufacturer may cause fire, electric shock, or injury.
- Do not use outdoors.

- Do not let cord hang over edge of table or counter, or touch hot surfaces.
- Always operate the blender with the lid securely in place.
- Blades are sharp. Handle with care.

3. PRODUCT OVERVIEW AND COMPONENTS

Familiarize yourself with the main components of your Joyoung JYL-Y15U blender:

- **Motor Base:** Contains the motor, control panel, and power cord.
- **Blender Jar (Pitcher):** Made of borosilicate glass, suitable for both hot and cold preparations.
- **Blade Assembly:** Integrated into the blender jar, featuring stainless steel blades.
- **Lid:** Securely covers the blender jar during operation.
- **Measuring Cup/Lid Cap:** Small cap in the lid for adding ingredients during blending.

American Borosilicate Glass

Secure way to use it in instant change of temperature,

no burst situation when heating

Lead-free glass for food contact



Image 3.1: The borosilicate glass blender jar. This image highlights the durable glass construction of the pitcher, designed to withstand rapid temperature changes for both hot and cold preparations.

Stainless steel knife imported from Japan

30000 rpm make the crushing more delicate and smoother



Knife designed by Japanese Kawasaki
Durable antioxidant



Precision wear-resistant serrated blade
Quick Smash

Image 3.2: Detailed view of the stainless steel blade assembly. This image showcases the precision-engineered, wear-resistant serrated blades, designed for efficient crushing and blending.

4. SETUP AND FIRST USE

- Unpacking:** Carefully remove all components from the packaging. Retain packaging for future storage or transport.
- Cleaning:** Before first use, wash the blender jar, lid, and measuring cup in warm, soapy water. Rinse thoroughly and dry. Wipe the motor base with a damp cloth.
- Assembly:** Place the blender jar securely onto the motor base. Ensure it is properly seated.
- Power Connection:** Plug the power cord into a grounded electrical outlet. The display on the control panel should illuminate.

5. OPERATING INSTRUCTIONS

The Joyoung JYL-Y15U offers multiple functions for various preparations.

7-in-1 Multi- Use Programmable



Image 5.1: The 7-in-1 multi-use programmable control panel. This image illustrates the various function buttons and digital display for selecting different blending and cooking modes.

5.1 General Blending (Cold Drinks)

1. Add ingredients to the blender jar. Do not exceed the maximum fill line for cold drinks (60 oz).
2. Securely place the lid on the jar.
3. Select the desired blending speed or program from the control panel.
4. Press the start button to begin blending.
5. Once desired consistency is reached, press the stop button and unplug the unit before removing the lid.

5.2 Warm Drink Preparation (Soy Milk, Soups)

1. Add ingredients for warm drinks (e.g., soaked soybeans, water for soy milk; vegetables, broth for soup). Do not exceed the maximum fill line for warm drinks (47 oz).
2. Securely place the lid on the jar.
3. Select the appropriate program for soy milk or soup from the control panel. The appliance will automatically blend and heat the contents.

4. Allow the program to complete. The blender will signal when finished.
5. Carefully remove the lid, as steam may escape.

Available on either Hot Soup or Cold Drink



Image 5.2: The blender in a kitchen setting, illustrating its capability for both hot soup and cold drink preparation. This image shows the versatility of the appliance for different culinary needs.

6. MAINTENANCE AND CLEANING

Regular cleaning ensures the longevity and hygiene of your blender.

6.1 One-Click Cleaning Function

1. After use, rinse the blender jar to remove large food particles.
2. Fill the jar with approximately 2-3 cups of warm water and a drop of dish soap.
3. Secure the lid.
4. Select the 'One-Click Cleaning' function on the control panel. The blender will run a short cycle to clean itself.
5. Empty the soapy water, rinse the jar thoroughly with clean water, and allow it to air dry.

One-click Cleaning Function More Convenient



Image 6.1: The blender's one-click cleaning function in action. This image shows water swirling inside the pitcher during the automated cleaning cycle, demonstrating its convenience.

6.2 Manual Cleaning

- Always unplug the blender before manual cleaning.
- The blender jar, lid, and measuring cup are dishwasher safe (top rack only) or can be hand-washed with warm, soapy water.
- Wipe the motor base with a damp cloth. Do not immerse the motor base in water.
- For stubborn residue, soak the jar with warm, soapy water for a few minutes before scrubbing with a non-abrasive brush.

7. TROUBLESHOOTING

If you encounter issues with your blender, refer to the following common problems and solutions:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Blender does not turn on.	Not plugged in; power outlet issue; jar not properly seated.	Ensure power cord is securely plugged in. Check the power outlet. Re-seat the blender jar firmly onto the motor base.
Motor stops during operation.	Overload protection activated; ingredients too thick.	Unplug the unit, remove some ingredients, add liquid, and wait 15-20 minutes for the motor to cool down before restarting.
Loud noise or vibration.	Jar not properly seated; foreign object in jar; uneven surface.	Ensure the jar is securely seated. Check for any foreign objects. Place the blender on a flat, stable surface.
Food not blending smoothly.	Too little liquid; ingredients too large; dull blades.	Add more liquid. Cut ingredients into smaller pieces. If blades are dull, contact customer support.
Error code displayed (e.g., E6).	Specific internal malfunction.	Refer to the specific error code in the full troubleshooting guide (if available) or contact Joyoung customer support for assistance.

8. SPECIFICATIONS

- Brand:** JOYOUNG
- Model:** JYL-Y15U
- Special Feature:** Portable
- Capacity (Cold Drink):** 60 Fluid Ounces
- Capacity (Warm Drink):** 47 Fluid Ounces
- Power Source:** Corded Electric
- Voltage:** 120 Volts
- Blade Material:** Stainless Steel
- Container Material:** Borosilicate Glass
- Product Dimensions:** 11.22 x 13.86 x 25 inches
- Item Weight:** 14.96 pounds
- Control Type:** Single Action
- UPC:** 708214748588
- Date First Available:** January 22, 2020

9. WARRANTY AND SUPPORT

This Joyoung JYL-Y15U Professional Countertop Blender comes with a limited warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official Joyoung website. For technical support, replacement parts, or any inquiries, please contact Joyoung customer service.

Manufacturer: Joyoung

© 2024 Joyoung. All rights reserved.