

KoolMore BC-2DSW-BK

KoolMore BC-2DSW-BK Refrigerator User Manual

Model: BC-2DSW-BK | Brand: KoolMore

INTRODUCTION

Thank you for choosing the KoolMore BC-2DSW-BK Double Door Black Refrigerator. This commercial back bar cooler is designed for efficient and reliable cooling, featuring LED lighting, digital temperature control, and an auto-defrost function. This manual provides essential information for the proper setup, operation, maintenance, and troubleshooting of your new appliance to ensure optimal performance and longevity.



Figure 1: KoolMore BC-2DSW-BK Double Door Refrigerator, showcasing its capacity for various beverages.

SETUP

1. Unpacking

- Carefully remove all packaging materials, including tape and protective films.
- Inspect the refrigerator for any shipping damage. Report any damage immediately to your supplier.
- Retain packaging materials for future transport or if the unit needs servicing.

2. Placement

Choose a location that is level, stable, and can support the weight of the refrigerator when fully loaded. Ensure adequate ventilation around the unit.

- Allow at least 4 inches (10 cm) of space at the back and sides for proper air circulation.
- Avoid direct sunlight or proximity to heat sources (e.g., ovens, radiators) to maintain cooling efficiency.
- The unit's dimensions are approximately 35.4" L x 20.8" W x 35.2" H.




Figure 2: Product dimensions for proper placement and clearance.

3. Leveling

The refrigerator is equipped with four 1/2 inch adjustable feet. Use a level to ensure the unit is perfectly level to prevent door misalignment and ensure proper drainage.

- Turn the adjustable feet clockwise to raise the unit and counter-clockwise to lower it.

4. Power Connection

- Ensure the power outlet matches the voltage requirements of the unit (115 Volts).
- Plug the refrigerator into a dedicated, grounded electrical outlet. Do not use extension cords or adapter plugs.
- Allow the unit to stand upright for at least 2-4 hours before plugging it in to allow refrigerants to settle.

OPERATING INSTRUCTIONS

1. Initial Startup

- After plugging in, the unit will begin to cool. The digital display will show the current internal temperature.
- Allow the refrigerator to run empty for several hours (e.g., 4-6 hours) to reach the desired temperature before loading products.

2. Temperature Control

The unit features a digital temperature display and controls for precise temperature management. The recommended temperature range is 32-50°F (0-10°C).

- Use the control panel buttons (usually Up/Down arrows) to adjust the set temperature.
- The display will show the set temperature briefly, then revert to the actual internal temperature.



Figure 3: Digital temperature display and control panel.

3. LED Lighting

The interior is illuminated with LED lighting, which has an independent switch for convenience.

- Locate the LED light switch on the control panel or near the lighting fixture.
- Toggle the switch to turn the interior lights on or off as needed.

4. Door Operation and Security

The glass doors are designed for easy access and product visibility, featuring self-closing mechanisms and locks.

- The doors will automatically close when left ajar, helping to maintain internal temperature.
- Each door is equipped with a lock to secure your products when the unit is not in use. Use the provided keys to lock and unlock.
- The interior features four adjustable wire shelves for flexible storage.



Figure 4: Open door view revealing adjustable shelves and spacious interior.

MAINTENANCE

1. Cleaning

Regular cleaning ensures hygienic operation and extends the life of your refrigerator.

- **Interior:** Clean the interior regularly with a mild soap and water solution. Rinse with clean water and dry thoroughly. Remove shelves for easier cleaning.
- **Exterior:** Wipe down the exterior surfaces with a soft cloth and mild detergent. For glass doors, use a glass cleaner.
- **Condenser Coils:** Periodically clean the condenser coils (located at the back/bottom of the unit) with a brush or vacuum cleaner to remove dust and debris. This improves efficiency and prevents overheating.



Figure 5: Rear view of the unit, highlighting the condenser coil area for maintenance.

2. Auto Defrost

This refrigerator features an automatic defrost system, eliminating the need for manual defrosting.

- During the defrost cycle, ice buildup on the evaporator coils is melted and drained.
- It is normal to hear occasional sounds during the defrost cycle as ice melts.

3. Self-Evaporating Water Pan

The unit is equipped with a self-evaporating water pan, which automatically evaporates the condensate water collected during the defrost cycle.

- This feature minimizes the need for manual water disposal.

TROUBLESHOOTING

Before contacting customer support, please refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Refrigerator not cooling	Power supply issue Temperature setting too high Poor ventilation Dirty condenser coils	Check power plug and circuit breaker Adjust temperature to a lower setting Ensure adequate space around the unit Clean condenser coils
Unit is noisy	Unit not level Normal operating sounds Loose components	Adjust leveling feet Compressor and fan sounds are normal Check for loose parts and tighten if safe to do so
Excessive condensation inside	Door left open or not sealing properly High humidity environment Frequent door openings	Ensure doors are closed tightly and seals are intact Reduce ambient humidity if possible Minimize door openings
LED light not working	Light switch off LED bulb failure	Check the independent LED light switch Contact customer support for replacement

SPECIFICATIONS

Feature	Detail
Brand	KoolMore
Model Info	BC-2DSW-BK
Product Dimensions	20.8"D x 35.4"W x 35.2"H
Item Weight	136.4 pounds
Capacity	7.4 Cubic Feet
Annual Energy Consumption	448.95 Kilowatt Hours
Installation Type	Dashboard Mount (Counter Height)
Form Factor	Upright Double Door
Special Features	Digital Temperature Control, Automatic Defrost, Adjustable feet, LED Lighting, Self evaporating
Color	Black
Voltage	115 Volts
Defrost System	Automatic
Number of Doors	2
Door Material Type	Glass
Shelf Type	Wire

Feature	Detail
Number of Shelves	4
Certification	ETL
Material Type	Coated steel
Included Components	Refrigerator, four shelves

WARRANTY INFORMATION

KoolMore products are manufactured to high-quality standards and come with a manufacturer's warranty. Please refer to the warranty card included with your product for specific terms and conditions, including coverage duration and claim procedures.

Extended protection plans may also be available for purchase to provide additional coverage beyond the standard manufacturer's warranty. For details on available protection plans, please consult your retailer or the product's purchase page.

SUPPORT

For technical assistance, parts, or service inquiries, please contact KoolMore customer support. Have your model number (BC-2DSW-BK) and serial number ready when contacting support.

- **Online Resources:** Visit the official KoolMore website for FAQs, additional product information, and support documents.
- **User Manual PDF:** A downloadable PDF version of the user manual is available for your convenience:
[Download User Manual \(PDF\)](#)

© 2024 KoolMore. All rights reserved.

Documents - KoolMore – BC-2DSW-BK



[KoolMore Back Bar Refrigerator User Manual](#)

Comprehensive user manual for KoolMore Back Bar Refrigerators, covering safety precautions, operation, cleaning, troubleshooting, and warranty information. Includes models BC-1DSW-SS, BC-1DSW-BK, BC-2DSL-BK, BC-2DSW-BK, BC-3DSW-BK, BC-3DSW-SS.

lang:en score:41 filesize: 7.26 M page_count: 10 document date: 2025-06-24




[\[pdf\] User Manual Warranty](#)

BC 1DSW User Manual Administrator Download 53 in Three Door Back Bar Refrigerator 11 Cu Ft 3DSW BK Koolmore ba85a8af 82d6 45ef 827f ce531ba95b1c v 13423004863767220551 koolmore cdn shop files 3 3DSL c16f7665 9cf2 49b8 8e00 031af8f3b662 |||

BACK BAR USER MANUAL Back Bar Refrigerator Models: BC-1DSW-SS, BC-1DSW-BK, BC-2DSL-BK, **BC-2DSW-BK**, BC-3DSW-BK For any service-related issues, please contact us: Phone Number: 718-576-6342 Email address: support koolmore.com The thermostat control is located below the doors on the front of the ...

lang:en score:39 filesize: 7.28 M page_count: 10 document date: 2023-12-21




[\[pdf\] User Manual Guide Catalog Label](#)

BC 2DSW BK Federal Trade Commission 23 cu Ft Manual Defrost Commercial Reach in Upright Freezer Stainless Steel Energy Guide Koolmore UF29 1D 810019863264 0810019863264 1008181222 b668f171 0e7b 4edd bd3f ab738c8de2a7 images thdstatic catalog Images b6 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Freezer Automatic Defrost KoolMore RIF-1D-GD 21.48 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost 3...

lang:es score:39 filesize: 202.76 K page_count: 1 document date: 2021-12-16




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore M53 2GSL Energy Guide 45 cu ft 2 Door Merchandiser Commercial Refrigerator Black 810019860898 60473731 lowes productdocuments 2e465e93 60b3 4919 9371 1453f61ffb40 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore MDR-2D-GSLD 42.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost...

lang:es score:35 filesize: 192.33 K page_count: 1 document date: 2022-05-26




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore DDC 47SS Energy Guide 18 cu ft 1 Door Merchandiser Commercial Refrigerator Stainless Steel 810019861956 60736045 lowes productdocuments dc348419 1d3e 45fa 9583 1b6379f15d1d |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RD18C-SS 18 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost ...

lang:es score:35 filesize: 276.17 K page_count: 1 document date: 2022-05-27




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore R54 2G Energy Guide 47 cu ft 2 Door Reach in Commercial Refrigerator Stainless Steel 810019860805 60735965 lowes productdocuments 7b87e791 ba18 466f ac1f 3a8851284f1c |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-2D-GD 41.3 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost...

lang:es score:35 filesize: 192 K page_count: 1 document date: 2022-05-26




[\[pdf\] Guide Label](#)

BC 2DSW BK Federal Trade Commission KoolMore R29 1G Energy Guide 23 cu ft 1 Door Reach in Commercial Refrigerator Stainless Steel 810019861734 60735963 lowes productdocuments 86fd446a 6bf5 41e8 a5eb d60f12d9e387 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-1D-GD 41.3 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...

lang:es score:35 filesize: 185.2 K page_count: 1 document date: 2022-05-26




[\[pdf\] Guide Label](#)

BC 2DSW BK Federal Trade Commission KoolMore F54 2SS Energy Guide 41 3 cu ft Frost Free Commercial Freezer Stainless Steel 810019860829 60765017 lowes productdocuments af6f27d5 c3fd 433c b719 5f70807bafb2 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Freezer Automatic Defrost KoolMore RIF-2D-GD 43.78 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost 4...

lang:es score:35 filesize: 201.91 K page_count: 1 document date: 2022-05-26




[\[pdf\] Guide Label](#)

BC 2DSW BK Federal Trade Commission KoolMore F81 3SS Energy Guide 66 5 cu ft Frost Free Commercial Freezer Stainless Steel 810019860836 60765018 lowes productdocuments 803a1d3f 1821 46c2 b542 d5ca61b10fd3 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Freezer Automatic Defrost KoolMore RIF-3D-SS 66.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost 67...

lang:es score:35 filesize: 185.67 K page_count: 1 document date: 2022-05-26




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore R81 3G Energy Guide 72 cu ft 3 Door Reach in Commercial Refrigerator Stainless Steel 810019860812 60735966 lowes productdocuments 0a968bab fbc4 4352 92a3 f54d53f296fe |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-3D-GD 66.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...

lang:es score:35 filesize: 194.52 K page_count: 1 document date: 2022-05-26




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore M78 3G Energy Guide 57 5 cu ft 3 Door Merchandiser Commercial Refrigerator Black 810019860843 60735939 lowes productdocuments ef1f8a27 449e 47e0 ac3e 956525e9c4dc |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost Koolmore Supply Inc MDR-3GD 57.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly E...

lang:es score:35 filesize: 192.08 K page_count: 1 document date: 2022-05-26




[\[pdf\]](#) Guide Label

BC 2DSW BK Federal Trade Commission KoolMore RPT60 2D MT Energy Guide 15 cu ft 2 Door Reach in Commercial Refrigerator Stainless steel 810019863257 48433762 lowes productdocuments 174a87bc b1ad 44b3 93a1 2de8e7c22e60 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RPT60-2D-MT 15 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...

lang:es score:34 filesize: 199.95 K page_count: 1 document date: 2022-04-12



[pdf] Guide Label

BC 2DSW BK Federal Trade Commission KoolMore RBD 71 GF Energy Guide 13.4 cu ft 1 Door


Merchandiser Commercial Refrigerator Stainless Steel 810019862199 60736128 lowes

productdocuments 2f089fae 5081 4a31 b929 22d52f4ff119 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RBD30C 27.85 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost ...

lang:es score:34 filesize: 192.79 K page_count: 1 document date: 2022-05-26

ftc.gov/energy



[pdf] Guide Catalog Label


BC 2DSW BK Federal Trade Commission 22 in Glass Door Merchandiser Refrigerator Black 9 Cu Ft

Energy Guide Koolmore MDR 9CP 810019862229 0810019862229 1008464100 2126e7a2 e43c 4502 94f5 2d92bb272470 images thdstatic catalog Images 21 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost Koolmore Supply Inc MDR-9CP 9 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost ...

lang:es score:33 filesize: 417.81 K page_count: 1 document date: 2022-05-26

ftc.gov/energy



[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 82 in Stainless Steel and Glass Deli Display Refrigerator 32 Cu


Ft Energy Guide Koolmore DRC32C SS 810019864186 0810019864186 1008464099 fc1139d1 150e 4e85 8453 daace9e50434 images thdstatic catalog Images fc |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore DRC32C-SS 32 Cubic Feet

Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost ...

lang:es score:33 filesize: 203.15 K page_count: 1 document date: 2022-07-29

ftc.gov/energy




[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 12 cu ft Commercial Stainless Steel 1 Door Reach In Refrigerator Energy Guide Koolmore RIR 1D SS12C 810019866173 0810019866173 1009113667

b100765a 735e 40c8 8faa 8d9977aa6554 images thdstatic catalog Images b1 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-1D-SS12C 12 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...

lang:es score:33 filesize: 281.83 K page_count: 1 document date: 2022-12-07




[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 23 cu ft Commercial Stainless Steel Solid Half Door Reach In Refrigerator Energy Guide Koolmore RIR 1D SSHD 810019864254 0810019864254 1009105628

44a698e2 cea2 4a5c 9702 1bd7c89b80f5 images thdstatic catalog Images 44 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-1D SSHD 23 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost...

lang:es score:32 filesize: 201.92 K page_count: 1 document date: 2022-12-07




[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 54 in Half Door Reach In Commercial Refrigerator Stainless Steel 47 cu Ft Energy Guide Koolmore RIR 2D SSHD 810019865916 0810019865916 1009044309

11a63414 160f 447d 9d04 a88cbcd9462c images thdstatic catalog Images 11 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-2D-SSHD 47 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...

lang:es score:32 filesize: 200.15 K page_count: 1 document date: 2022-11-30




[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 47 cu ft Commercial 2 Solid Door Reach In Refrigerator in Stainless Steel Energy Guide Koolmore RIR 2D SS 858154008454 0858154008454 1008489154

785780b8 c5ff 4d6d a692 1761132fe3cb images thdstatic catalog Images 78 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore RIR-2D-SS 41.4 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cos...


lang:es score:32 filesize: 184.06 K page_count: 1 document date: 2022-05-26



[\[pdf\] Guide Catalog Label](#)

BC 2DSW BK Federal Trade Commission 47 cu Ft Auto Defrost Commercial Reach in Upright 2 Door Freezer Stainless Steel Energy Guide Koolmore UF54 2D 810019863271 0810019863271 1008181221 4153989c da24 4319 876b 5a74fd888c33 images thdstatic catalog Images 41 ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Freezer Automatic Defrost KoolMore RIF-2D-GD 43.78 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost 6...


lang:es score:32 filesize: 201.44 K page_count: 1 document date: 2021-12-16



[\[pdf\] Guide Catalog Label](#)


BC 2DSW BK Federal Trade Commission 29 in 15 5 cu ft 1 Door Reach In Freezerless Refrigerator Stainless Steel Energy Guide Koolmore RIR 1D SS 19C 858154008447 0858154008447 1008980664 79056ae3 192c 4988 8a3c 23562df91610 images thdstatic catalog Images 79 ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost Koolmore Supply Inc RIR-1D-SS-19C 15.6 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Ye...

lang:es score:32 filesize: 185.46 K page_count: 1 document date: 2022-05-26



[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 3 Glass Commercial Display Refrigerator Upright Beverage Cooler Merchandiser 56 Cu Ft Swing Door Black Energy Guide Koolmore CF B 810019863899 0810019863899 1008285809 769af3e2 e0d4 4380 9ccb a7448584a36e images thdstatic catalog Images 76 ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore MDR-3GD-63C 57.0 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy C... lang:es score:31 filesize: 274.72 K page_count: 1 document date: 2022-05-18 ftc.gov/energy




[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 47 in W 10 cu ft Refrigerated Food Prep Station Table with Mega Top Surface Stainless Steel Energy Guide Koolmore RPT47 2D MT 810019863240 0810019863240 1007489501 b87172e1 0f78 41e4 84f5 5647dcf97a69 images thdstatic catalog Images b8 ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore SPTR-2D-10C-LT 9.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy... lang:en score:31 filesize: 199.36 K page_count: 1 document date: 2021-12-16 ftc.gov/energy



[pdf] Guide Catalog Label

BC 2DSW BK Federal Trade Commission 28 in W 6 cu ft Refrigerated Food Prep Station Table with Mega Top Surface Stainless Steel Energy Guide Koolmore RPT28 1D MT 810019863233 0810019863233 1007489500 ccb4964f cfc7 4573 9f50 257e9d7c54fb images thdstatic catalog Images cc ||| U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore SPTR-1D-6C-LT 5.5 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy ... lang:es score:31 filesize: 198.33 K page_count: 1 document date: 2021-12-16 ftc.gov/energy




[\[pdf\] Guide Catalog Label](#)

BC 2DSW BK Federal Trade Commission 60 in W 15 cu ft Refrigerated Food Prep Station Table with Mega Top Surface Stainless Steel Energy Guide Koolmore RPT60 2D MT 810019863257 0810019863257 1007489502 d5b38371 5651 4238 8054 7b9712219ef0 images thdstatic catalog Images d5 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Refrigerator Automatic Defrost KoolMore SPTR-2D-15C-LT 15 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy ...

lang:es score:31 filesize: 198.94 K page_count: 1 document date: 2021-12-16



[\[pdf\] User Manual Label](#)

BC 2DSW BK Federal Trade Commission \$152 88 5 days ago — Your cost will depend on your utility rates and use Both ranges based models of similar size capacity Have automatic defrost 62529502 lowes productdocuments 611d7273 b989 47a3 9887 a91530221e41 |||

U.S. Government Federal law prohibits removal of this label before consumer purchase. Freezer Manual Defrost KoolMore KM-GDC-71SD 20 Cubic Feet Compare ONLY to other labels with yellow numbers. Labels with yellow numbers are based on the same test procedures. Estimated Yearly Energy Cost 152.88...

lang:es score:18 filesize: 205.72 K page_count: 1 document date: 2023-02-22