

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [HJC](#) /

› [HJC i10 Solid Natural Motorcycle Helmet User Manual](#)

HJC 1502-604

HJC i10 Solid Natural Motorcycle Helmet User Manual

Model: 1502-604

PRODUCT OVERVIEW

The HJC i10 Solid Natural Motorcycle Helmet is engineered for optimal safety and rider comfort, adhering to stringent DOT FMVSS 218 standards. It features an advanced polycarbonate compact shell and a multi-density EPS liner for superior impact absorption. The helmet is equipped with a D-Ring retention strap for secure fastening.

Key functionalities include the HJ-V7 integrated dark smoke-tinted sun visor, which deploys easily with a slide lever, and the HJ-20M anti-scratch clear shield, offering 95% UV protection and readiness for an optional Pinlock anti-fog insert (sold separately). The Rapid-fire Shield Replacement System facilitates quick, tool-less shield changes, ensuring a tight and secure seal.

Ventilation is managed by the "ACS" Advanced Channeling Ventilation System, featuring adjustable forehead and chin vents, along with two rear exhaust vents to maintain a comfortable internal climate by flushing out heat and humidity. The Supercool Interior, made from anti-bacterial, moisture-wicking fabric, includes fully removable and washable crown and cheek pads. All C-70 cheek pad sizes are interchangeable for a customized fit. Additionally, a built-in glasses groove accommodates riders who wear eyewear.



Image: HJC i10 Solid Natural Motorcycle Helmet in black, featuring a clear visor and the HJC logo on the front left side. This image showcases the helmet's sleek design and primary features.

SETUP AND INITIAL USE

Unpacking

Carefully remove the helmet from its packaging. Inspect the helmet thoroughly for any signs of damage that may have occurred during transit. It is recommended to retain the original packaging for future storage or transport of the helmet.

Fitment

Ensure the helmet fits snugly and comfortably on your head. The helmet should not move freely or shift excessively when you gently shake your head. If you wear prescription glasses or sunglasses, utilize the built-in glasses groove to ensure a proper and comfortable fit without pressure points.

Chin Strap Adjustment

Secure the D-Ring retention strap firmly under your chin. The strap should be adjusted to be tight enough so that the

helmet cannot be rolled off your head when pulled from the rear, but not so tight as to cause discomfort or restrict breathing.

OPERATING INSTRUCTIONS

Visor Operation

The HJ-V7 integrated dark smoke-tinted sun visor can be deployed or retracted quickly and easily using the dedicated slide lever mechanism, even while wearing riding gloves. The HJ-20M anti-scratch clear shield provides optical clarity and 95% UV protection. For enhanced anti-fog performance, an optional Pinlock insert can be installed (sold separately) into the main shield.

Shield Replacement

The Rapid-fire Shield Replacement System allows for ultra-quick, tool-less removal and installation of the main shield. This system is designed for efficient operation and ensures a secure seal with its 2-stage closure and locking mechanism, preventing unwanted opening during rides.

Ventilation System

The "ACS" Advanced Channeling Ventilation System features adjustable forehead and chin vents, along with two rear exhaust vents. Adjust these vents to control the airflow through the helmet, creating a full front-to-back circulation that effectively flushes heat and humidity out, enhancing rider comfort.

MAINTENANCE AND CARE

Cleaning the Exterior

Clean the helmet's exterior shell with a soft, non-abrasive cloth and a solution of mild soap and lukewarm water. Avoid using harsh chemical cleaners, solvents, or abrasive materials, as these can damage the helmet's finish, decals, or structural integrity.

Visor and Shield Care

Clean the visor and shield with a soft, damp cloth. For more stubborn dirt or smudges, use a helmet-specific visor cleaner. Never use paper towels, abrasive cloths, or household glass cleaners, as they can scratch or damage the optical coatings.

Interior Cleaning

The Supercool Interior crown and cheek pads are fully removable for cleaning. Hand wash them gently with mild soap and lukewarm water. Rinse thoroughly and allow them to air dry completely in a well-ventilated area, away from direct sunlight or heat, before reinserting them into the helmet.

Storage

Store the helmet in a cool, dry place, away from direct sunlight, extreme temperatures, and harsh chemicals. It is recommended to use a helmet bag to protect it from dust, scratches, and accidental impacts when not in use.

TROUBLESHOOTING

Fogging Visor

If the visor fogs up during use, ensure that the chin and forehead vents are fully open to maximize airflow. For persistent fogging, consider installing an optional Pinlock anti-fog insert, which creates an insulating air pocket to prevent condensation.

Improper Fit

If the helmet feels too loose, too tight, or causes pressure points, re-evaluate the helmet size and ensure the chin strap is properly adjusted. The C-70 cheek pads are interchangeable, allowing you to fine-tune the fit by swapping them for thinner or thicker pads as needed.

Excessive Wind Noise

While some wind noise is inherent in motorcycle helmets, ensure the main shield is fully closed and securely latched. Check for any visible gaps around the shield's seal. A proper helmet fit, including snug cheek pads, can also help reduce wind noise.

SPECIFICATIONS

Feature	Detail
Model Number	1502-604
Shell Material	Advanced Polycarbonate
Safety Standard	DOT FMVSS 218 Approved
Visor Type	HJ-V7 Integrated Dark Smoke Sun Visor
Shield Type	HJ-20M Anti-Scratch Clear, Pinlock Ready
Ventilation	"ACS" Advanced Channeling Ventilation System
Interior Fabric	Supercool Anti-bacterial, Moisture-wicking
Weight	Approximately 3.46 Pounds
Dimensions	16 x 16 x 16 inches

WARRANTY AND SUPPORT

For detailed warranty information regarding your HJC i10 helmet, please refer to the official HJC website or consult your authorized HJC dealer. This product is certified to comply with US Federal Motor Vehicle Safety Standard 218 (FMVSS 218), also known as DOT FMVSS No. 218.

For further assistance, product inquiries, or to explore other HJC products, you may visit the [HJC Store on Amazon](#).