

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [meross](#) /

› [meross Smart Plug Mini \(MSS110HK\) User Manual](#)

**meross MSS110HK**

# meross Smart Plug Mini (MSS110HK) User Manual

Model: MSS110HK

[Introduction](#) [Product](#)  
[Overview](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Safety](#)  
[Information](#) [Warranty & Support](#)

## 1. INTRODUCTION

This manual provides comprehensive instructions for the meross Smart Plug Mini (Model: MSS110HK). It covers setup, operation, maintenance, and troubleshooting to ensure optimal performance and a seamless smart home experience. The meross Smart Plug Mini allows you to control your devices remotely, set schedules, and use voice commands through platforms like Apple HomeKit, Amazon Alexa, and Google Assistant.

## 2. PRODUCT OVERVIEW

### 2.1. What's in the Box

- meross Smart Plug Mini (4 units)
- User Manual

### 2.2. Key Features

- **Remote Control:** Control connected devices from anywhere via the meross app or compatible smart home platforms.
- **Voice Control:** Compatible with Apple HomeKit, Siri, Amazon Alexa, and Google Assistant for hands-free operation.
- **Compact Size:** Designed to occupy only one socket, allowing two mini smart plugs to be used in a standard duplex outlet.
- **Scheduling & Timer:** Automate devices to turn on/off at specific times, including sunrise/sunset settings.
- **Reliable Wi-Fi:** Requires a 2.4GHz Wi-Fi network for connectivity.
- **Safety Certified:** Made from PC flame retardant material, ETL and FCC certified, supporting appliances up to 15A.



Image 2.1: The meross Smart Plug Mini (MSS110HK) in a 4-pack configuration.

# I More Powerful Features

\*Need a 2.4GHz Wi-Fi and enable Bluetooth on your phone first.



Image 2.2: Overview of meross Smart Plug Mini features and compatible devices.

# I Why Choose Meross




Image 2.3: Comparison of meross Smart Plug performance and features against other smart plugs.

## 3. SETUP INSTRUCTIONS

Before you begin, ensure your smartphone is connected to a 2.4GHz Wi-Fi network. The meross Smart Plug Mini does not support 5GHz Wi-Fi networks. Also, enable Bluetooth on your phone for easier pairing.

### 3.1. Initial Power-On and Reset

1. Plug the meross Smart Plug Mini into a power outlet.

2. Wait for the LED indicator to blink green/amber. If it is solid green or not blinking, press and hold the power button on the side of the plug for approximately 5 seconds until it starts blinking green/amber. This indicates the device is in setup mode.

### 3.2. Connecting to Apple HomeKit

You can set up the meross Smart Plug Mini directly through the Apple Home app without needing the meross app first.

1. Open the **Apple Home app** on your iPhone or iPad.
2. Tap the '+' icon in the top right corner and select '**Add Accessory**'.
3. Scan the HomeKit QR code located on the side of the meross Smart Plug Mini or on the included manual.
4. Follow the on-screen prompts to add the device, assign it to a room, and give it a name.
5. Ensure your phone remains close to the smart plug during the setup process.

### 3.3. Connecting to the meross App (Optional but Recommended)

While HomeKit setup is primary, installing the meross app allows for firmware updates and additional features.

1. Download the **meross app** from the App Store or Google Play.
2. Create a meross account or log in.
3. Tap the '+' icon in the top right corner. The app should detect the HomeKit-configured device as 'unlinked'.
4. Follow the in-app instructions to link the device to your meross account.
5. If prompted, perform any available firmware updates.

### 3.4. Remote Control for HomeKit

To enable remote control for HomeKit devices when you are away from home, you need a HomeKit hub.

- Set up an Apple HomePod, Apple TV 4K, Apple TV HD, or an iPad as a HomeKit bridge.
- Ensure the HomeKit bridge device is connected to your home's 2.4GHz Wi-Fi network and remains online.

## I Scene & Schedule

Easily manage your Christmas tree lights with the Schedule. Schedules can still be performed even if the internet is down.





Image 3.1: Smart Plug Mini used for scheduling Christmas lights and a bedside lamp.

# 1 Voice & Remote Control

With Siri, Alexa, and Google, simply ask and enjoy hands-free convenience. Manage your devices from anywhere, anytime.



Hey Siri, turn off the Bed Room Light.

Hey Google, turn off the Bed Room Light.

Alexa, turn off the Bed Room Light.

**Works with**  **Apple Home**

**works with**  **alexa**


**works with**  **Google Home**

**Compatible with**  **SmartThings**

\* Please grant Meross app to use mobile data.

Image 3.2: Demonstrating voice and remote control capabilities with various smart assistants.

# I HomeKit Remote Control



Set up your HomePod, HomePod mini, Apple TV, or iPad as a home hub so that you can control your HomeKit accessories remotely via Apple Home app. A home hub is NOT needed for Meross app to control devices remotely. Scan to read FAQ from Apple.

Image 3.3: Setting up HomeKit remote control with a HomePod, Apple TV, or iPad as a home hub. For more details, refer to [Apple HomeKit support](#).

## 4. OPERATING INSTRUCTIONS

### 4.1. Manual Control

Press the power button on the side of the smart plug to manually turn the connected device on or off.

### 4.2. App Control

Use the meross app or the Apple Home app to control your smart plug from your smartphone or tablet. You can turn devices on/off, check their status, and manage settings.

### 4.3. Voice Control

Once integrated with your preferred smart assistant, use voice commands:

- **Siri:** "Hey Siri, turn on the living room light."
- **Alexa:** "Alexa, turn off the coffee maker."
- **Google Assistant:** "Hey Google, turn on the fan."

### 4.4. Scheduling and Timers

Set up schedules and timers through the meross app or Apple Home app to automate your devices. This includes daily schedules, sunrise/sunset automation, and countdown timers.

### 4.5. Offline Control

The meross Smart Plug Mini supports local control, meaning that once configured, it can respond to commands from your local network even if the internet connection is temporarily unavailable. Schedules and timers will also continue to function.

## 5. MAINTENANCE

---

### 5.1. Cleaning

To clean the smart plug, ensure it is unplugged from the wall outlet. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or abrasive materials.

### 5.2. Firmware Updates

Regularly check for firmware updates via the meross app. Updates can improve performance, add new features, and enhance security. Ensure the smart plug remains powered on and connected to Wi-Fi during the update process.

## 6. TROUBLESHOOTING

---

### 6.1. Cannot Pair with HomeKit or meross App

- **2.4GHz Wi-Fi:** Ensure your phone is connected to a 2.4GHz Wi-Fi network. The smart plug does not support 5GHz networks.
- **Bluetooth:** Make sure Bluetooth is enabled on your smartphone during setup.
- **Reset Device:** If the LED is not blinking green/amber, press and hold the power button for 5 seconds to reset it to setup mode.
- **Proximity:** Keep your smartphone close to the smart plug during the pairing process.
- **Router Settings:** Some routers combine 2.4GHz and 5GHz networks under one SSID. Temporarily disable the 5GHz band on your router during setup if you encounter issues.
- **QR Code:** Ensure the QR code is clean and well-lit when scanning.

# I If You Can't Pair with HomeKit



## Scan the QR code

Here are some solutions we collect may help you. Scan the QR code to find the details.



Image 6.1: Scan this QR code for additional HomeKit pairing troubleshooting tips. You can also visit [meross support page](#).

### 6.2. Device Unresponsive or Offline

- **Wi-Fi Signal:** Check your Wi-Fi signal strength at the smart plug's location. Move the plug closer to your router if necessary.
- **Router Reboot:** Try restarting your Wi-Fi router.
- **Power Cycle:** Unplug the smart plug from the outlet, wait a few seconds, and plug it back in.
- **HomeKit Hub:** For remote HomeKit control, ensure your HomeKit hub (HomePod, Apple TV, iPad) is online and connected to the same 2.4GHz Wi-Fi network.

# I Superfast Local Control

Millisecond response and no drop-off with superfast local control when you're at home.




Image 6.2: Understanding the difference between meross's local control and typical cloud-dependent control for faster response times.

## 7. SPECIFICATIONS

Feature	Detail
Model Number	MSS110HK

Product Dimensions	2.7 x 1.5 x 2.3 inches
Weight	10.86 ounces (for 4-pack)
Input Voltage	120 Volts (AC)
Max Load	15A / 1800W
Wireless Connectivity	2.4GHz Wi-Fi (IEEE 802.11 b/g/n)
Material	Polycarbonate (PC)
Certifications	ETL, FCC
Compatible Devices	Smartphone (Apple HomeKit, Siri, Alexa, Google Assistant)

## 8. SAFETY INFORMATION

---

Please read and follow all safety instructions to prevent injury or damage.

- Do not use the device in wet or damp environments.
- Do not exceed the maximum load of 15A / 1800W.
- The smart plug is made of PC flame retardant material for enhanced safety.
- Features overload protection to prevent damage to connected appliances.
- Do not disassemble or attempt to repair the device yourself. Contact customer support if needed.
- Keep out of reach of children.

# I Reliable Safety Design



15A  
1800W



Fire-  
retardant  
housing



ETL, FCC and  
Premium Bronze Contacts

Overload  
Protection Design

Flame-Retardant  
Shell




Image 8.1: Internal view highlighting the safety design and certifications of the meross Smart Plug Mini.

## 9. WARRANTY AND SUPPORT

meross products come with a standard manufacturer's warranty. For specific warranty details, please refer to the documentation included with your purchase or visit the official meross website.

### 9.1. Customer Support

If you encounter any issues or have questions regarding your meross Smart Plug Mini, please contact meross

customer support through their official website or the meross app. Provide your model number (MSS110HK) and a detailed description of the issue for faster assistance.

## Related Documents - MSS110HK


	<p><a href="#">Meross Outdoor Plug User Manual - Smart Control for Your Home</a></p> <p>Comprehensive user manual for the Meross Outdoor Plug. Learn about voice control with Siri, Alexa, and Google Assistant, setting custom scenes and schedules, and its reliable, safe design. Features IP44 waterproofing and fire-retardant housing. Compatible with Apple HomeKit, Amazon Alexa, Google Assistant, and Samsung SmartThings.</p>
meross  <small>User Manual</small>	<p><a href="#">Meross Smart Bulb User Manual</a></p> <p>User manual for Meross smart bulbs, covering safety information, quick installation guide, how to use features like voice control with Amazon Alexa and Google Assistant, Apple HomeKit integration, and troubleshooting.</p>
meross  <small>User Manual</small>	<p><a href="#">Meross MSS620 Smart Wi-Fi Outdoor Plug User Manual</a></p> <p>User manual for the Meross MSS620 Smart Wi-Fi Outdoor Plug, covering safety information, installation, setup, LED indicators, voice assistant integration, FAQ, warranty, and disclaimer.</p>
meross  <small>Felhasználi kézikönyv</small>	<p><a href="#">Meross MSG100 Intelligens Garázs Kapu Nyitó Felhasználói Kézikönyv és Telepítési Útmutató</a></p> <p>Tölts le a Meross MSG100 intelligens garázs kapu nyitó részletes felhasználói kézikönyvét és telepítési útmutatóját. Ismerje meg a telepítést, beállítást, használatot és a gyakran ismételt kérdéseket.</p>
	<p><a href="#">Meross MSS630 Smart Outdoor Plug User Manual &amp; Installation Guide</a></p> <p>Comprehensive user manual and installation guide for the Meross MSS630 Smart Outdoor Plug. Learn how to set up, install, and use your smart plug with voice assistants and the Meross app. Includes safety information, FAQ, and compliance details.</p>



### [Meross Matter WiFi Roller Shutter Switch User Guide](#)

This guide provides safety information and instructions for the Meross Matter WiFi Roller Shutter Switch, compatible with Apple HomeKit, Siri, Alexa, Google Assistant, and SmartThings.

Documents - meross – MSS110HK




#### [\[pdf\] User Manual](#)

6102000086 210429 MSS110HK US QIG User Manual Meross Smart Plug Mini Home Tech Supply Automation hometechsupply 2023 07 |||

...

lang: score:23 filesize: 7.31 M page\_count: 16 document date: 2022-07-07

User Manual




#### [\[pdf\] User Manual](#)

MSS110HK US QIG User Manual Meross Smart Power Strip Extension Lead with 20W USB Ports Compatible Apple HomeKit Amazon Alexa Google Home and SmartThings Timer Voice Remote Control 2 4GHz WiFi 6ft Cord Business Industry Science C1Azh2P4zHL m media amazon images I |||

...

lang: score:16 filesize: 5.91 M page\_count: 22 document date: 2023-01-31

User Manual



#### [\[pdf\]](#)

MSS110HK US QIG Meross Simple Device Simplify Your Life 2696325 d2utgrzbxqaq8t cloudfront net public staticfile 1617632288935 |||

...

lang: score:14 filesize: 5.91 M page\_count: 22 document date: 2020-11-06

User Manual

meross

[\[pdf\]](#)

MSS110HK JP QIG meross a iPhone iPadlt2 4GHz Wi FilejentL 7 2105125 d2utgrzbxqaq8t cloudfront  
net public staticfile 1617632324068

...

lang: **score:13** filesize: 6.42 M page\_count: 21 document date: 2020-07-13

ユーザーマニュアル

meross

[\[pdf\]](#)

6102000086 210429 MSS110HK US QIG Meross HomeKit Smart Plug Mini Wi Fi In American Standard  
MSS110US MSS110JP433880d386u2e9lj99mt cloudfront net public staticfile 1688530418157 433880 |||

...

lang: **score:13** filesize: 7.31 M page\_count: 16 document date: 2022-07-07

User Manual

meross

[\[pdf\]](#)

MSS110HK JP QIG 220701 ai Meross HomeKit Smart Plug Mini Wi Fi In American Standard MSS110US  
MSS110JP6397431d386u2e9lj99mt cloudfront net public staticfile 1688530352591 6397431 |||

...

lang: **score:13** filesize: 3.6 M page\_count: 12 document date: 2022-07-01

ユーザーマニュアル



[\[pdf\]](#)

MSS110HK US Refoss QIG d2utgrzbxqaq8t cloudfront net Meross 10 13 Customize Your Icon Choose an icon to help you identify what your device is connected Next 8014930 public staticfile 1628753968424 |||

...

lang: **score:12** filesize: 6.63 M page\_count: 23 document date: 0000-00-00

User Manual



[\[pdf\]](#)

MSS110HK EU QIG 210429 meross des MSS110 steuern bis zu 10A Leistung 2 Was soll ich tun wenn die LED fest rot blinkt Sie können folgenden Fehler beheben Prüfen ob Ihr D1WTbWtTOwL ref dp product quick view m media amazon images | |||

...

lang: **score:10** filesize: 11.68 M page\_count: 58 document date: 2022-11-25

User Manual