

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Crouse-Hinds](#) /

› [Crouse-Hinds CAM-LOK J E1016-8366 Power Entry Connector Instruction Manual](#)

Crouse-Hinds E1016-8366

Crouse-Hinds CAM-LOK J E1016-8366 Power Entry Connector Instruction Manual

Model: E1016-8366 | Brand: Crouse-Hinds

INTRODUCTION

This manual provides essential instructions for the safe and effective installation, operation, and maintenance of the Crouse-Hinds CAM-LOK J E1016-8366 Power Entry Connector. This male plug connector is designed for heavy-duty electrical applications, accommodating cable sizes 2/0-4/0, rated for 400 AMP and 600 V.

Please read this manual thoroughly before attempting to install or use the product. Retain this manual for future reference.

IMPORTANT SAFETY INFORMATION

WARNING: Risk of electric shock or fire. Installation and servicing must be performed by qualified personnel only. Disconnect power before installation or servicing.

- Always ensure power is disconnected at the source before handling electrical connections.
- Use appropriate personal protective equipment (PPE) when working with electrical systems.
- Verify that the connector ratings (voltage, amperage, cable size) match the application requirements.
- Do not use damaged connectors or cables. Inspect components regularly.
- Ensure all connections are secure and properly insulated to prevent short circuits.

PRODUCT OVERVIEW

The Crouse-Hinds CAM-LOK J E1016-8366 is a male plug power entry connector, part of the E1016 Series. It consists of a brass contact assembly and a durable green insulating sleeve.



Image 1: Components of the CAM-LOK J E1016-8366 Male Plug Connector. Shown are the green insulating sleeve, brass contact assembly, set screws, and a copper shim.



Image 2: Assembled view of the CAM-LOK J E1016-8366 Male Plug Connector, highlighting the green insulating sleeve and the brass contact.

Key Features:

- **Type:** Male Plug Power Entry Connector
- **Series:** CAM-LOK J E1016 Series
- **Cable Size Compatibility:** 2/0-4/0 AWG
- **Current Rating:** 400 AMP
- **Voltage Rating:** 600 V
- **Color:** Green (for identification)

SETUP AND INSTALLATION

Follow these steps to properly install the CAM-LOK J E1016-8366 connector onto your cable.

Required Tools:

- Wire Strippers/Cutters
- Hex Key (for set screws)
- Torque Wrench (recommended for proper set screw tightening)
- Insulating Tape (if required for additional insulation)

Installation Steps:

1. **Prepare the Cable:**

Ensure the cable is de-energized. Strip the outer insulation of the cable to the appropriate length, exposing the conductor. The length should allow the conductor to fully insert into the brass contact barrel without excess insulation inside the barrel or exposed conductor outside the sleeve.

2. **Insert Conductor:**

Insert the stripped conductor fully into the barrel of the brass contact assembly. Ensure all strands are contained within the barrel.

3. **Secure Conductor:**

Tighten the set screws on the brass contact assembly using a hex key. Apply the recommended torque to ensure a secure electrical and mechanical connection. Overtightening can damage the conductor or screws; undertightening can lead to poor contact and overheating.

4. **Install Insulating Sleeve:**

Slide the green insulating sleeve over the brass contact assembly and the prepared cable end. Ensure the sleeve fully covers the contact and the stripped portion of the cable, providing complete insulation and strain relief.

5. **Verify Connection:**

Visually inspect the assembled connector to ensure there are no exposed conductors and the sleeve is securely seated. Gently tug on the cable to confirm the connection is mechanically sound.

OPERATING INSTRUCTIONS

The CAM-LOK J E1016-8366 connector is designed for quick and secure connection and disconnection in temporary power distribution systems.

Connecting the Plug:

1. **Ensure Power is Off:** Always verify that the power source to which you are connecting is de-energized before making connections.
2. **Align Connectors:** Align the male plug connector with the corresponding female receptacle. CAM-LOK connectors are typically keyed to prevent mis-mating of different phases or grounds.
3. **Insert and Twist:** Insert the male plug into the female receptacle and twist clockwise until it locks securely into place. A positive lock indicates a proper connection.

Disconnecting the Plug:

1. **De-energize Circuit:** Always de-energize the circuit before disconnecting CAM-LOK connectors.
2. **Twist and Pull:** Twist the connector counter-clockwise to unlock it, then pull firmly to separate the

plug from the receptacle.

MAINTENANCE

Regular inspection and maintenance are crucial for ensuring the longevity and safe operation of your CAM-LOK J E1016-8366 connector.

- **Visual Inspection:** Before each use, visually inspect the connector for any signs of damage, such as cracks in the insulating sleeve, bent or corroded contacts, or loose cable connections.
- **Cleaning:** Keep contacts clean and free of dirt, dust, and moisture. Use a clean, dry cloth. For stubborn grime, a non-conductive electrical contact cleaner may be used, ensuring it is fully dry before re-energizing.
- **Cable Integrity:** Periodically check the cable connected to the plug for fraying, cuts, or other damage, especially near the connector entry point.
- **Storage:** Store connectors in a clean, dry environment away from direct sunlight and extreme temperatures when not in use.

TROUBLESHOOTING

This section addresses common issues you might encounter with your CAM-LOK J E1016-8366 connector.

Problem	Possible Cause	Solution
Connector does not lock securely.	Misalignment; debris in receptacle; damaged locking mechanism.	Ensure proper alignment. Clean receptacle. Inspect for damage; replace if necessary.
Overheating at connection point.	Loose connection; undersized cable; corroded contacts; excessive load.	Disconnect power. Re-tighten set screws. Verify cable size and load. Clean contacts.
No power through connector.	Loose cable connection; damaged cable; open circuit upstream; connector not fully engaged.	Disconnect power. Check cable connections. Inspect cable for damage. Ensure connector is fully locked. Check power source.

If issues persist after following these steps, consult a qualified electrician or contact Crouse-Hinds technical support.

SPECIFICATIONS

Feature	Detail
Model Number	E1016-8366
Series	CAM-LOK J E1016 Series
Connector Type	Power Entry Connector, Male Plug
Cable Size Compatibility	2/0 - 4/0 AWG

Feature	Detail
Current Rating	400 AMP
Voltage Rating	600 V
Color	Green
Item Weight	10.4 ounces (approx. 295 grams)
Manufacturer	COOPER (Crouse-Hinds is a brand of Eaton, formerly Cooper Industries)
Date First Available	January 1, 2016


WARRANTY AND SUPPORT


For warranty information or technical support regarding your Crouse-Hinds CAM-LOK J E1016-8366 connector, please refer to the official Crouse-Hinds website or contact their customer service department. Keep your purchase receipt for warranty claims.

Note: Specific warranty terms may vary by region and distributor.


© 2023 Crouse-Hinds. All rights reserved.

Related Documents - E1016-8366

	<p>CROUSE-HINDS SERIES eLLB 20.. V-CG-S Explosion Protected Recessed Ceiling Light Fittings - Operating Instructions</p> <p>Comprehensive operating instructions, technical data, and installation guide for CROUSE-HINDS SERIES eLLB 20.. and eLLB 20.. V-CG-S explosion-protected recessed ceiling light fittings. Designed for hazardous areas, this document details safety, electrical specifications, wiring diagrams, mounting, maintenance, and V-CG-S module configuration.</p>
	<p>Crouse-Hinds TMC-K Series Corrosion Protection Kit Installation Guide</p> <p>Detailed installation and maintenance information for Crouse-Hinds TMC-K Series Cold Shrink Corrosion Protection Kits, designed to protect electrical cable fittings from corrosive environments.</p>

	<p>Crouse-Hinds Series Battery Pack NE+ for ExLin NE+ Operating Instructions</p> <p>Operating instructions for the Crouse-Hinds Series Battery Pack NE+, designed for ExLin NE+ luminaires. Covers technical data, safety, operation, maintenance, and installation.</p>
	<p>HFL Series LED Explosion-Protected Luminaire Instruction Manual</p> <p>Instruction manual for the Crouse-Hinds HFL Series LED explosion-protected luminaire, covering dimensions, technical data, safety instructions, conformity with standards, and installation guidelines.</p>
	<p>Crouse-Hinds GUE, GUB Junction Boxes: Technical Specifications and Ordering Guide</p> <p>Detailed information on Crouse-Hinds GUE and GUB series junction boxes, including applications, features, certifications, ordering, dimensions, and mounting plate specifications for hazardous area installations.</p>
	<p>Crouse-Hinds Conduit Body Wire Pulling Instructions</p> <p>Instructions for reliably pulling wires through Crouse-Hinds conduit bodies, including procedures, warnings, and a table of conductor capacities.</p>

Documents - Crouse-Hinds – E1016-8366



[\[pdf\]](#) Instructions Specifications Borchure Catalog

Specification Sheet Crouse Hinds Series E1016 8366 600 VAC VDC 2 0 to 4 AWG Green Elastomeric Non Vulcanized Double Set Screw Male Plug Crawford Electric Supply 10998 Q1HWX3PE2NAYDGI4 ideadigitalasset DAMRoot Original 12470 |||

Product specifications Eaton **E1016-8366** Catalog Number: **E1016-8366** Eaton Crouse-Hinds series Cam-Lok J Series E1016 plug, Up to 400A continuous, 2/0-4/0 AWG, Green, Double set screw, Brass contacts, Male, Thermoplastic elastomer TPE , Non-vulcanized, 600 Vac/dc General specifications Product Na...

lang:en score:46 filesize: 44.6 K page_count: 3 document date: 2024-01-04



[\[pdf\]](#) Guide Accessories Catalog

Cam Lok™ Eaton 4 EAT Lok single pole connectors product selector guide F SERIES AMPACITY RATING MAX VOLTAGE CABLE SIZES APPROVALS E1010 200 120 8 OSHA crouse hinds camlok catalog eaton content dam products wiring devices and connectivity literature

Plugs receptacles Cam-Lok™ single pole connectivity Cam-Lok™ Single pole connectivity The indust ... ET SCREW NON-VULCANIZED MALEPLUGS COMPLETE PART NO. E1016-8362 CONTACT ONLY PART NO. E1016-8364 **E1016-8366** E1016-8367 E1016-8368 A200639-1 E1016-8369 E1016-8365 E1016-8363 INSULATOR ONLY PAR...

lang:en score:33 filesize: 8.58 M page_count: 76 document date: 2018-11-29



[\[pdf\]](#) Datasheet Accessories Catalog

Datasheet Crouse Hinds E1017 350 IBS Electronics datasheet octopart 134109261 |||

Cam-Lok J Power Series Table of Contents Introduction..... LUE #2-2/0 E1016-8350 E1016-8352 E1016-8354 E1016-8355 E1016-8356 2/0-4/0 E1016-8362 E1016-8364 **E1016-8366** E1016-8367 E1016-8368 A200630-1 A200639-1 A200074-19 A200074-21 A200074-23 A200074-24 A...

lang:en score:31 filesize: 245.95 K page_count: 11 document date: 2006-01-11



[\[pdf\]](#) Accessories Borchure Catalog

tmb Pdf Cam Lok Crouse Hinds connectors who can use them ECN Electrical Forums I saw a brochure outlining the of lok |||

Cam-Lok J Power Series Table of Contents Introduction..... LUE #2-2/0 E1016-8350 E1016-8352 E1016-8354 E1016-8355 E1016-8356 2/0-4/0 E1016-8362 E1016-8364 **E1016-8366** E1016-8367 E1016-8368 A200630-1 A200639-1 A200074-19 A200074-21 A200074-23 A200074-24 A...

lang:en score:30 filesize: 242.77 K page_count: 11 document date: 2001-01-04




[\[pdf\]](#) Specifications

camlok e1016 plugs mabe Specification Sheet Crouse Hinds Eaton E1016 8375 Female Plug Non Vulcanized Double Set Screw NO 2 TO 0 Black Graybar Store

c3c2bd178ccbca07d4e75e7b88974be2b4e479e images salsify image upload s OuQ762fA |||


Cam-Lok™ J Series Connectors NEMA 3R or NEMA 4 11P Cam-Lok™ J Series Connectors are specificall ... A200639-1 A200074-60 2 / 0 - 4 / 0 Red E1016-8364 A200639-1 A200074-62 2 / 0 - 4 / 0 Green **E1016-8366** A200639-1 A200074-64 2 / 0 - 4 / 0 White E1016-8367 A200639-1 A200074-65 2 / 0 - ...

lang:en score:28 filesize: 485.85 K page_count: 9 document date: 2020-03-09




[\[pdf\]](#) Specifications

camlok e1016 plugs mabe Specification Sheet Crouse Hinds Eaton E1016 8377 Cam Lok™ J Series Elastomeric 600V AC DC Double Set Screw Non Vulcanized Female Plug Red Graybar Store 7e3d2b3c070160602d940d51e32e3c76029159ff images salsify image upload s HGSmlxMR ||| Cam-Lok™ J Series Connectors NEMA 3R or NEMA 4 11P Cam-Lok™ J Series Connectors are specificall ... A200639-1 A200074-60 2 / 0 - 4 / 0 Red E1016-8364 A200639-1 A200074-62 2 / 0 - 4 / 0 Green **E1016-8366** A200639-1 A200074-64 2 / 0 - 4 / 0 White E1016-8367 A200639-1 A200074-65 2 / 0 - ... lang:en score:27 filesize: 485.85 K page_count: 9 document date: 2020-03-09



[\[pdf\]](#) Specifications

camlok e1016 plugs mabe Specification Sheet Crouse Hinds Eaton E1016 8381 Cam Lok™ J Series Single Pole Plug Thermoplastic Elastomer 300A 600V Ac dc Female Blue 7 18 L X 1 5 W In H Graybar Store f25b1be9db5b990a83d8ae4aec16cb5ccf14084f images salsify image upload s ROYAp1w ||| Cam-Lok™ J Series Connectors NEMA 3R or NEMA 4 11P Cam-Lok™ J Series Connectors are specificall ... A200639-1 A200074-60 2 / 0 - 4 / 0 Red E1016-8364 A200639-1 A200074-62 2 / 0 - 4 / 0 Green **E1016-8366** A200639-1 A200074-64 2 / 0 - 4 / 0 White E1016-8367 A200639-1 A200074-65 2 / 0 - ... lang:en score:26 filesize: 485.85 K page_count: 9 document date: 2020-03-09



[\[pdf\]](#) Guide Accessories Catalog

1506 Cam Lok indd E9848411 Crouse Hinds E1015 1603 Turtle Hughes E1016SC 33 Catalog turtle ASSETS DOCUMENTS ITEMS EN ||| Plugs receptacles Cam-Lok™ single pole connectivity Cam-Lok™ Single pole connectivity The indust ... T SCREW NON-VULCANIZED MALE PLUGS COMPLETE PART NO. E1016-8362 CONTACT ONLY PART NO. E1016-8364 **E1016-8366** E1016-8367 E1016-8368 A200639-1 E1016-8369 E1016-8365 E1016-8363 INSULATOR ONLY PAR... lang:en score:26 filesize: 8.84 M page_count: 76 document date: 2015-09-09




[pdf]

Section 11P indd Eaton CrouseHinds 00200 1498 1499 1506 1511 1538 CAT Crouse Hinds Products

ARCA v1 images tradeservice ATTACHMENTS DIR100316 |||

Cam-Lok J series connectors NEMA 3R or NEMA 4 Cam-Lok J series connectors are specifically desi ... - 4/0 Color Black Red Green White Blue Brown Orange Yellow Cat. # Complete E1016-8362 E1016-8364 **E1016-8366** E1016-8367 E1016-8368 E1016-8369 E1016-8365 E1016-8363 Cat. # Contact only A200639-1 Ca...

lang:en score:20 filesize: 1.44 M page_count: 5 document date: 2021-04-23




[pdf] Specifications Catalog

adi marinco ent cat static6 arrow aro conversion 2e7b6091750f51181b6dd8982d948f13c6b3f1af |||

Rev. B entertaPinmOeWnt ER 2008 PRODUCT CATALOG Downloaded from Arrow.com. Entertainment Group I n ... E1016-8375 E1016-8380 E1016-8377 E1016-8381 E1016-8379 E1016-8362 E1016-8367 E1016-8364 E1016-8368 **E1016-8366** E1016-8387 E1016-8392 E1016-8389 E1016-8393 E1016-8391 MARINCO/ADI PANEL MOUNTS CL40MRSB...

lang:en score:17 filesize: 2.48 M page_count: 24 document date: 2019-04-03




[pdf] Specifications Catalog

entertainment BBRC RU Engineered to interconnect precisely with Ballnose devices from any manufacturer CLS Series Inline NEMA 3R 4 Santoprene Boot Amps Voltage adi marinco ent cat bbrc ru upload iblock 5a6 c0twhr0katxhvqs3frbrit8vsg2d2r6 |||

Rev. B entertaPinmOeWnt ER 2008 PRODUCT CATALOG Downloaded from Arrow.com. Entertainment Group I n ... E1016-8375 E1016-8380 E1016-8377 E1016-8381 E1016-8379 E1016-8362 E1016-8367 E1016-8364 E1016-8368 **E1016-8366** E1016-8387 E1016-8392 E1016-8389 E1016-8393 E1016-8391 MARINCO/ADI PANEL MOUNTS CL40MRSB...

lang:en score:17 filesize: 2.48 M page_count: 24 document date: 2022-03-23




[pdf] Datasheet Guide Accessories

1506 Cam Lok indd E9848411 2600053 farnell 80 datasheets

Plugs receptacles Cam-Lok™ single pole connectivity Cam-Lok™ Single pole connectivity The indust ... T SCREW NON-VULCANIZED MALE PLUGS COMPLETE PART NO. E1016-8362 CONTACT ONLY PART NO. E1016-8364 **E1016-8366** E1016-8367 E1016-8368 A200639-1 E1016-8369 E1016-8365 E1016-8363 INSULATOR ONLY PAR...

lang:en score:17 filesize: 8.83 M page_count: 76 document date: 2018-02-25



[pdf] Guide Accessories Catalog

1506 Cam Lok indd E9848411 CatalogSteiner Electric 1 847 228 0400Crouse Hinds E1016SC 33

Catalogdocs steinerelectric Crouse Catalog |||

Plugs receptacles Cam-Lok single pole connectivity Cam-Lok Single pole connectivity


The indu ... T SCREW NON-VULCANIZED MALE PLUGS COMPLETE PART NO.

E1016-8362 CONTACT ONLY PART NO. E1016-8364 **E1016-8366** E1016-8367

E1016-8368 A200639-1 E1016-8369 E1016-8365 E1016-8363 INSULATOR ONLY

PAR...

lang:en score:17 filesize: 8.84 M page_count: 76 document date: 2015-09-09



[pdf] Guide Buyer's Guide

buyers guide wd media distributordatasolutions csv eaton 2020q2 documents

0e0fd9b76dfc0395a0d20f034fa9eabdead4de7a


2016 Residential Buyer s Guide Quality wiring devices for new construction,

renovation or replacemen ... nized maleplugs Cable size Color Complete part no. 2/0-

4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-

8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:17 filesize: 172.73 M page_count: 797 document date: 2019-06-05



[pdf] Catalog

p section mabe USESI 122182 catalog assets usesi product media catalogs


Plugs Receptacles Section P Rugged construction, extensive configurations, custom

capabilities and ... A200639-1 A200074-60 2 / 0 - 4 / 0 Red E1016-8364 A200639-1

A200074-62 2 / 0 - 4 / 0 Green **E1016-8366** A200639-1 A200074-64 2 / 0 - 4 / 0 White

E1016-8367 A200639-1 A200074-65 2 / 0 - ...

lang:en score:14 filesize: 23 M page_count: 307 document date: 2014-08-19



[\[pdf\]](#) Catalog

p section mabe 195305 catalog usesi media product catalogs |||


Plugs Receptacles Section P Rugged construction, extensive configurations, custom capabilities and ... A200639-1 A200074-60 2 / 0 - 4 / 0 Red E1016-8364 A200639-1 A200074-62 2 / 0 - 4 / 0 Green **E1016-8366** A200639-1 A200074-64 2 / 0 - 4 / 0 White E1016-8367 A200639-1 A200074-65 2 / 0 - ...

lang:en score:14 filesize: 7.5 M page_count: 307 document date: 2015-01-31

[Cooper-Friedman Electric 2020 Price List - 3M Products](#)

Discover the official Cooper-Friedman Electric 2020 Price List, showcasing a vast catalog of 3M products. This resource details electrical supplies, industrial tools, safety gear, and more, providing part numbers, descriptions, pricing, manufacturer information, and categories for efficient procurement.

lang:en score:13 filesize: 12.16 M page_count: 1305 document date: 2020-11-16



[\[pdf\]](#) Catalog

Section 11P indd crouse hinds camlok j series catalog page media distributordatasolutions csv eaton 2020q2 documents e1dc2e6266385afb5af48127711708123eb70689

Cam-Lok J series connectors NEMA 3R or NEMA 4 Cam-Lok™ J series connectors are specifically desig ... - 4/0 Color Black Red Green White Blue Brown Orange Yellow Cat. # Complete E1016-8362 E1016-8364 **E1016-8366** E1016-8367 E1016-8368 E1016-8369 E1016-8365 E1016-8363 Cat. # Contact only A200639-1 Ca...

lang:en score:13 filesize: 7.2 M page_count: 47 document date: 2019-11-19



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1016SC 39 E1016 Snap Back Cover NEMA 3R Orange Graybar Store 134e71d827cf62ecc66e4cdb3c4067b677023394 images salsify image upload s m ZYJjM |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-07



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1016 1728 Female Receptacle Double Set Screw No 2 To 4 0 Orange Graybar Store 0bdd089c96ce0f1d4652f82e7f8b86006b6e041e images salsify image upload s QiKFII2R |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1017 350 Male Plug Non Vulcanized Double Set Screw To 500 MCM Black Graybar Store 7f965d0481119aa080ca600f9ba6aa74491aa0c2 images salsify image upload s qG8goRUd |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1016 1703 Male Receptacle Double Set Screw No 2 To 4 0 AWG Orange Graybar Store 27cb903012599238b2ddf146ae16df50df9cf5d0 images salsify image upload s ARe7jXz |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-07



[pdf] Guide Accessories

Crouse Hinds E1016 1635S Revere Electric Supply IDW DOCUMENT 1480754575632 externalassets unilogcorp ASSETS DOCUMENTS ITEMS EN |||

F Cam-Lok™ Single Pole Connectivity SECTION Product Selector Guide NEMA Rating System F-Series E ... Part No. Contact Only Part No. 2/0-4/0 BK E1016-8362 A200639-1 RD E1016-8364 A200639-1 GR **E1016-8366** A200639-1 WH E1016-8367 A200639-1 BU E1016-8368 A200639-1 BRN E1016-8369 A20063... lang:en score:12 filesize: 7.93 M page_count: 74 document date: 2013-03-05



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1017 352 Male Plug Non Vulcanized Double Set Screw 350 To 500 MCM Red Graybar Store 27bb43ca569a530e6bc757273c8b2d5d16ead580 images salsify image upload s ggSsee34 |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E Z1016 8356 Male Plug Double Set Screw Cable Size No 2 TO 0 Blue Graybar Store 2aba1514253b94c102a21d74edc65587c72a036d images salsify image upload s iQrgsBms |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E Z1016 8355 Male Plug Double Set Screw Cable Size No 2 TO 0 White Graybar Store 4e8784162e1ebc507354c5af2365cdc710eabe2f images salsify image upload s IsrYDTQu |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 1600 Single Pole Receptacle 600 A V AC DC Male 8 To 4 AWG Black Graybar Store a02d6b5d750e05e7e1ded186050d83ae63f5fede images salsify image upload s 3k 4SU5y |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 8306 Single Pole Plug 150 A 600 V AC DC Male 8 To 4 AWG Black Graybar Store bb53fd53b03294d1cb69329a753e4a633b486b11 images salsify image upload s sSkFF9lg |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 8310 Single Pole Plug 150 A 600 V AC DC Male 8 To 4 AWG Green Graybar Store cb6e25382d0f7b1d151929653088f82eb9f2d9b8 images salsify image upload s J3S6QOWi |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 8336 Single Pole Plug 150 A 600 V AC DC Female 8 To 4 AWG White Graybar Store 22025a7efbdeccfce243a340e791de11076c3677 images salsify image upload s A20aixyO |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Accessories Catalog

MPP CAT 003 0118 Industrial Solutions catalog hq Marinco Power Products Techni Lux Plug and Connector accepts 10 through 16 gauge wires electric current carrying capacity that eliminates problems rob motors of power ZZAL0170 srsltid

AfmBOOrTZOW6B2H3QD2UW0n3YDZFUtQj1gAaN8Rsw1liJFOvLAjsT87E techni lux files documents lit |||

1.175 0.97 5.20 3.97 4.735 Distributor 2018 Battery Chargers Accessories CAM Tech Devices DC De ... E1016-8381 E1016-8379 E1016-8382 E1016-8378 E1016-8376 E1016-8362 E1016-8367 E1016-8364 E1016-8368 **E1016-8366** E1016-8369 E1016-8365 E1016-8363 E1016-8387 E1016-8392 E1016-8389 E1016-8393 E1016-8391 E...

lang:en score:12 filesize: 21.95 M page_count: 92 document date: 2018-04-26



[pdf] Accessories Catalog

MPP CAT 003 0118 Industrial Solutions catalog hq techni luxSince 1972 Marinco power inlets and cords have set the industry standard They are built to withstand harshest industrial marine environmentsZZAL0170techni lux files documents lit ZZAL0170 srsltid AfmBOOpR

f6oZXQVITB9R7IGQQHL2zcAnwVOKhvSPBVUJ2BzgtqPlwJv ||| 1.175 0.97 5.20 3.97 4.735 Distributor 2018 Battery Chargers Accessories CAM Tech Devices DC De ... E1016-8381 E1016-8379 E1016-8382 E1016-8378 E1016-8376 E1016-8362 E1016-8367 E1016-8364 E1016-8368 **E1016-8366** E1016-8369 E1016-8365 E1016-8363 E1016-8387 E1016-8392 E1016-8389 E1016-8393 E1016-8391 E...

lang:en score:12 filesize: 21.95 M page_count: 92 document date: 2018-04-26



[pdf] Specifications Guide Buyer's Guide Accessories

Specification Sheet Crouse Hinds Series E1015 8311 600 VAC VDC 8 to 4 AWG White Elastomeric Non Vulcanized Set Screw Male Plug Irby ID SPE v1 AHBG F Sec ideadigitalcontent files 10998 ||| SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide www.eaton.com www.eaton.com www ... ized maleplugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 3.96 M page_count: 76 document date: 2016-03-08



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 8311 Single Pole Plug 150 A 600 V AC DC Male 8 To 4 AWG White Graybar Store 83c7733070571a25e2fc884a9be5c3a2030545f6 images salsify image upload s Qcf sO9A ||| SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1015 8331 Single Pole Plug 150 A 600 V AC DC Female 8 To 4 AWG Black Graybar Store a0a735209d2c36b6be8457c1442af50bd5267a53 images salsify image upload s CqU drJn ||| SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta... lang:en score:12 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E Z1016 8381 Single Pole Cam Type Connector Female 400 A 600 V AC DC 2 To 0 AWG Blue Graybar Store

c4a24f9532d37ee337151555a7690f766d4dceb2 images salsify image upload s KpNDxsTx |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1016 1731 Single Pole Cam Type Connector Female 400 A 600 V AC DC 2 To 4 0 AWG Blue Graybar Store 73a27773d77dd5c853a960691504a9eeee9e6f4f7

images salsify image upload s pOxZBSof |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[pdf] Catalog

Cam Lok J Series Single Pole Plugs and Receptacles catalog page Crouse Hinds A200074 64 Reverse Electric Supply A100793 1 Catalog 02 externalassets unilogcorp ASSETS DOCUMENTS ITEMS EN |||

Cam-Lok J series connectors NEMA 3R or NEMA 4 Cam-Lok™ J series connectors are specifically desig ... - 4/0 Color Black Red Green White Blue Brown Orange

Yellow Cat. # Complete E1016-8362 E1016-8364 **E1016-8366** E1016-8367 E1016-8368 E1016-8369 E1016-8365 E1016-8363 Cat. # Contact only A200639-1 Ca...

lang:en score:11 filesize: 7.68 M page_count: 47 document date: 2023-05-12



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1016 1706 Cam Lok™ J Series Receptacle Male Insulated Double Set Screw 400A Continuous 600V 10 To 4 AWG Blue Graybar Store

e16cdf24080c23cd29d0f58e7ccfe175a64db047 images salsify image upload s wCyMp53I |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete

part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 1.39 M page_count: 76 document date: 2020-03-09



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E0400 1662 Posi Lok™ Series Male Panel Steel 400A 600V Ac dc 2 To 4 0 AWG 5 Receptacle Black Blue Green Red White Graybar Store

7da1dd5ce6fec5e593b651d7f6ad87b7c9edb8ef images salsify image upload s Knp4q7eU |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete

part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 2.36 M page_count: 76 document date: 2020-03-08



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1017 377 J Series Single Pole Cam Type Plug 350 To 500 Kcmil 545A 600V Ac Female Red 2 69 W X H 7 38 In D Graybar Store

183113a426d9b8619eedf7abe955140562ba2b55 images salsify image upload s XP80yc Y |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete

part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 2.36 M page_count: 76 document date: 2020-03-09



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Untitled Specification Sheet Crouse Hinds Eaton E1017 375 Cam Lok™ J Series Single Pole Plug Rubber 545A 600V Ac dc 350 To 500 MCM Black 7 38 L X 2 69 H W In Graybar Store

a8ee57ff9a52cd3f67959133cd6c6933fe509c10 images salsify image upload s ICEfKY F |||

SECTION FFSECTION SECTION 1 EATON 2016 Arrow Hart Buyers Guide

www.eaton.com www.eaton.com www ... ized male plugs Cable size Color Complete

part no. 2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367

BU E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:11 filesize: 2.36 M page_count: 76 document date: 2020-03-09



[\[pdf\]](#) Specifications Guide Buyer's Guide Accessories

Cut Sheet Cooper Crouse Hinds E0200 1687 CRS H F 5 POSI PAN Rexel USA

specsht11015456specshturl i ECE7DDA9 7BF7 4202 A93E 2D6F47AFC8FF rexel cdn products |||

SECTION FFSECTION 1 EATON 2014 Arrow Hart Buyers Guide www.eaton.com

www.arrowhart.com [www.eato ...](http://www.eato...) nized maleplugs Cable size Color Complete part no.

2/0-4/0 BK E1016-8362 RD E1016-8364 GR **E1016-8366** WH E1016-8367 BU

E1016-8368 BRN E1016-8369 ORG E1016-8365 YEL E1016-8363 Conta...

lang:en score:10 filesize: 7.59 M page_count: 74 document date: 2014-06-19