

Streamlight 69414

Streamlight TLR-8 X Tactical Weapon Light User Manual

Model: 69414

INTRODUCTION

The Streamlight 69414 TLR-8 X is a compact and durable tactical weapon light with an integrated red aiming laser, designed for enhanced performance in various environments. It provides 500 lumens of LED brightness and a 5,000 candela peak beam intensity, ensuring superior visibility and precise targeting. This manual provides detailed instructions for the safe and effective use, installation, and maintenance of your TLR-8 X.

SAFETY INFORMATION

WARNING:

This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Always ensure the firearm is unloaded and safe before installing, removing, or performing any maintenance on the TLR-8 X. Keep fingers clear of the muzzle.

The laser is rated Class 3R, 640-660nm with an output of <5mW. Avoid direct eye exposure to the laser beam.

PACKAGE CONTENTS

- TLR-8 X Flashlight with Integrated Red Aiming Laser
- 1x CR123A Battery
- High and Low Switches (pre-installed or included as options)
- Mounting Kit (includes various keys: UNIV-1, UNIV-2, UNIV-3, 1913-1, 1913-2, 1913-3, 1913-4, and any 1913 key)
- Key Box and Tool
- User Guide (this manual)

SETUP

1. Battery Installation

The TLR-8 X uses one CR123A battery. To install or replace the battery:

1. Ensure the firearm is unloaded and safe.
2. Unscrew the face cap of the light by rotating it counter-clockwise.
3. Insert the CR123A battery with the positive (+) end facing towards the light head.
4. Screw the face cap back on clockwise until it is finger-tight.



Image: The TLR-8 X with its face cap unscrewed, showing the battery compartment and a CR123A battery ready for insertion.

2. Mounting to Firearm

The TLR-8 X features a robust rail clamp system for secure attachment and detachment without tools. Verify compatibility and fitment with your specific handgun model before purchase and installation.

1. Ensure the firearm is unloaded and safe.
2. Select the appropriate key from the mounting kit that matches your firearm's rail type (e.g., UNIV-1 for most Glock models, 1913-1 for Sig Sauer 320 Compact).
3. Loosen the rail clamp screw on the TLR-8 X.
4. Align the TLR-8 X with the firearm's accessory rail and slide it into position.
5. Tighten the rail clamp screw until the light is securely fastened to the rail. Do not overtighten.



Image: A Streamlight TLR-8 X shown from the front-right angle, illustrating its compact design and rail clamp system for attachment to a firearm.



Image: A side view of the Streamlight TLR-8 X, highlighting its profile and the integrated laser emitter.

3. Rear Switch Options

The TLR-8 X comes with interchangeable rear paddle switches (high and low options) to suit user preference and firearm

ergonomics. The default switches are typically the "high" profile.

1. To change switches, ensure the unit is off and detached from the firearm.
2. Carefully remove the existing paddle switches.
3. Install the desired high or low profile switches by aligning them with the slots and pressing firmly until they click into place.



Image: A comparison showing the "High Switch" and "Low Switch" options for the TLR-8 X, illustrating the difference in their paddle profiles.

OPERATING INSTRUCTIONS

1. Power On/Off and Mode Selection

The TLR-8 X offers three primary modes: LED Light Only, LED Light & Laser, and Laser Only. Switching between modes is intuitive using the ambidextrous rear paddle switches.

- **Momentary Activation:** Press and hold either paddle switch. Release to turn off.
- **Constant On:** Press and release either paddle switch quickly. Press again to turn off.
- **Switching Modes:** With the unit on, press and hold one paddle switch, then tap the other paddle switch to cycle through the modes (Light Only → Light & Laser → Laser Only).



Image: The Streamlight TLR-8 X shown with its red aiming laser activated, projecting a visible red dot.

2. Strobe Mode

The TLR-8 X features a user-enabled strobe mode for tactical situations.

- To activate strobe: From the "Constant On" mode, quickly double-tap either paddle switch.
- To deactivate strobe: Press either paddle switch once.

3. Safe Off Feature

The Safe Off feature prevents unintentional activation, conserving battery life and ensuring readiness. To engage Safe Off, rotate the face cap approximately 1/4 turn counter-clockwise until the light no longer activates. To disengage, rotate clockwise until it is finger-tight.

4. Laser Zeroing (Sighting In)

To ensure accurate aiming, the integrated red laser needs to be zeroed to your firearm. This process typically involves adjusting the laser's point of impact to match your firearm's point of aim.

1. Ensure the firearm is unloaded and safe.
2. Mount the TLR-8 X securely to your firearm.
3. Using the small hex wrench provided in the mounting kit, locate the windage (horizontal) and elevation (vertical) adjustment screws on the side and bottom of the unit.
4. Make small adjustments to the screws. Turning the screw clockwise typically moves the laser in one direction, and counter-clockwise in the opposite. Test adjustments at a safe range.
5. Fire a few rounds at a target to determine the point of impact relative to the laser dot. Adjust the laser until the point of impact aligns with the laser dot at your desired zeroing distance.
6. *Note:* Be careful not to strip the adjustment screws. Use a properly sized hex wrench.



Image: A rear view of the Streamlight TLR-8 X, indicating the location of the windage and elevation adjustment screws for the laser.

MAINTENANCE

- **Cleaning:** Use a soft, damp cloth to clean the exterior of the light. For the lens, use a lens cleaning cloth and solution designed for optics. Avoid abrasive materials.
- **Battery Replacement:** Replace the CR123A battery when the light output diminishes or the laser becomes dim. Always use high-quality batteries.
- **O-Rings:** Periodically inspect the O-rings for wear and tear. Lubricate with silicone grease if necessary to maintain water resistance.
- **Storage:** When storing the TLR-8 X for extended periods, remove the battery to prevent leakage and damage. Engage the Safe Off feature.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light/Laser does not turn on.	Dead or improperly installed battery; Safe Off engaged.	Replace battery, ensuring correct polarity. Disengage Safe Off by tightening the face cap.
Light is dim or flickers.	Low battery; loose face cap.	Replace battery. Ensure face cap is finger-tight.
Laser cannot be zeroed or moves after firing.	Loose mounting; stripped adjustment screws; defective unit.	Ensure unit is securely mounted. Use proper tools for adjustment. If issues persist, contact Streamlight customer service.
Difficulty switching modes.	Incorrect button sequence.	Review "Operating Instructions" for correct mode switching procedure.

SPECIFICATIONS

- Model:** 69414
- Light Output:** 500 Lumens
- Peak Beam Intensity:** 5000 Candela
- Beam Distance:** 141 Meters
- Runtime (Light Only):** 1.5 hours
- Laser Type:** Red Aiming Laser (Class 3R, 640-660nm, <5mW output)
- Power Source:** 1x CR123A Battery (included)
- Material:** Anodized Machined Aluminum
- Water Resistance:** IPX4 (Water Resistant)
- Dimensions:** 2.58"D x 1.18"W x 1.5"H
- Weight:** 2.56 ounces (0.16 Pounds)
- Color:** Black
- Mounting:** Rail Clamp System (compatible with UNIV-1, UNIV-2, UNIV-3, 1913-1, 1913-2, 1913-3, 1913-4, and any 1913 key)

WARRANTY AND SUPPORT

The Streamlight TLR-8 X is backed by a **Limited Lifetime Warranty**. For warranty claims, technical support, or service, please contact Streamlight customer service directly. Refer to the official Streamlight website for the most up-to-date contact information and warranty details.

You can also find additional resources and support on the [Streamlight Store on Amazon](#).

© 2025 Streamlight. All rights reserved.

Related Documents - 69414

	Streamlight TLR-7/TLR-8 Series Weapon-Mounted Tactical Flashlight Operating Instructions Comprehensive operating instructions for the Streamlight TLR-7 and TLR-8 series weapon-mounted tactical flashlights, covering safety, installation, operation, maintenance, and warranty.
---	--

	Streamlight TLR-7/TLR-8 Series Tactical Weapon Light Operating Instructions Manual Comprehensive operating instructions, safety warnings, installation, maintenance, and warranty information for the Streamlight TLR-7 and TLR-8 series tactical weapon lights.
	Streamlight TLR-1 HP Long Range Tactical Light: Specifications, Features, and Compatibility Comprehensive details on the Streamlight TLR-1 HP Long Range Rail Mounted Tactical Light, including technical specifications, features, accessory compatibility, firearm fitment, warranty information, and battery door operation. Designed for tactical applications.
	Streamlight TLR-1s HP Long Range Tactical Light: Specs, Features, Compatibility Guide Detailed specifications, features, and firearm compatibility for the Streamlight TLR-1s HP Long Range Rail Mounted Tactical Light. Includes accessory list, warranty information, and operating procedures.
	Streamlight ProTac 2.0 Rail Mount Series Operating Instructions and Safety Guide Operating instructions, safety guidelines, mounting procedures, and warranty details for the Streamlight ProTac 2.0 Rail Mount Series weapon-mounted flashlight.
	Streamlight ProTac 2.0 Rail Mount Series Operating Instructions Detailed operating instructions for the Streamlight ProTac 2.0 Rail Mount and ProTac 2.0 Rail Mount HP weapon-mounted flashlights. Covers safety, battery charging, mounting on MIL-STD-1913 and M-LOK rails, general operation modes, maintenance, product use, warranty, and service. Includes information on the SL-B50 rechargeable battery and TEN-TAP programming.

Documents - Streamlight – 69414



[\[pdf\] Specifications Datasheet Declaration of Conformity Warranty](#)

TLR 8®A DATA SHEET STREAMLIGHT Unilog The 8 A includes customized ambidextrous switches with either a low or high position to match your shooting style It features rail clamp that is Streamlight 69414 Specification Sheet assets unilogcorp 2 ITEM DOC |||

TLR-8 A LOW-PROFILE, RAIL-MOUNTED TACTICAL LIGHT WITH RED LASER

The TLR-8 A includes customized ambi ... cm ; 2.64 oz. 75g Limited Lifetime Warranty Visit streamlight.com for full warranty information **#69414** - TLR-8 A Flex with red laser Includes HIGH SWITCH installed on light and LOW SWITCH, CR123... lang:en score:27 filesize: 211.94 K page_count: 1 document date: 2019-11-20

[\[pdf\]](#) User Manual Instructions Guide

TLR 7R X 8@ PRODUCT INSTRUCTIONS STREAMLIGHT opplanet streamlight tlr 8a a weapon light and
laser both high low switch mounted on cr123a red beam 500 lumens blackopticsplanet i black 69414 im
srsItid AfmBOOp6ctpahA4Z7JRZJl1BdFa8VlkxqAVcDR jfnxdodFMRrDuDLg1 blackopplanet AfmBOOp
Ba9QAfhfwv3zhREcJC2BIKY9 S9DQnKM0iDq EXOPfvj7PqTOpticsplanet AfmBOOpEck3i1IFbvFVto
DJCM7WteLfYqkb 3l2CnzeL68XPaSWUQ84opticsplanet AfmBOOpqsnTOC dVvR5iHAZUfRum
4oQ5ceD3yhtOguu7OQLwGyEovPscopticsplanet AfmBOOr6my0jjC6U8sYVPGPP mBmilNICCE
JQcKHn1D3zluMmCgl8riopticsplanet

AfmB0or0Ei7vHXz3iaozNdYKzzmoUOU3DTc3LRvsTTEeGWCp6ZISPQOWopticsplanet ||| ||| TLR-7 X /
TLR-8 X Operating Instructions // Instrucciones de funcionamiento Instructions d utilisation //

Bedienungsanleitung ENGLISH IMPORTANT: FULLY CHARGE SL-B9 BATTERY BEFORE FIRST USE.

Thank you for selecting the TLR-7 X, TLR-8 X, or T ||| TLR-7 X / TLR-8 X Operating Instructions //

Instrucciones de funcionamiento Instructions d utilisation // Bedienungsanleitung ENGLISH IMPORTANT:

FULLY CHARGE SL-B9 BATTERY BEFORE FIRST USE. Thank you for selecting the TLR-7 X, TLR-8 X,

or T ||| TLR-7 X / TLR-8 X Operating Instructions // Instrucciones de funcionamiento Instructions d

utilisation // Bedienungsanleitung ENGLISH IMPORTANT: FULLY CHARGE SL-B9 BATTERY BEFORE

FIRST USE. Thank you for selecting the TLR-7 X, TLR-8 X, or T ||| TLR-7 X / TLR-8 X Operating

Instructions // Instrucciones de funcionamiento Instructions d utilisation // Bedienungsanleitung ENGLISH

IMPORTANT: FULLY CHARGE SL-B9 BATTERY BEFORE FIRST USE. Thank you for selecting the

TLR-7 X, TLR-8 X, or T ||| TLR-7 X / TLR-8 X Operating Instructions // Instrucciones de funcionamiento

Instructions d'utilisation // Bedienungsanleitung ENGLISH IMPORTANT: FULLY CHARGE SL-B9

BATTERY BEFORE FIRST USE. Thank you for selecting the TLR-7 X, TLR-8 X, or T

TLR-7 X / TLR-8 X Operating Instructions // Instrucciones de funcionamiento

Instructions d'utilisation // Bedienungsanleitung ENGLISH IMPORTANT: FULLY

CHARGE SL-B9 BATTERY BEFORE FIRST USE. Thank you for selecting the TLR-7

X, TLR-8 X, or TLR-8 X G multi-fuel, weapon-mounted tactical flashlight...

lang:tl score:27 filesize: 421 K page count: 24 document date: 2025-02-03



[\[pdf\]](#)

TLR 8®A INFO SHEET WITH PART NUMBERS STREAMLIGHT Streamlight Flex Info Sheet Rail

Mounted Light with Red Laser 8 A v 1687141824 cdn shopify s files 1 0537 7916 9453 ||

Combined Switches TLR-8A LOW-PROFILE, RAIL-MOUNTED TACTICAL LIGHT

WITH RED LASER AND REAR SWITCH OP ... ght plus low switch paddles in

package, CR123A lithium battery, and key kit Black Box UPC 080926-**69414**-9 Part #

69414 69901 69902 69906 85175 85177 85179 85180 69177 Item Key Kit TLR-

7/TLR-...

lang:en score:24 filesize: 331.12 K page count: 2 document date: 2023-01-05

Item	UTC	Part#
TJTB-A FLEX with red laser - includes high switch position mounted on light plus low switch position in enclosure. CE 1750 1000m ballast, switches 22 - Black - Red	000026-0040-4-0	00410



[pdf]

TLR 8@A INFO SHEET WITH PART NUMBERS STREAMLIGHT Info Sheet with part numbers TLR8 A Flex weapon lightStreamlight 8 light red laser Black Trident® Special Purpose GearInfo sheet tlr8cdn shopify s files 1 0253 9503 6263 tlr8 v 1705563297 |||

Combined Switches TLR-8A LOW-PROFILE, RAIL-MOUNTED TACTICAL LIGHT WITH RED LASER AND REAR SWITCH OP ... ght plus Low Switch paddles in package. CR123A lithium battery, and key kit Black Box UPC 080926-**69414**-9 Part # **69414** Item 12 ga. MagRail UPC Part # 080926-69901-4 69901 REM 870 Rail 080926...

lang:en **score:21** filesize: 668.47 K page_count: 2 document date: 2023-09-07




[pdf] Datasheet Warranty

TLR 8@A DATA SHEET STREAMLIGHT Datasheet TLR8 A Flex weapon lightStreamlight 8 light red laser Black Trident® Special Purpose Geartlr8a datasheetcdn shopify s files 1 0253 9503 6263 tlr8a datasheet v 1705562863 |||

TLR-8A LOW-PROFILE, RAIL-MOUNTED TACTICAL LIGHT WITH INTEGRATED RED LASER AND INTERCHANGEABLE REAR P ... cm ; 2.64 oz. 75g Limited Lifetime Warranty Visit streamlight.com for full warranty information #**69414** - TLR-8 A Flex with red laser Includes HIGH SWITCH installed on light and LOW SWITCH, CR123...

lang:en **score:20** filesize: 381.7 K page_count: 1 document date: 2022-09-21



[pdf]

Galls 670 22 698 23 July 1 2024 xlsx Misenheimer Marcus VendorLink PROTAC RAIL MOUNT HL X PRO USB SYSTEM Streamlight 88127 \$265 95 15 00 STREAMLIGHT TAA 95314 \$247 00% 210 76 myvendorlink external vfile d vrf s 178276 v 87017 sv 0 i 154 ft b |||

Galls item # FH895 YEL AD FL1829 SL1037 RED DC SL049 ORG FL2098 BLK FL1737 BLK FL1737 COY SA3590 BLK ... 469 425.95 15.00 362.06 69261 419.95 15.00 356.96 68789 416.95 15.00 354.41 **69414** 383.95 15.00 326.36 69228 362.68 15.00 308.28 69120 354.95 15.00 301.71...

lang:i-klngon **score:19** filesize: 170.35 K page_count: 7 document date: 2025-05-20



[\[pdf\]](#) Catalog

2024 TACTICAL CATALOG STREAMLIGHT tactical catalog streamlight docs default source catalogs sfvrsn 76aa2df3 68 |||

PROFESSIONAL-GRADE ILLUMINATION TOOLS TACTICAL CATALOG LEADING THE INDUSTRY WITH THE GREATEST VARI ... 40m RUN TIME: 1.5h LASER MODE: RUNS 60 HOURS High Switch Low Switch ITEM # DESCRIPTION COO TAA **69414** TLR-8A Includes high switch mounted on light plus low switch in package, lithium battery and...

lang:i-klngon **score:18** filesize: 13.85 M page_count: 104 document date: 2024-05-15



[\[pdf\]](#) Catalog

2023 INTERNATIONAL MILITARY CATALOG STREAMLIGHT DOWNLOAD View Product Catalogs internationalmilitarycatalog streamlight docs default source catalogs sfvrsn aa6305f3 15 |||

INTERNATIONAL MILITARY PROFESSIONAL-GRADE ILLUMINATION TOOLS 1 S TRE AMLIGHT LIGHTING THE WAY FOR ... es batteries STROBE Double tap switch to activate High Switch Low Switch ITEM # DESCRIPTION **69414** TLR-8 A FLEX Includes high switch mounted on light plus low switch in package, lithium batte...

lang:en **score:17** filesize: 25.02 M page_count: 84 document date: 2024-03-18



[\[pdf\]](#) Confidentiality Request Letter

STREAMLIGHT® 2023 RETAIL PRICE LIST STREAMLIGHT rpl streamlight docs default source catalogs sfvrsn 16d521f3 21 retail price list VIEW NOW COM 2 NSN MCN Numbers 3 Terms and Conditions

Warranty Information 1 mars — STINGER SERIES Stinger 2020 11 LED DS 76 pages View Product Catalogs 19 4 DOWNLOAD LISTA DE PRECIOS AL POR MENOR Lista de precios minoristas VER AHORA Ver catálogos productos STREAMLIGHT® 2024 â° |||

RETAIL PRICE LIST 2023 CONFIDENTIAL EFFECTIVE 1 MARCH 2023 2 ITEM PAGE NSN/MCN Numbers..... ... ludes mounting kit, high/low paddles switches and one CR123A lithium battery. 2.51 ; 2.77 oz. Box. **69414** 69434 080926-**69414**-9 080926-69434-7 TLR-8 Sub GLOCK 43X/48 MOS 43X/48 Rail TLR-8 Sub Sl...

lang:de **score:17** filesize: 2.91 M page_count: 76 document date: 2023-03-06




[\[pdf\]](#) Catalog

2023 STREAMLIGHT® TACTICAL CATALOG STREAMLIGHT Streamlight Strion DS® LED Flashlight with Charger and 2 Holders Black Tactical Catalog v 1691042585 quot cdn shopify s files 1 0537 7916 9453 |||

S TRE A MLIGHTLIGHTING THE WAY FOR 50 YEARS 2001 1989 1998 1999 1973 Streamlight founded by eng ... hangeable paddle switches easy to swap out with multi-tool Laser mode: 18 hours of run time PART# **69414** DESCRIPTION FLEX INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE LITHIUM B...

lang:en **score:17** filesize: 15.84 M page_count: 94 document date: 2023-01-12



[pdf] Confidentiality Request Letter

STREAMLIGHT® 2020 RETAIL PRICE LIST STREAMLIGHT rpl2020 streamlight docs default source catalogs sfvrns 64a5b1f0 4 Streamlight® retail price list 800 523 7488 3 Item Nbr Name NSN MCN 14000 Sidewinder Military Model Clam 6230 01 556 0487 69230 TLR 2s Includes rail locating keys for a variety of guns and lithium batteries 601 5128 DESCRIPTION PRODUCT NUMBER JR ® LED Aircraft aluminum body holster 2 AA alkaline 6 5 1 oz Black 71500 REACH® |||

RETAIL PRICE LIST 2020 CONFIDENTIAL EFFECTIVE MARCH 1, 2020 2 ITEM PAGE NSN/MCN Numbers..... oz. Box. TLR 9 Flex with high low switches White LED 69280 69282 69283 69289 69420 69424 69410 **69414** 69430 69434 69464 080926-69280-0 6 080926-69282-4 080926-69283-1 080926-69289-3 7.5x4.5x... lang:de score:17 filesize: 2.36 M page_count: 72 document date: 2020-05-08



[pdf] Catalog

2023 FULL LINE CATALOG STREAMLIGHT fulllinecatalog streamlight docs default source catalogs Catalogue Complet Outils d'éclairage sfvrns 603a2df3 44 39 DOWNLOAD View Product Catalogs |||

PROFESSIONAL-GRADE ILLUMINATION TOOLS SINCE 1973, WE VE BEEN FOCUSED ON LIGHTING THE WAY IN INNOVA ... ELA: 5,000 DISTANCE: 140m RUN TIME: 1.5h LASER MODE: RUNS 18 HOURS High Switch Low Switch ITEM # **69414** DESCRIPTION TLR-8A FLEX INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE, LI... lang:en score:17 filesize: 34.41 M page_count: 164 document date: 2023-04-03

[pdf] Price List

Melani Dalton Streamlight Inc MSRP2024 myvendorlink external vfile d vrf s 160642 v 107648 sv 0 i 72 ft b |||

MSRP Price List 2024 Prices effective March 1, 2024. Prices are subject to change without notice. P ... keys, high/low paddle switches and CR123A lithium battery - Box 080926-69418-7 080926-69419-4 **69414** TLR-8 A Flex - Includes high switch, low switch, CR123A lithium battery, and key kit - Box 0... lang:de score:16 filesize: 438.6 K page_count: 13 document date: 2024-05-18

[\[pdf\]](#) Catalog

2024 TACTICAL CATALOG STREAMLIGHT tactical catalog NAFECOThe next evolution in high performance duty ready flashlights features dual power switches and an intuitive mode selector switch for ease of use SelectSTREAMLIGHT TACTICALnafeco resources catalogs srsItid AfmBOoofiUyJYw2QQ9yndLfOzNFatMRGZxxVjWARGGG756R20weqWNwl NAFECOtactical SelectTLR 1 HL Includes rail locating keys with GLOCK® style 1913 the Streamlight TLR 2 RM Red Green Laser STREAMLIGHT TACTICALSTREAMLIGHT



AfmBOoofiUyJYw2QQ9yndLfOzNFatMRGZxxVjWARGGG756R20weqWNwlafeco AfmBOoqw7 JFE iKmDu XoF5fJSuYZAxBQZRRal9rdOm PNL4QNqUOD4 Laser The PNL4QNqUOD4nafeco AfmBOorp8RpdZHDpP0hGp1mPFzGhmljcT p6la4R82TziwAHX1Kq77pp Selectrechargeable headlamp You ll always have light you need Spot Flood beams each medium low modes gives a bright STREAMLIGHT p6la4R82TziwAHX1Kq77ppnafeco AfmBOooxCltu0 UINmKD7Wxp0J 43tT mKkJLVmQHosmFaFu3Qv58wNB ||| ||| PROFESSIONAL-GRADE ILLUMINATION TOOLS TACTICAL CATALOG LEADING THE INDUSTRY WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS: STINGER 2020 pg. 7 STINGER LED HL // DS LED HL pg. 8 STINGER COLOR-RITE pg. 8 STINGER HPL // DS HPL pg. 9 ST ||| PROFESSIONAL-GRADE ILLUMINATION TOOLS TACTICAL CATALOG LEADING THE INDUSTRY WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS: STINGER 2020 pg. 7 STINGER LED HL // DS LED HL pg. 8 STINGER COLOR-RITE pg. 8 STINGER HPL // DS HPL pg. 9 ST ||| PROFESSIONAL-GRADE ILLUMINATION TOOLS TACTICAL CATALOG LEADING THE INDUSTRY WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS: STINGER 2020 pg. 7 STINGER LED HL // DS LED HL pg. 8 STINGER COLOR-RITE pg. 8 STINGER HPL // DS HPL pg. 9 ST

PROFESSIONAL-GRADE ILLUMINATION TOOLS TACTICAL CATALOG LEADING THE INDUSTRY WITH THE GREATEST VARI ... 40m RUN TIME: 1.5h LASER MODE: RUNS 60 HOURS High Switch Low Switch ITEM # DESCRIPTION COO TAA **69414** TLR-8A Includes high switch mounted on light plus low switch in package, lithium battery and...

lang:i-klngon **score:14** filesize: 13.85 M page_count: 104 document date: 2024-05-15

[\[pdf\]](#) Price List

Streamlight 3 1 23 Price list xlsx Chris Parker myvendorlink external vfile d vrf s 141727 v 89288 sv 0 i 193 ft b |||

Distributor Price List 2023 Prices effective March 1, 2023. Prices are subject to change without not90 0.55 280.90 2.26 389.55 2.26 389.55 2.26 389.55 2.26 389.55 69431 69437 69438 69439 **69414** 69434 69464 69470 69473 69191 69192 69440 69441 69442 69445 69446 69443 69444 69450 69451 TLR...

lang:de **score:14** filesize: 978.19 K page_count: 52 document date: 2023-04-04

[\[pdf\]](#) Price List

010324 2024DistributorPriceList xlsx Chris Parker Item 193 Streamlight 3 1 24 Price list Build myvendorlink external vfile d vrf s 160643 v 89288 sv 0 i ft b |||

Distributor Price List 2024 Prices effective March 1, 2024. Prices are subject to change without no ... 280 69282 69283 69285 69289 69424 69429 69400 69401 69402 69404 69428 69480 69411 69417 69418 69419 **69414** 69431 69437 69438 69439 69434 69464 TLR-1 HL Earless screw - Includes Rail Locating Keys and ...

lang:de **score:14** filesize: 542.25 K page_count: 18 document date: 2024-03-13

[\[pdf\]](#) Price List

STREAMLIGHT 2025 June 1 MSRP Price List VendorLink 080926 68910 7 92 40 \$ 68793 Dualie

Rechargeable Magnet 120V 100V AC Jack Cap® tail cap switch M LOK® mount EA 6 5 26 89015 2 305

54 Item 154 Build myvendorlink external vfile d vrf s 178276 v 107648 sv 0 i ft b |||

MSRP Price List 2025 Prices effective June 2, 2025. Prices are subject to change without notice. P ... y, CR123A lithium battery - Box - Black EA 6 69480 CR123A lithium battery - Box - Black EA 6 **69414** TLR-8 X - Includes high switch, low switch, CR123A lithium battery, and key kit - Box EA 6 ...

lang:de **score:12** filesize: 939.37 K page_count: 44 document date: 2025-06-09

[\[pdf\]](#) Price List

Melani Dalton Item 193 Build myvendorlink external vfile d vrf s 160643 v 78708 sv 0 i ft b |||

Distributor Price List 2024 Prices effective March 1, 2024. Prices are subject to change without not ... key, high/low paddle switches and CR123A lithium ba0tt8e0r9y2-6B-6o9x417-0 389.55 69418 69419 **69414** 69431 69437 69438 69439 69434 69464 69470 69473 69191 69192 69440 69441 69442 69445 69446 6944...
lang:en **score:11** filesize: 644.31 K page_count: 30 document date: 2024-03-15

[\[pdf\]](#) Price List

Streamlight Price List xlsx Clay Beck myvendorlink external vfile d vrf s 160642 v 106455 sv 0 i 72 ft b |||

Part # 13048 14000 14007 14008 14024 14027 14029 14030 14031 14032 14034

14055 14057 14059 14061 140 ... 300 69310 69331 69332 69333 69334 69335

69336 69337 69339 69400 69401 69402 69404 69411 69412 69413 **69414** 69415

69416 Description TLR-2 HL TLR-1 HL LGUN KIT SAFE0 TLR-1 HL EARLESS IN BOX TLR-2 HL G I...

lang:i-klngon **score:10** filesize: 328.84 K page_count: 45 document date: 2024-05-20

[\[pdf\]](#) Accessories Price List

STREAMLIGHT MARCH 2023 PRICE LIST xlsx jody ALL SALABLE ITEMS myvendorlink external vfile d vrf s 141727 v 78708 sv 0 i 193 ft b |||

Part # 13048 14000 14007 14008 14024 14027 14029 14030 14031 14032 14034

14055 14057 14059 14061 140 ... 293 69300 69310 69331 69332 69333 69334

69335 69336 69400 69401 69402 69404 69410 69411 69412 69413 **69414** 69415

69416 TLR-1 HL EARLESS NO BAT TLR-1 EARLESS TLR-1 HL TLR-2 HL TLR-1 HL LGUN KIT SAFE0 T...

lang:i-klngon **score:10** filesize: 320.49 K page_count: 44 document date: 2023-03-29

[pdf] Price List

Melani Dalton Distributor Price List 2025 VendorLinkProTac Rail Mount HL X Laser Includes remote switch tail retaining clips mounting hardware 2 CR123A lithium batteries EALtem 193 Buildmyvendorlink external vfile d vrf s 179003 v 12017 sv i ft b |||

Distributor Price List 2025 Prices effective June 2, 2025. Part Number Item Description LI-ION C ... 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 **69414** 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt... lang:en score:9 filesize: 684.96 K page_count: 40 document date: 2025-06-04

STREANMIGHT		Distributor Price List 2025	
Part Number	Description	Unit	Price
69400	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69401	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69402	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69403	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69404	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69405	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69406	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69407	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69408	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69428	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69480	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69414	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69434	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
69411	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50
TLR-6 HL	LI-ION C 456 69458 69459 69503 69504 69505 69506 69400 69401 69402 69404 69405 69406 69407 69408 69428 69480 69414 69434 69411 TLR-6 HL GLOCK Rail Mount White LED / Red Laser laser - Includes 3 SL-B2 batt...	EA	\$ 16.50