

Einhell Power X-Change

Einhell Varrito Power X-Change Oscillating Multi-Tool User Manual

Model: Power X-Change | Brand: Einhell

1. IMPORTANT SAFETY INSTRUCTIONS

Always read and understand all safety warnings, instructions, illustrations, and specifications provided with this power tool. Failure to follow all instructions listed below may result in electric shock, fire, and/or serious injury.

General Power Tool Safety

- **Work Area Safety:** Keep work area clean and well lit. Cluttered or dark areas invite accidents. Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust.
- **Electrical Safety:** Power tool plugs must match the outlet. Never modify the plug in any way. Do not expose power tools to rain or wet conditions.
- **Personal Safety:** Stay alert, watch what you are doing and use common sense when operating a power tool. Always wear eye protection. Use personal protective equipment such as dust mask, non-skid safety shoes, hard hat, or hearing protection for appropriate conditions.
- **Tool Use and Care:** Do not force the power tool. Use the correct power tool for your application. Disconnect the plug from the power source and/or remove the battery pack before making any adjustments, changing accessories, or storing power tools.

Battery Tool Use and Care

- Recharge only with the charger specified by the manufacturer. A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.
- Use power tools only with specifically designated battery packs. Use of any other battery packs may create a risk of injury and fire.
- When battery pack is not in use, keep it away from other metal objects, like paper clips, coins, keys, nails, screws or other small metal objects, that can make a connection from one terminal to another. Shorting the battery terminals together may cause burns or a fire.
- Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help. Liquid ejected from the battery may cause irritation or burns.

2. PACKAGE CONTENTS

The Einhell Varrito Power X-Change Oscillating Multi-Tool kit includes the following components:

- Einhell Varrito Oscillating Multi-Tool
- 1 x 2.0 Ah Power X-Change Battery
- 1 x Fast Charger
- Triangular grinding/sanding plate
- 9 sheets of abrasive paper (3 x P60, 3 x P80, 3 x P120)
- Scraper
- Plunge-cut saw blade for wood and plastic (HCS)
- BIM plunge-cut blade for metal
- Segment saw blade for wood, plastic, and soft metal (HSS)



Figure 2.1: Complete Einhell Varrito Multi-Tool kit including the tool, battery, charger, and various accessories.



Figure 2.2: A detailed view of the included accessories: various saw blades, a scraper, a sanding plate, and abrasive papers.

3. SETUP

3.1 Battery Charging

Before first use, fully charge the 2.0 Ah Power X-Change battery. Ensure the charger is connected to a suitable power outlet.

1. Insert the battery pack into the charger. Ensure it clicks securely into place.
2. The charging indicator lights on the charger will illuminate to show the charging status.
3. Once fully charged, remove the battery from the charger.



Figure 3.1: The 2.0 Ah Power X-Change battery and its dedicated fast charger.

3.2 Accessory Installation

The Einhell Varrito features a quick-release mechanism and magnetic tool fixation for easy and secure accessory changes.

1. Ensure the tool is switched off and the battery is removed before changing accessories.
2. Press the quick-release lever on the tool head.
3. Align the accessory with the magnetic tool fixation, ensuring the accessory fits correctly onto the 12-point chuck.
4. Release the quick-release lever to secure the accessory. Gently pull on the accessory to ensure it is firmly attached.



Figure 3.2: Demonstrating the attachment of an accessory blade to the multi-tool.



Figure 3.3: Icon illustrating the quick-release function for fast accessory changes.




Figure 3.4: Icon illustrating the magnetic tool fixation for secure accessory alignment.

4. OPERATING INSTRUCTIONS

4.1 Powering On/Off

1. Insert the charged Power X-Change battery into the tool handle until it clicks into place.
2. To turn the tool on, slide the ON/OFF switch to the "ON" position.
3. To turn the tool off, slide the ON/OFF switch to the "OFF" position.

4.2 Speed Adjustment

The Varrito multi-tool features variable speed electronics, allowing you to adjust the oscillation rate (22,000 to 40,000 vibrations per minute) to suit the material and application.

- Use the speed adjustment dial or switch (refer to tool diagram in physical manual) to select the desired oscillation speed.
- Lower speeds are suitable for delicate work or softer materials, while higher speeds are for aggressive material removal or harder materials.

4.3 Applications

The Einhell Varrito is a versatile tool capable of various tasks with the appropriate accessories.

Sawing

Use the plunge-cut saw blades (HCS for wood/plastic, BIM for metal) or the segment saw blade (wood, plastic, soft metal) for cutting applications.



Figure 4.1: The multi-tool being used for precise sawing of a wooden piece.



Figure 4.2: The multi-tool in action, cutting a pipe with a suitable blade.

Sanding/Grinding

Attach the triangular grinding/sanding plate with the appropriate grit abrasive paper for sanding surfaces. The delta shape allows access to corners and tight spaces.



Figure 4.3: Sanding a window frame with the triangular sanding pad.

Scraping

Use the scraper accessory for removing old paint, adhesive, or other stubborn materials from surfaces.



Figure 4.4: The multi-tool being used with a scraper blade to remove material from a floor edge.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Einhell Varrito multi-tool.

5.1 Cleaning

- Always remove the battery pack before cleaning.
- Keep the ventilation slots clean to prevent overheating. Use a soft brush or compressed air to clear dust and debris.
- Wipe the tool housing with a damp cloth. Do not use harsh chemicals or abrasive cleaners.
- Clean accessories after each use to maintain their effectiveness.

5.2 Storage

- Store the tool, battery, and charger in a dry, frost-free place.
- Keep out of reach of children.
- For long-term storage, ensure the battery is partially charged (around 50%) and recharge it every few months to prevent deep discharge.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your Einhell Varrito multi-tool.

Problem	Possible Cause	Solution
Tool does not start.	Battery not charged or not inserted correctly.	Ensure battery is fully charged and properly seated in the tool.
Reduced performance or overheating.	Ventilation slots blocked; accessory dull or incorrect for task.	Clean ventilation slots. Replace or sharpen accessory. Use appropriate speed setting.
Accessory not holding securely.	Quick-release lever not fully engaged; accessory not aligned.	Ensure quick-release lever is fully closed. Re-align accessory with the 12-point chuck.

7. SPECIFICATIONS

Key technical specifications for the Einhell Varrito Power X-Change Oscillating Multi-Tool:

Feature	Detail
Brand	Einhell
Model Number	Power X-Change
Voltage	18 Volts
Power Source	Battery Powered
Special Feature	Cordless, Variable Speed
Included Components	Tool, battery, charger, various accessories
Maximum Rotational Speed	20,000 OPM (Oscillations Per Minute)
Oscillation Angle	3.2 Degrees
Item Weight	5.89 pounds
Product Dimensions (L x W x H)	12.2 x 3.03 x 4.53 inches
UPC	810000340736



Figure 7.1: The Einhell Power X-Change battery system, compatible with a wide range of Einhell tools.


8. WARRANTY AND SUPPORT

Einhell products are manufactured to the highest quality standards and undergo strict quality controls. This product is covered by a manufacturer's warranty. Please refer to the warranty card included in your product packaging for specific terms and conditions, including warranty period and coverage details.

For technical support, spare parts, or warranty claims, please contact Einhell customer service. Contact information can typically be found on the Einhell official website or on the product packaging.

Note: Keep your proof of purchase (receipt) for any warranty claims.

	Einhell TE-MB 18/127 Li Akku-Bandsäge Bedienungsanleitung Originalbetriebsanleitung für die Einhell Akku-Bandsäge TE-MB 18/127 Li. Enthält Sicherheitshinweise, Bedienung, Wartung und technische Daten.
	Einhell TE-AG 18/115-2 Li Akku-Winkelschleifer Bedienungsanleitung Die offizielle Bedienungsanleitung für den Einhell TE-AG 18/115-2 Li Akku-Winkelschleifer. Enthält wichtige Informationen zur sicheren Handhabung, technischen Daten und Wartung des kabellosen Winkelschleifers von Einhell.
	Einhell GC-SC 18/28 Li Akku-Vertikutierer und Rasenlüfter Bedienungsanleitung Die offizielle Bedienungsanleitung für den Einhell GC-SC 18/28 Li Akku-Vertikutierer und Rasenlüfter. Enthält Sicherheitshinweise, Bedienung, Wartung und Fehlerbehebung für Ihr Gartengerät.
	Einhell GE-LS 18 Li-Solo Cordless Pruning Shears Power X-Change System Discover the Einhell GE-LS 18 Li-Solo cordless pruning shears, part of the Power X-Change family. Features high-grade bypass blades, 28mm cutting capacity, safety switch, belt clip, and ergonomic soft grip. Battery and charger sold separately. View technical data, logistic information, and compatible accessories.
	Einhell TE-CD 18/40 Li-i Cordless Hammer Drill/Screwdriver: Operating Instructions, Technical Data & Safety Comprehensive operating instructions, technical specifications, safety guidelines, and warranty information for the Einhell TE-CD 18/40 Li-i Cordless Hammer Drill/Screwdriver. Learn about proper use, maintenance, and disposal.



RYOBI
OPERATOR'S MANUAL
MANUEL D'UTILISATION
18V OSCILLATING
MULTI-TOOL
OSCILLANT MULTI-TOOL
POLYVALENT 18 V
MULTI-HEBBERWINKS 18 V
PCL430

RYOBI 18V Oscillating Multi-Tool PCL430 Operator's Manual

Comprehensive operator's manual for the RYOBI 18V Oscillating Multi-Tool (PCL430), covering safety instructions, operation, maintenance, troubleshooting, and accessories.

Documents - Einhell – Power X-Change



ACCESSORY
18V 4.0 Ah Power-X-Change
Item No.: 4511396
Ident. No.: 11028
Bar Code: 4006825610376

The Einhell 18 V 4.0 Ah ion-rechargeable battery is part of the multi-functional and interchangeable PXC series from Einhell. The battery system can be used interchangeably for all the products that use PXC system tools. Max. safety is ensured by the proactive battery management system. The charging cycle is adjusted to the specific situation, so the battery has a much longer service life. All the key parameters are controlled constantly by state-of-the-art electronics. This not only ensures a more consistent, but also accelerated life cycle. There is an integrated time-out (LTC) charge status indicator. The system used for housing provides excellent impact protection and integrated recessed handles enable ergonomic handling.

Features & Benefits

- Universal usability for all Power X-Change rechargeable devices
- Maximum safety thanks to Einhell's proactive battery management system
- Longer battery life due to situation-specific charging cycles
- Can self-discharge thanks to high-quality lithium-ion cells
- Manufactured and assembled to order in the components
- Charging rate is controlled by the state-of-the-art electronics
- Integrated recessed handles enable ergonomic handling
- Integrated recessed handles enable ergonomic handling



Technical Data

DC voltage	18 V
Battery capacity	4000 mAh
Battery chemistry	Li-Ion
Charging current	0.1 A
Number of accessories	17 pieces

Logistic Data

Product weight (kg)	0.65
Gross weight (kg)	0.65
Dimensions single packaging	80 x 70 x 160 mm
Product weight (kg)	0.65
Gross weight (kg)	0.65
Dimensions single packaging	80 x 70 x 160 mm
Product weight (kg)	0.65
Gross weight (kg)	0.65
Dimensions single packaging	80 x 70 x 160 mm

[pdf] Accessories

Product sheet 18V 4 0 Ah Power X Change Einhell Accessory Battery 18v ah power x change assets
 einhell manuals 900 453890 |||

Battery 18V 4,0 Ah Power-X-Change Item No.: 4511396 Ident No.: 11028 Bar Code: 4006825610376 The Ein ... rated recessed handles enable ergonomic handling.

Features Benefits - Universal usability for all Power X-Change rechargeable devices - Maximum safety thanks to Einhells proactive battery management...

lang:en score:31 filesize: 2.07 M page_count: 1 document date: 2018-12-13



ACCESSORY
18V 2.0 Ah Power-X-Change
Item No.: 4511395
Ident. No.: 11028
Bar Code: 4006825610369

The Einhell 18 V 2.0 Ah ion-rechargeable battery is a member of the multi-functional and interchangeable PXC series from Einhell. The rechargeable battery system can be used interchangeably for all the products that use PXC system tools. Max. safety is ensured by the proactive battery management system. The charging cycle is adjusted to the specific situation, so the battery has a much longer service life. All the key parameters are controlled constantly by state-of-the-art electronics. This not only ensures a more consistent, but also accelerated life cycle. There is an integrated time-out (LTC) charge status indicator. The system used for housing provides excellent impact protection and integrated recessed handles enable ergonomic handling.

Features & Benefits

- Universal usability for all Power X-Change rechargeable devices
- Maximum safety thanks to Einhell's proactive battery management system
- Longer battery life due to situation-specific charging cycles
- Can self-discharge thanks to high-quality lithium-ion cells
- Manufactured and assembled to order in the components
- Charging rate is controlled by the state-of-the-art electronics
- Integrated recessed handles enable ergonomic handling
- Integrated recessed handles enable ergonomic handling



Technical Data

DC voltage	18 V
Battery capacity	2000 mAh
Battery chemistry	Li-Ion
Charging current	0.1 A
Number of accessories	17 pieces

Logistic Data

Product weight (kg)	0.4
Gross weight (kg)	0.4
Dimensions single packaging	81 x 68 x 160 mm
Product weight (kg)	0.4
Gross weight (kg)	0.4
Dimensions single packaging	81 x 68 x 160 mm
Product weight (kg)	0.4
Gross weight (kg)	0.4
Dimensions single packaging	81 x 68 x 160 mm

[pdf] Accessories

Product sheet 18V 2 0 Ah Power X Change Einhell Accessory Battery 18v ah power x change assets
 einhell manuals 900 453952 |||

Battery 18V 2,0 Ah Power-X-Change Item No.: 4511395 Ident No.: 11028 Bar Code: 4006825610369 The Ein ... rated recessed handles enable ergonomic handling.

Features Benefits - Universal usability for all Power X-Change rechargeable devices - Maximum safety thanks to Einhells proactive battery management...

lang:en score:31 filesize: 1.98 M page_count: 1 document date: 2018-12-17

[illegible][illegible][illegible]

Einhell 18V 3.0 Ah Power-X-Change Battery (4511341) - High Performance & Universal Usability

Discover the Einhell 18V 3.0 Ah Power-X-Change rechargeable battery. Offering universal usability across the PXC system, maximum safety, and long battery life, it's ideal for DIY enthusiasts and gardeners. Features include a 3-step LED charge indicator and robust housing.

lang:en score:30 filesize: 2.17 M page_count: 1 document date: 2018-06-26

[\[pdf\]](#)

Ausstattung Technische Daten Logistische 18v 4 0 ah power x change assets einhell manuals 900
453889 |||

Akku 18V 4,0 Ah Power-X-Change Art.-Nr.: 4511396 Ident.-Nr.: 11028 EAN-Code: 4006825610376 Der Einhell 18 Volt 4,0 Ah Lithium-Ionen-Akku ist Teil der multifunktionalen und untereinander kombinierbaren Power X-Change-Reihe von Einhell. Das Akkusystem ist universell verwendbar fr alle Gerte der Power ...
lang:de score:29 filesize: 2.07 M page_count: 1 document date: 2018-12-13

[\[pdf\]](#)

18v 5 2ah power x change plus assets einhell manuals 900 487323 |||

Battery 18V 5,2 Ah P-X-C Plus Item No.: 4511437 Ident No.: 21030 Bar Code: 4006825616606 The Einhell ... e battery to be removed from each tool with eas

Features Benefits - Universal usability for all Power X-Change rechargeable devices: - Saving money, protecting the environment, and flexibility - P...

lang:en score:29 filesize: 3.32 M page_count: 1 document date: 2020-05-04

**Einhell**

ACCESSORY

**18V 3.0Ah Power X-Change Plus**

Item No.: 4511501
Ident. No.: 21042
Bar Code: 4006825644197

The Einhell 18V 3.0 Ah PXC PLUS is a rechargeable battery which is designed for universal use in the entire PXC product family. A single rechargeable battery and a single charger for all tools save significant costs of buying, and universal use also helps protect the environment and provides flexibility in the work place. The power tool set with an 18V 3.0 Ah recharged battery with 75% less weight while delivering 100% more power for the power tool in every application. The ACD (active controlled active battery management system) ensures max. safety, optimum tool performance, max. operating time - max. service life. The high quality rechargeable battery resists the memory effect and self-discharge. Rubber coating for high impact protection.

Features & Benefits

- Universal usability for all Power X-Change rechargeable devices
- Saving money, protecting the environment, and flexibility
- Lightest battery 18V 3.0 Ah recharged battery
- and 15% more compact design as well as 15% lower weight
- PXC PLUS technology: extra power for increased operation
- The ACD (active controlled active battery management system) stands for max. safety, optimum performance, operating time, max. service life
- Protection of cables operation: No tangled cables and less working
- Lighting only 1.6 Ah (1.6 Ah) means no memory effect
- No self-discharge and high, constant power
- Current charge level indicator for 3-stage LED display
- Resistant construction and good grip thanks to rubber coating
- Tough handle for easy removal
- Resistant construction against dust, corrosion and mechanical damage
- Suitable for 18V PXC use in power demanding 30 V applications







Technical Data

Voltage	18 V
Battery capacity	3000 mAh
Max. power	900 W
Amount of batteries	1 Piece

Logistic Data

Product weight (kg)	0.55
Case weight (kg)	0.55
Dimensions single packaging	65 x 95 x 127 mm
Max. weight per carton	10 Pieces
Case weight per carton	5.5 kg
Dimensions per carton	650 x 250 x 125 mm
Carton quantity (30 V PXC)	2000

[pdf]

Productsheet 4511501 3 0 ah power x change plus assets einhell manuals 900 571393 |||
Battery 18V 3,0Ah Power X-Change Plus Item No.: 4511501 Ident No.: 21042 Bar Code: 4006825644197 The Einhell 18V 3.0 Ah PXC PLUS is a rechargeable battery which is designed for universal use in the entire PXC product family. A single rechargeable battery and a single charger for all tools saves sign...
lang:en score:29 filesize: 1.94 M page_count: 1 document date: 2023-02-10

**Einhell**

ACCESSORY

**18V 4.0Ah Power X-Change Plus**

Item No.: 4511553
Ident. No.: 21022
Bar Code: 4006825660869

The Einhell 18V 4.0 Ah PXC PLUS is a rechargeable battery which is designed for universal use in the entire PXC product family. A single rechargeable battery and a single charger for all tools save significant costs of buying, and universal use also helps protect the environment and provides flexibility in the work place. The power tool set with an 18V 4.0 Ah recharged battery with 75% less weight while delivering 100% more power for the power tool in every application. The ACD (active controlled active battery management system) ensures max. safety, optimum tool performance, max. operating time - max. service life. The high quality rechargeable battery resists the memory effect and self-discharge. Rubber coating for high impact protection.

Features & Benefits

- Universal usability for all Power X-Change rechargeable devices
- Saving money, protecting the environment, and flexibility
- Lightest battery 18V 4.0 Ah recharged battery
- and 15% more compact design as well as 15% lower weight
- PXC PLUS technology: extra power for increased operation
- The ACD (active controlled active battery management system) stands for max. safety, optimum performance, operating time, max. service life
- Protection of cables operation: No tangled cables and less working
- Lighting only 1.6 Ah (1.6 Ah) means no memory effect
- No self-discharge and high, constant power
- Current charge level indicator for 3-stage LED display
- Resistant construction and good grip thanks to rubber coating
- Tough handle for easy removal
- Resistant construction against dust, corrosion and mechanical damage
- Suitable for 18V PXC use in power demanding 30 V applications







Technical Data

Voltage	18 V
Battery capacity	4000 mAh
Max. power	900 W
Amount of batteries	1 Piece

Logistic Data

Product weight (kg)	0.55
Case weight (kg)	0.55
Dimensions single packaging	65 x 95 x 127 mm
Max. weight per carton	10 Pieces
Case weight per carton	5.5 kg
Dimensions per carton	650 x 250 x 125 mm
Carton quantity (30 V PXC)	2000

[pdf]

Productsheet 4511553 18v 4 0ah power x change plus assets einhell manuals 900 616408 |||
Battery 18V 4,0Ah Power-X-Change Plus Item No.: 4511553 Ident No.: 21022 Bar Code: 4006825660869 The ... harge. Rubber coating for high impact protection.
Features Benefits - Universal usability for all Power X-Change rechargeable devices: - Saving money, protecting the environment, and flexibility - L...
lang:en score:29 filesize: 1.86 M page_count: 1 document date: 2024-02-02

**Einhell**

ACCESSORY

**3.0 Ah Power X-Change Plus**

Item No.: 4511501
Ident. No.: 21021
Bar Code: 4006825644197

The Einhell 18V 3.0 Ah PXC PLUS is a rechargeable battery which is designed for universal use in the entire PXC product family. A single rechargeable battery and a single charger for all tools save significant costs of buying, and universal use also helps protect the environment and provides flexibility in the work place. The power tool set with an 18V 3.0 Ah recharged battery with 75% less weight while delivering 100% more power for the power tool in every application. The ACD (active controlled active battery management system) ensures max. safety, optimum tool performance, max. operating time - max. service life. The high quality rechargeable battery resists the memory effect and self-discharge. Rubber coating for high impact protection.

Features & Benefits

- Universal usability for all Power X-Change rechargeable devices
- Saving money, protecting the environment, and flexibility
- Lightest battery 18V 3.0 Ah recharged battery
- and 15% more compact design as well as 15% lower weight
- PXC PLUS technology: extra power for increased operation
- The ACD (active controlled active battery management system) stands for max. safety, optimum performance, operating time, max. service life
- Protection of cables operation: No tangled cables and less working
- Lighting only 1.6 Ah (1.6 Ah) means no memory effect
- No self-discharge and high, constant power
- Current charge level indicator for 3-stage LED display
- Resistant construction and good grip thanks to rubber coating
- Tough handle for easy removal
- Resistant construction against dust, corrosion and mechanical damage
- Suitable for 18V PXC use in power demanding 30 V applications







Technical Data

Voltage	18 V
Battery capacity	3000 mAh
Max. power	900 W
Amount of batteries	1 Piece

Logistic Data

Product weight (kg)	0.55
Case weight (kg)	0.55
Dimensions single packaging	65 x 95 x 127 mm
Max. weight per carton	10 Pieces
Case weight per carton	5.5 kg
Dimensions per carton	650 x 250 x 125 mm
Carton quantity (30 V PXC)	2000

[pdf]

Productsheet 4511501 3 0 ah power x change plus assets einhell manuals 900 608427 |||
Battery 3,0 Ah Power X-Change Plus Item No.: 4511501 Ident No.: 21021 Bar Code: 4006825644197 The Einhell 18V 3.0 Ah PXC PLUS is a rechargeable battery which is designed for universal use in the entire PXC product family. A single rechargeable battery and a single charger for all tools saves signifi...
lang:en score:29 filesize: 1.9 M page_count: 1 document date: 2023-11-10

[illegible]

[\[pdf\]](#)

```
freilexo 450 bt Der Einhell FREELEXO BT gehört zur leistungsstarken Power X Change Familie die
grenzenlose Flexibilität innerhalb der Systemfamilie gewährt assets einhell manuals 900 544959 |||
Mhroboter FREELEXO 450 BT Art.-Nr.: 3413949 Ident.-Nr.: 21021 EAN-Code:
4006825657685 Der Einhell FREELEXO 450 BT geht zur leistungsstarken Power X-
Change-Familie, die grenzenlose Flexibilität innerhalb der Systemfamilie gewährt. Der
FREELEXO wird via App oder das intuitive Tastenfeld gesteuert. Die ...
lang:de score:28 filesize: 2.98 M page_count: 3 document date: 2022-01-18
```

[illegible]

[\[pdf\]](#)

AXXIO Der Einhell Akku Winkelschleifer Axxio bewährt sich in Garage Haus und Werkstatt Als Mitglied der Power X Change Familie lässt assets einhell manuals 900 496634 |||

Akku-Winkelschleifer AXXIO Art.-Nr.: 4431140 Ident.-Nr.: 11017 EAN-Code: 4006825630558 Der Einhell Akku-Winkelschleifer Axxio bewhrt sich in Garage, Haus und Werkstatt. Als Mitglied der Power X-Change-Familie lsst sich der Akku in allen Gerten der Systemreihe verwenden optimal: 2,5 Ah Akku und grer...

lang:de score:28 filesize: 3.05 M page count: 2 document date: 2020-09-01

[illegible]

[\[pdf\]](#)

freelexo kit 600 Asset Exporter The Einhell FREELEXO Kit robot lawnmower is a member of the high performance Power X Change family which provides unlimited flexibility assets einhell manuals 900 492041 |||

Robot Lawn Mower FREELEXO Kit 600 Item No.: 3413943 Ident No.: 11019 Bar Code: 4006825648812 The Einhell FREELEXO Kit 600 robot lawnmower is a member of the high-performance Power X-Change family which provides unlimited flexibility within the system family. It is controlled via app by Bluetooth and...

lang:en score:28 filesize: 3.38 M page count: 2 document date: 2020-07-08



[\[pdf\]](#)

FREELEXO 29 ott 2020 — Der Einhell Robotertermäher der Power X Change Reihe kann mit allen System
Akkus kombiniert werden wird via App assets einhell manuals 900 504368 |||

Mhroboter FREELEXO Art.-Nr.: 3413940 Ident.-Nr.: 21020 EAN-Code:

4006825646764 Der Einhell FREELEXO Roboterhammer der Power X-Change-Reihe kann mit allen System-Akkus kombiniert werden. Der FREELEXO wird via App oder das intuitive Tastenfeld gesteuert. Die Arbeitszeit des FREELEXO kann tagesgenau prog...

lang:de score:28 filesize: 3.87 M page_count: 2 document date: 2020-10-29

[\[pdf\]](#)

TE DY 18 Li Solo dic 2023 — Der Einhell Akku Trockenbauschrauber ist Mitglied der Power X Change Familie und arbeitet kraftvoll präzise Selbst assets einhell manuals 900 612287 |||

Akku-Trockenbauschrauber TE-DY 18 Li-Solo Art.-Nr.: 4259980 Ident.-Nr.: 21043
EAN-Code: 4006825635607 Der Einhell Akku-Trockenbauschrauber TE-DY 18 Li-Solo ist Mitglied der Power X-Change-Familie und arbeitet kraftvoll und präzise. Selbst der Dauereinsatz geht mühelos von der Hand, dank kurzer und lei...

lang:de score:28 filesize: 3.2 M page count: 3 document date: 2023-12-18

[\[pdf\]](#)

Features Benefits The Einhell FREELEXO 500 BT robot lawnmower is a member of the high performance Power X Change family which provides unlimited flexibility within system freelexo bt assets einhell manuals 900 504377 |||

Robot Lawn Mower FREELEXO 500 BT Item No.: 4326363 Ident No.: 21020 Bar

Code: 4006825653496 The Einhell FREELEXO 500 BT robot lawnmower is a member of the high-performance Power X-Change family which provides unlimited flexibility within the system family. It is controlled via app by Bluetooth and t...

lang:en score:28 filesize: 3.57 M page count: 2 document date: 2020-10-29

lang:en score:27 filesize: 3.86 M page_count: 3 document date: 2020-11-10

Robot Lawn Mower FREELEXO 1200 LCD BT Item No.: 4326368 Ident No.: 21020
Bar Code: 4006825653441 The Einhell FREELEXO 1200 LCD BT robot lawnmower
is a member of the high-performance Power X-Change family which provides
unlimited flexibility within the system family. It is controlled via app by Bluet...
lang:en score:27 filesize: 3.86 M page_count: 3 document date: 2020-11-10

EN Original operating instructions Power-X-Change Charger SP Manual de
instrucciones original Cargador Power-X-Change FR Mode d'emploi d'origine
Chargeur Power-X-Change Power-X-Change Charger 7 Art.-Nr.: 4512088
Anl_PXC_Charger_0_8A_SPK7_USA.indb 1 I.-Nr.: 11019 18.09.2019 11:19:2
Anl_PXC ...

Freelexo 300 solo Asset Exporter The Robot Lawn Mower FREELEXO Solo is part of the high performance Power X Change family It has an intuitive keypad and comes with assets einhell manuals

900 541562 |||

Robot Lawn Mower FREELEXO 300 Solo Item No.: 3413961 Ident No.: 21021 Bar Code: 4006825655018 The Robot Lawn Mower FREELEXO 300 Solo is part of the high-performance Power X-Change family. It has an intuitive keypad and comes with cutting height adjustment from 20-60 mm and a PIN code controlled anti...

lang:en score:27 filesize: 3.79 M page_count: 3 document date: 2021-11-22

lang:en score:27 filesize: 3.09 M page_count: 2 document date: 2020-11-17

lang:en score:27 filesize: 4.04 M page_count: 2 document date: 2020-12-01

lang:de score:27 filesize: 2.54 M page_count: 2 document date: 2022-08-18

lang:en score:27 filesize: 2.68 M page_count: 3 document date: 2022-08-18

lang:de score:27 filesize: 2.51 M page count: 2 document date: 2023-03-15

lang:en score:26 filesize: 2.91 M page_count: 3 document date: 2022-05-05

Cordless All Purpose Saw TE-AP 18/28 Li BL - Solo Item No.: 4326310 Ident No.: 11019 Bar Code: 4006825644951 The Einhell TE-AP 18/28 Li BL - Solo cordless reciprocating saw is a member of the Power X-Change series . Each rechargeable battery in the system can be combined with any PXC device. The bru...
lang:en score:26 filesize: 3.25 M page_count: 2 document date: 2020-08-13

Cl. Polishing/Sanding Machine CE-CP 18/180 Li E-Solo Item No.: 2093320 Ident No.: 11018 Bar Code: 4006825638998 The Einhell CE-CP 18/180 Li E-Solo cordless polishing and sanding machine is a member of the Power X-Change series. It is powered by a longlasting brushless motor. Polishing and sanding wi...

Akku-Bohrschrauber TC-CD 18/35 Li - Solo Art.-Nr.: 4513927 Ident.-Nr.: 21021 EAN-Code: 4006825642452 Der Einhell Akku-Bohrschrauber TC-CD 18/35 Li Solo ist ein handlicher Helfer aus der Power X-Change-Produktserie. Hchste Handlichkeit bieten das ergonomische Design und der Softgrip. Die Drehzahl-El...

lang:de score:26 filesize: 2.69 M page count: 3 document date: 2022-02-04

[illegible]

	Ladowarka Power X-Change 18V Model: 30552 Producent: Einhell, Kraj produkcji: 4613911 Cena: 119,31 zł														
Opis Ladowarka do akumulatorów Einhell Power X-Change 4512011 (230 V) Producent: Einhell															
Cechy	- Kolor produktu: Czarny, Czerwony - Całkowitoscilaryczny wzmocniony 3080 Hz - Napięcie: 200-240 V - Wysokoscilaryczny: Tak														
Waga i rozmiar	- Ciężar netto ładowarki akumulatorów: 35,3 cm - Waga ładowarki akumulatorów: 4,8 g - Wysokość ładowarki akumulatorów: 14 cm - Średnica ładowarki akumulatorów: 7 cm														
Dane opakowania	Waga netto z opakowaniem: 152 g														
Parametry techniczne	Napięcie operacyjne: 18 V														
Parametry <table> <tr> <td>Marka</td><td>Einhell</td></tr> <tr> <td>Model</td><td>Power X-Change</td></tr> <tr> <td>EAN</td><td>4613911240110</td></tr> <tr> <td>Kraj pochodzenia</td><td>4613911</td></tr> <tr> <td>Kolor</td><td>czarny</td></tr> <tr> <td>Liczba akumulatorów</td><td>1</td></tr> <tr> <td>Informacje</td><td>informacje</td></tr> </table>		Marka	Einhell	Model	Power X-Change	EAN	4613911240110	Kraj pochodzenia	4613911	Kolor	czarny	Liczba akumulatorów	1	Informacje	informacje
Marka	Einhell														
Model	Power X-Change														
EAN	4613911240110														
Kraj pochodzenia	4613911														
Kolor	czarny														
Liczba akumulatorów	1														
Informacje	informacje														

[illegible]

[\[pdf\]](#) User Manual

GE CT 18 28 Li Kit 1x2 0 Ah 11 dic 2023 — Der Einhell Akku Rasentrimmer ist ein leichtes und starkes

Power X Change Systemgerät bequem in der ge ct li kit ah assets einhell manuals 900 611570 |||

Akku-Rasentrimmer GE-CT 18/28 Li Kit 1x2,0 Ah Art.-Nr.: 3411244 Ident.-Nr.: 21023

EAN-Code: 4006825664492 Der Einhell Akku-Rasentrimmer GE-CT 18/28 Li Kit

1x2,0 Ah ist ein leichtes und starkes Power X-Change-Systemgerät und bequem in der

Handhabung durch den stufenlos verstellbaren zweiten Handgr...

lang:de score:26 filesize: 2.49 M page_count: 2 document date: 2023-12-11

[\[pdf\]](#)

Ładowarka POWER X CHANGE 18V EINHELL Sklep internetowy stylem.pl ładowarka power x change

18v einhell 32563 upload files product |||

Ladowarka **POWER X-CHANGE** 18V EINHELL Indeks: 32563 Producent: EINHELL

Kod producenta: 4512011 Cena: 119.31 zł Opis Ladowarka do akumulatorw EINHELL

Power X-Change 4512011 230 V Producent: EINHELL Cechy Kolor produktu:

Czarny, Czerwony Czstotliwo danych wejciowych: 50/60 Hz Napięcie: 200-260 V

Wska...

lang:tl score:23 filesize: 87.42 K page_count: 2 document date: 2022-08-03

[\[pdf\]](#) Safety Datasheet

Tuotetiedot Akkuporavasara Einhell Power X Change Herocco ei akkua Taloon akkuporavasara einhell

power x change herocco sis laturia tuotetiedot taloon media attachments |||

Akkuporavasara HEROCO Tuote Tuotekoodi: 4513900 EAN-koodi: 4006825630343

Tuotemerkki: Einhell Power X-Change Tekniset Tiedot Einhell PXC-akkuporavasara

Herocco on yleisptev kone, jolla onnistuu ruuvaus, poraus, iskuporaus ja talttaus.

Hiiliharjaton moottori takaa pitkn kytin ja tarpeeksi t...

lang:fi score:23 filesize: 214.63 K page_count: 1 document date: 2019-10-03

