

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VOVO](#) /

› [VOVO VB-4000SE Elongated Bidet Toilet Seat User Manual](#)

VOVO VB-4000SE

VOVO VB-4000SE Elongated Bidet Toilet Seat User Manual

Model: VB-4000SE

1. INTRODUCTION

This manual provides essential information for the safe and efficient use of your VOVO VB-4000SE Elongated Bidet Toilet Seat. Please read these instructions thoroughly before installation and operation, and retain them for future reference.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent injury or damage to the product:

- Ensure the electrical outlet is a 120V GFCI (Ground Fault Circuit Interrupter) protected outlet.
- Do not immerse the product in water or spray water directly onto the electrical components.
- Disconnect power before performing any maintenance or cleaning.
- Do not attempt to repair the unit yourself. Contact qualified service personnel.
- Keep children and individuals with reduced physical, sensory, or mental capabilities away from the unit unless supervised.

3. PRODUCT OVERVIEW

The VOVO VB-4000SE bidet toilet seat offers advanced features for enhanced hygiene and comfort.



Image 3.1: The VOVO VB-4000SE Elongated Bidet Toilet Seat, shown with its wireless remote control. The seat is white and features a sleek design.

Key Features:

- **Heated Seat:** Adjustable temperature for comfort.
- **Warm Water Wash:** Adjustable water temperature and pressure for posterior, feminine, and turbo wash functions.
- **Warm Dryer:** Three adjustable temperature settings for air drying.
- **Wireless Remote Control:** User-friendly interface for all functions.
- **Auto Deodorization:** Integrated system to neutralize odors.
- **UV LED Light:** Built-in UV sterilizer for nozzle and bowl cleansing.
- **Self-Cleaning Stainless Steel Nozzle:** Automatic cleaning before and after each use.
- **Soft Close:** Seat and lid close gently to prevent slamming.
- **Seat Sensor:** Activates bidet functions only when the seat is occupied.



Image 3.2: This image highlights the wireless remote control, the UV LED light function which cleanses the bowl, and the heated seat feature.

WARM DRYER & WATER

Water heating system warms up the water and built-in air dryer provides 3 different adjustable temperatures.

SOFT CLOSE

NO SLAM!

Seat and seat cover with soft close function for safety

Image 3.3: Depicts the warm dryer and warm water functions, indicating 3 temperature steps from 93.2°F to 104°F. Also shows the soft-close mechanism of the seat and lid.

AUTO NOZZLE & FULL STAINLESS -STEEL NOZZLE

As the nozzle comes out and goes in, water comes out and is automatically cleaned. It's not leaking from the nozzle.

Semi-permanent full stainless -steel nozzle performing 3 functions with 5 different levels of water pressure.



SEAT SENSOR

The bidet function is activated only when the seat sensor is detected.


Image 3.4: Illustrates the auto-cleaning, full stainless steel nozzle with posterior, feminine, and turbo wash functions. The seat sensor, which activates bidet functions upon seating, is also shown.

4. SETUP AND INSTALLATION


Proper installation is crucial for the functionality and safety of your bidet seat. Refer to the detailed installation guide below.

Elongated
Only **VB-4000SE**

Round
Only **VB-4100SR**



OUTLET REQUIRED



120V

PERFECT FIT

FIT



MAY NOT FIT




Image 4.1: This guide shows the dimensions for elongated (VB-4000SE) and round (VB-4100SR) toilet seats, emphasizing the importance of checking compatibility. It also indicates that a 120V electrical outlet is required.

Installation Steps:


- 1. Remove Existing Toilet Seat:** Carefully remove your current toilet seat and lid. Clean the toilet bowl area thoroughly.
- 2. Install Base Bracket:** Place the provided template on the toilet bowl. Secure the base bracket using the fixing bolts, washers, and rubber packing. Ensure the catch plate is flattened.
- 3. Install Bidet Seat:** Slide the bidet seat onto the installed base bracket until it clicks into place. You can adjust the bidet's position on the bracket for a perfect fit (up to 40mm).
- 4. Connect Water Supply:** Turn off the main water supply to the toilet. Disconnect the toilet's water supply hose from the fill valve. Install the T-connector (provided) to the fill valve, then reconnect the toilet hose and connect the bidet hose to the T-connector. Ensure all connections are hand-tight only to prevent leaks. Turn the main water supply back on and check for leaks.
- 5. Connect Power:** Plug the bidet seat's power cord into a 120V GFCI-protected electrical outlet.

Installation Guide


1 Remove the existing toilet seat.



2 Install the base bracket.






3 Install the bidet and secure the remote control holder.



4 Connect the hose and turn on the water.

When water pressure is weak, or is difficult to reach the water tank, please use B type.



Connect the outlet.





Image 4.2: A visual step-by-step guide for installation, covering removal of the old seat, base bracket installation, bidet seat placement, and water/power connections. It illustrates both Type A (standard) and Type B water tank connections.

5. OPERATING INSTRUCTIONS

The VOVO VB-4000SE is operated via its wireless remote control. Ensure the remote has working AAA batteries (included).

INSTALLATION GUIDE

Connect the hose and turn on the water



120V

Connect the outlet.

Image 5.1: This image displays the wireless remote control and its various functions, including Posterior/Rhythm

wash, Feminine/Rhythm wash, Turbo Wash, LED Light, Nozzle Cleaning, and temperature adjustments for seat, water, and dryer.

Remote Control Functions:

- **Stop:** Stops all current operations.
- **Posterior / Rhythm:** Initiates posterior wash. Press again for rhythm wash.
- **Feminine / Rhythm:** Initiates feminine wash. Press again for rhythm wash.
- **Turbo Wash:** Provides a stronger wash for thorough cleaning.
- **Water Pressure:** Adjusts the intensity of the water spray.
- **Nozzle Position:** Adjusts the forward/backward position of the nozzle.
- **Dry:** Activates the warm air dryer.
- **Seat Temp:** Adjusts the heated seat temperature.
- **Water Temp:** Adjusts the warm water temperature.
- **Dry Temp:** Adjusts the warm air dryer temperature.
- **UV LED:** Activates the UV LED sterilization function.
- **Nozzle Cleaning:** Manually extends and cleans the nozzle.

The bidet functions will only activate when the seat sensor detects a user sitting on the seat.

6. MAINTENANCE

Regular cleaning and maintenance ensure optimal performance and hygiene.

- **Exterior Cleaning:** Wipe the exterior surfaces with a soft, damp cloth and mild, non-abrasive cleaner. Do not use harsh chemicals or abrasive pads.
- **Nozzle Cleaning:** The stainless steel nozzle performs an automatic self-cleaning cycle before and after each use. For manual cleaning, use the 'Nozzle Cleaning' button on the remote to extend the nozzle, then gently clean with a soft brush or cloth.
- **Mesh Filter:** The unit includes a mesh filter screen to remove debris particles from the water supply. This filter does not require replacement but should be checked periodically for buildup and cleaned if necessary.
- **Descaling:** If you live in an area with hard water, mineral deposits may accumulate over time. Consult a plumbing professional for descaling procedures if performance is affected.

7. TROUBLESHOOTING

If you encounter issues, refer to the following common solutions. If the problem persists, contact customer support.

Problem	Possible Cause	Solution
No power/Unit not turning on	Power cord unplugged, GFCI tripped, no power to outlet.	Ensure power cord is securely plugged in. Reset GFCI outlet. Check household circuit breaker.
No water spray/Weak water pressure	Water supply valve closed, mesh filter clogged, low household water pressure.	Ensure the water supply valve is fully open. Clean the mesh filter. Check household water pressure.

Problem	Possible Cause	Solution
Heated seat/Warm water not working	Temperature settings too low, unit not fully powered.	Adjust temperature settings on the remote. Ensure the unit is receiving full power.
Bidet functions not activating	Seat sensor not detecting user.	Ensure you are seated properly on the bidet seat for the sensor to activate.

8. SPECIFICATIONS

Feature	Detail
Model Number	VB-4000SE
Dimensions	21 x 15 x 5 inches
Item Weight	8.3 Pounds
Color	White
Seat Material Type	Plastic
Power Supply	120V (Standard US Outlet)
Batteries (Remote)	3 AAA batteries (included)
Nozzle Material	Stainless Steel
Compatibility	Elongated Toilet Bowls

9. WARRANTY INFORMATION



The VOVO VB-4000SE Elongated Bidet Toilet Seat comes with a **3-year limited manufacturer warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims. For specific terms and conditions, refer to the warranty card included with your product or contact VOVO customer support.

10. CUSTOMER SUPPORT

For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please contact VOVO customer support:

- **Manufacturer:** VOVO Corporation
- **Website:** [Visit the VOVO Store on Amazon](#)
- Refer to the contact information provided in your product packaging for direct support lines.

Related Documents - VB-4000SE

 <p>VOVO ENGLISH/FRENCH/SPANISH User Manual Please go to the link below for any customer support and troubleshooting: www-us.vovo.com/pages/support-collection</p> <p>Return Notice Avis de retour Aviso de devolución</p> <p>TABLE OF CONTENTS</p> <p>Product Characteristics 2 Safety Precautions 5 How to Use 6 Maintenance 22 Troubleshooting 23 Specifications 25 Customer Support 26 VOVO Warranty 28</p> <p>VOVO ENGLISH/FRENCH/SPANISH User Manual Please go to the link below for any customer support and troubleshooting: www-us.vovo.com/pages/support-collection</p> <p>Return Notice Avis de retour Aviso de devolución</p> <p>TABLE OF CONTENTS</p> <p>Product Characteristics 2 Safety Precautions 5 How to Use 6 Maintenance 22 Troubleshooting 23 Specifications 27 Customer Support 28 VOVO Warranty 29</p> <p>VOVO Parts Replacement Guide This manual provides detailed instructions for the following procedure: Deodorizer Fan Replacement It is important to read the required steps carefully to ensure safe and efficient replacement of the deodorizer fan.</p> <p>VOVO ENGLISH/FRENCH/SPANISH User Manual Please go to the link below for any customer support and troubleshooting: www-us.vovo.com/pages/support-collection</p> <p>Return Notice Avis de retour Aviso de devolución</p> <p>TABLE OF CONTENTS</p> <p>Product Characteristics 2 Safety Precautions 5 How to Use 6 Maintenance 22 Troubleshooting 23 Specifications 25 Customer Support 26 VOVO Warranty 28</p> <p>VOVO Stylement Bidet User Manual This manual provides detailed instructions for the following procedure: Deodorizer Fan Replacement It is important to read the required steps carefully to ensure safe and efficient replacement of the deodorizer fan.</p> <p>VOVO Liste de Vérification des Facteurs Externes Assurez-vous que la pression d'eau sur le système de rinçage soit suffisante. Veuillez consulter la section de dépannage pour plus d'informations. Si le système de rinçage fonctionne mal, vérifiez si les tuyaux sont correctement connectés et si les robinets sont bien fermés. Si le système de rinçage fonctionne mal, vérifiez si les tuyaux sont correctement connectés et si les robinets sont bien fermés.</p> <p>VOVO General Factor Check List 1. Please reset the toilet. 2. Unplug the unit. 3. Turn off the water supply. 4. Plug the unit back in. 5. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly. 6. Check if the main line is blocked by debris, which could be caused by debris or debris. 7. Inspect the hose on each side to see if the rubber packing is blocked. 8. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly. 9. Check the Standard Steel cover of the unit is in proper alignment. 10. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly.</p>	<p>VOVO Stylement Bidet User Manual and Installation Guide</p> <p>Comprehensive user manual and installation guide for VOVO Stylement Bidet models including VB-6000SE, VB-6100SR, VB-4000SE, VB-4100SR, VB-3000SE, and VB-3100SR. Covers product characteristics, safety instructions, installation procedures, operation, maintenance, troubleshooting, specifications, and warranty information.</p>
 <p>VOVO Parts Replacement Guide This manual provides detailed instructions for the following procedure: Deodorizer Fan Replacement It is important to read the required steps carefully to ensure safe and efficient replacement of the deodorizer fan.</p> <p>VOVO ENGLISH/FRENCH/SPANISH User Manual Please go to the link below for any customer support and troubleshooting: www-us.vovo.com/pages/support-collection</p> <p>Return Notice Avis de retour Aviso de devolución</p> <p>TABLE OF CONTENTS</p> <p>Product Characteristics 2 Safety Precautions 5 How to Use 6 Maintenance 22 Troubleshooting 23 Specifications 25 Customer Support 26 VOVO Warranty 28</p>	<p>VOVO Bidet Parts Replacement and Installation Guide</p> <p>Comprehensive guide for replacing the deodorizer fan and performing installation, detachment, and reattachment procedures for VOVO bidet toilet seats. Includes model-specific instructions for VB-3000, VB-3100, VB-4000, VB-4100, VB-6000, and VB-6100.</p>
 <p>VOVO ENGLISH/FRENCH/SPANISH User Manual Please go to the link below for any customer support and troubleshooting: www-us.vovo.com/pages/support-collection</p> <p>Return Notice Avis de retour Aviso de devolución</p> <p>TABLE OF CONTENTS</p> <p>Product Characteristics 2 Safety Precautions 5 How to Use 6 Maintenance 22 Troubleshooting 23 Specifications 25 Customer Support 26 VOVO Warranty 28</p> <p>VOVO Stylement Bidet User Manual This manual provides detailed instructions for the following procedure: Deodorizer Fan Replacement It is important to read the required steps carefully to ensure safe and efficient replacement of the deodorizer fan.</p>	<p>VOVO STYLEMENT BIDET User Manual</p> <p>User manual for VOVO STYLEMENT BIDET, covering product characteristics, safety instructions, installation, operation, and troubleshooting for models VB-6000SE, VB-6100SR, VB-4000SE, VB-4100SR, VB-3000SE, and VB-3100SR.</p>
 <p>VOVO Liste de Vérification des Facteurs Externes Assurez-vous que la pression d'eau sur le système de rinçage soit suffisante. Veuillez consulter la section de dépannage pour plus d'informations. Si le système de rinçage fonctionne mal, vérifiez si les tuyaux sont correctement connectés et si les robinets sont bien fermés. Si le système de rinçage fonctionne mal, vérifiez si les tuyaux sont correctement connectés et si les robinets sont bien fermés.</p>	<p>VOVO Bidet Toilet Seat: External Factors Checklist and Bidet Function Guide</p> <p>This guide provides a checklist for external factors, instructions for power reset and water valve adjustment, and details on using the bidet functions for VOVO bidet toilet seats, including models VB 3K, 5K, 4K, and 6K.</p>
 <p>VOVO General Factor Check List 1. Please reset the toilet. 2. Unplug the unit. 3. Turn off the water supply. 4. Plug the unit back in. 5. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly. 6. Check if the main line is blocked by debris, which could be caused by debris or debris. 7. Inspect the hose on each side to see if the rubber packing is blocked. 8. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly. 9. Check the Standard Steel cover of the unit is in proper alignment. 10. Turn on the water supply and press the pressure or tension button on the remote control panel to see if the unit is functioning properly.</p>	<p>VOVO Bidet Troubleshooting Guide: External Factor Check List</p> <p>A comprehensive troubleshooting guide from VOVO for bidet users, detailing steps to resolve common external factors affecting bidet functionality, including power resets, water supply checks, filter cleaning, hose inspection, and T-connector replacement.</p>

Documents - VOVO – VB-4000SE

[pdf] User Manual Installation Guide Guide

VOVO User Manual Installation Guide USVOVO USA BIDET TOILET SEAT QUICK GUIDEcdn shopify s files 1 0522 5932 4075 GUIDE v 1744818391 |||

Easily install the VOVO BIDET by yourself Elongated Only VB-6000SE / **VB-4000SE** / VB-3000SE 5.3 - 7.8 Round Only VB-6100SR / VB-4100SR / VB-3100SR 5.3 - 7.8 Elongated Round 17.9-19 455-485mm 16.1-17.7 410-450mm 1 Remove the existing toilet seat. 17.9-19 / 455-485mm 20 -21 / 510-535mm...

lang:en score:52 filesize: 1.03 M page_count: 2 document date: 2025-04-16

[\[pdf\]](#) User Manual Guide

installalition guide 200508 2 Manual de usuario y guía instalación VOVO USA VB 201008 2yr v

1610398417 cdn shopify s files 1 0522 5932 4075 ||

VB-4000SE VB-4100SR ...

lang:en score:39 filesize: 950.21 K page count: 2 document date: 2021-01-08

VOVO STYLED BIDET
User Manual

Please go to the link below for any customer support and register the product.

Veuillez accéder au lien ci-dessous pour contacter le service client et enregistrer le produit.
<https://vovo-us.com/pages/support-collection>

TABLE OF CONTENTS

Product Characteristic	2
Health & Safety Precautions	5
Name of Parts	10
Installation Method	15
How to Use	15
Maintenance	21
Troubleshooting	22
Specifications	27
Limited Warranty	28
VOVO Warranty	29

Product Images:

- VOVO One Bidet (standard)
- VOVO One Bidet (elongated)
- VOVO One Bidet (standard) with remote
- VOVO One Bidet (elongated) with remote
- VOVO One Bidet (standard) with remote and water tank
- VOVO One Bidet (elongated) with remote and water tank

Customer Support:

- Thank you for choosing our bidet.
- This manual includes the warranty. Keep the manual to receive customer service.
- Read this manual completely before use.
- Upon receiving water tank, please check for quality check.
- If you have any questions or problems, please contact us before installation.


E-mail: support@vovo.com

[pdf] User Manual Frequently Asked Questions

QR USA VB A4 A B 0430 FAQ Smart Bidet Toilet VOVO US VB User Manual v 1716950766
cdn shopify s files 1 0522 5932 4075 |||


ENGLISH/FRENCH/SPANISH VOVO ChatBot 24hrs customer support Please go to the link below for any customer service on For VB-3000SE, VB-3100SR,check the LED light on nozzle position/water pressure level 1. For **VB-4000SE**, VB-4000N, VB-4100SR, VB-6000SE, VB-6100SR, check the power LED on the display panel. Up...

lang:es score:38 filesize: 4.7 M page count: 32 document date: 2024-05-29




[pdf] User Manual Guide

installalition guide 200508 2 Installation ManualVOVO Stylement VB 4100SR Round Electric Premium Smart Bidet Toilet Sea US Bath StoreVOVO Manualcdn shopify s files 1 0555 9527 0317 VOVO Manual v 1638770855 |||
VB-4000SE VB-4100SR ...
lang:es score:37 filesize: 951.33 K page_count: 2 document date: 2021-01-08



[pdf] Installation Guide Guide

installalition guide 200508 2 VOVO Stylement Installation GuideVovo Bidet Toilet Seat VB4000SE VB4100SRVOVO Guidecdn shopify s files 1 0536 5324 2030 Guide v 1643651433 |||
VB-4000SE VB-4100SR ...
lang:es score:36 filesize: 950.21 K page_count: 2 document date: 2021-01-08



[pdf] User Manual

VB 200414 VOVO VB 4000SE 01 MANUAL drive google u 0 uc id 1x17 57hvlfgvMbX0rPuT tqs1hEpbqEg export |||
VOVO WATERJET BIDET Press down the STOP button on the side control panel of the product, without seating, once to operate power save mode. Press down the STOP button once more, without seating, to turn o the power save mode. **WATERJET BIDET PRODUCT ...**
lang:es score:33 filesize: 18.07 M page_count: 24 document date: 2020-04-15

Vovo STYLED BIDET
User Manual

ENGLISH/FRENCH/SPANISH

Please go to the link below for **any customer support and register the product**.
Veuillez accéder au lien ci-dessous pour contacter le service client et enregistrer le produit.
<https://vovo-us.com/pages/support-collection>

TABLE OF CONTENTS

Product Characteristic	2
Safety Precautions	2
Name of Parts	10
Installation Method	13
How to Use	15
Maintenance	21
Troubleshooting	22
Specifications	27
Limited Warranty	28
Vovo Warranty	29

■ Thank you for choosing our bidet.
■ This manual includes the warranty. Keep the manual to receive customer service.
■ Read this manual carefully before use.
■ This product is water tested for quality check.
■ If you have well water system, please contact us before installation.
E-mail: support@vovo.com

VB-4000SE (elongated)
VB-4200SE (round)

VB-5000SE (elongated)
VB-5200SE (round)

VB-6000SE (elongated)
VB-6200SE (round)

[pdf] User Manual

QR USA VB A4 A B 0624 VOVO Stylement VB 6000SE 6100SR Bidet Toilet Seat User

ManualVOVO Elongated Round Free Shipping — Premier BidetsVOVO Manualcdn shopify s files 1 0694

2058 1182 Manual v 1725127355 4000SE 4100SR 1725127355cdn 1725047750 ||| |||

ENGLISH/FRENCH/SPANISH Stainless Steel Nozzle Stainless Steel Nozzle Stainless Steel Nozzle

Please plug in the power only after completing all installation and opening the water valve. For VB-4000SE, VB-4100SR Posterior Rhythm Press the Pos

ENGLISH/FRENCH/SPANISH Stainless Steel Nozzle Stainless Steel Nozzles

Stainless Steel Nozzle Please plug in the power only after completing all installation.

and opening the water valve. For **VB-4000SE**, VB-4100SR Posterior Rhythm Press the Posterior button to release the nozzle...

lang:en score:31 filesize: 4.52 M page_count: 32 document date: 2024-06-27

[\[pdf\]](#) User Manual Installation Guide Frequently Asked Questions Warranty

VB User Manual ENG 2023 ver 1 FAQ Smart Bidet Toilet VOVO EUcdn shopify s files 0564 7489 4521

v 1683092546 |||

Please register your product at www.vovo-eu.com to receive full warranty benefits.

ENGLISH FRENCH SP ... Il aura détecté un mouvement sur le capteur. Gu

VB-6000SE alargado VB-6100SR redondo **VB-4000SE** alargado VB-4100SF

intertek
Worldwide Quality Assurance

AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Conceded when made in accordance with the conditions set forth in the Certification Agreement and Listing Request. This authorization also to make multiple (models) identified on the same page of this document.

This document is the property of Intertek Testing Services and is not transferrable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Appliance: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Party Authorized To Apply Mark:
Region/Issues Office: Same as Manufacturer
Intermark Korea Ltd, 604-6060 Korea Ltd.

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Intertek Testing Services
Korea Ltd.

100-1301 Eulji-ro 201, Yongsan-gu, Seoul, 120-0005, Korea

Telphone: 02-545-3881 Fax: 02-545-3887

URL: www.intertek.com

Intertek Testing Services Korea Ltd.

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

Comments: **TV** (Gyeonggi, Bup, Seocho-dong)
Address: 332, Seocho-gil, Gangnam-gu, Seoul, Korea
Country: Korea
Name: Samsung Electronics Co., Ltd
Phone: 82-2-941-0500
Fax: 82-2-941-0500
Email: esopt@sec.samsung.com

[pdf]

View Details certification VOVO USVOVO BIDET TOILET SEAT ETLcdn shopify s files 1 0522 5932 4075

ETL v 1747172297 ||

AUTHORIZATION TO MARK This authorizes the application of the Certification Marks shown below to the following products: VB-4000, VB-4100, VB-3000, VB-3100, VB-4000N, VB-4100N, VB-3000N, VB-3100N, VB3000SE, VB-3100SR, **VB-4000SE**, VB-4100SR, VB-2000, VB-2100, VB-2500W, VB-2600W. ATM for Report 161000123SEL-001 Page 2 of 2

lang:en score:30 filesize: 321.75 K page count: 4 document date: 0000-00-00



[pdf] Installation Guide Instructions Specifications

4000 4100 VOVO Stylement Quick Specs Vovo Bidet Toilet Seat VB4000SE VB4100SR VOVO Specs

4100cdn shopify s files 1 0536 5324 2030 v 1643652520 Specs Specification Sheet Vovo VB 4100SR

Round Electric Premium Smart Sea US Bath Store VOVO 4100Vovo VB400SE Specifications cdn

1643652520cdn 0555 9527 0317 Vovo Specifications 1638110955 Stores spécification USVOVO

1638110955cdn 0522 5932 4075 1630362571 ||| ||| Model no. VB-4000SE/4100SR VB-4000SE

Elongated VB-4100SR Round Features - LED Night Light - Heated Seat - Eco-friendly Power Save - 3 in 1

1 Full Stainless Nozzle - Warm Air Dryer - Deodorization - Self Cleaning Nozzle - Soft Close - Posterior |||

Model no. VB-4000SE/4100SR VB-4000SE Elongated VB-4100SR Round Features - LED Night Light -

Heated Seat - Eco-friendly Power Save - 3 in 1 Full Stainless Nozzle - Warm Air Dryer - Deodorization -

Self Cleaning Nozzle - Soft Close - Posterior


Model no. **VB-4000SE/4100SR VB-4000SE** Elongated VB-4100SR Round Features -

LED Night Light - Heated Seat - Eco-friendly Power Save - 3 in 1 Full Stainless

Nozzle - Warm Air Dryer - Deodorization - Self Cleaning Nozzle - Soft Close -

Posterior Wash / Feminine Wash / Turbo Wash / Rhythm Included ...

lang:en score:29 filesize: 1.64 M page_count: 1 document date: 2021-08-13



[pdf] User Manual


QR USA VB A4 A B 0624 VOVO Stylement VB 3000SE 3100SR Bidet Toilet Seat User Manual

Free Shipping — Premier Bidets v 1725046162cdn shopify s files 1 0694 2058 1182 |||

ENGLISH/FRENCH/SPANISH Stainless Steel Nozzle Stainless Steel Nozzle

Stainless Steel Nozzle Please plug in the power only after completing all installation and opening the water valve. For **VB-4000SE**, VB-4100SR Posterior Rhythm Press the Posterior button to release the nozzle...

lang:en score:29 filesize: 4.52 M page_count: 32 document date: 2024-06-27



[pdf] Installation Guide Instructions Specifications

4000 4100 Specification Smart Bidet Seat VB 4000SE 4100SR Premium Heated Warm Water Dryer

Wireless Remote Self Cleaning Stainless Steel Nozzle VOVO US SPEC v 1692159818cdn shopify s files

1 0522 5932 4075 |||

Model no. **VB-4000SE/4100SR VB-4000SE** Elongated VB-4100SR Round Features -

LED Night Light - Heated Seat - Eco-friendly Power Save - 3 in 1 Full Stainless

Nozzle - Warm Air Dryer - Deodorization - Self Cleaning Nozzle - Soft Close -

Posterior Wash / Feminine Wash / Turbo Wash / Rhythm Required ...

lang:en score:29 filesize: 3.49 M page_count: 1 document date: 2023-08-16



[pdf] Warranty Catalog

skepurin@gmail STYLEMENT Electric Smart Bidet Seat for Elongated Toilet in White with Side Panel Control and Nightlight Warranty VOVO VB 2500W 0850016152145 1005447493 d7534893 e83c 4f66 b8a2 c88ed0c849dc images thdstatic catalog Images d7 |||

VOVO WARRANTY TWO YEARS LIMITED WARRANTY SMART BIDET PRODUCT
This warranty covers the following models: **VB-3000SE, VB-3100SR, VB-4000SE, VB-4100SR, VB-2000, VB-2100, VB-2500W, VB-2600W** 1. VOVO is proud to guarantee all our products with the longest, most complete coverage warranty in the electronic b...

lang:en score:28 filesize: 82.85 K page_count: 1 document date: 2020-03-20



[pdf] Warranty

here VOVO Stylement TCB 8200SA Electric Smart Integrated Bidet Toilet Seat 2023 One year Two years limited warranty The policies are written in more detail USA Product Warranty v 1638775118 cdn shopify s files 1 0555 9527 0317 |||

VOVO USA Product warranty information page Stylement Corporation <https://vovo-us.com/pages/warranty> English / US Dollar USD Warranty 1 of 5 **VOVO WARRANTY ONE YEAR/TWO YEARS LIMITED WARRANTY VOVO STYLEMENT BIDET SEAT TWO YEARS WARRANTY : VB-4000SE, VB-4100SR, VB-3000SE, VB-3100SR, VB-2500W, VB...**

lang:en score:28 filesize: 452.09 K page_count: 3 document date: 0000-00-00




[pdf] Warranty Catalog

skepurin@gmail VOVO WARRANTY ONE YEAR TWO YEARS LIMITED WARRANTY VOVO is proud to guarantee all our products with the longest most complete coverage warranty in electronic bidet world Our policies are written more f7c8691b e7af 4abf 80ba 0bab9516e95d images thdstatic catalog Images f7 f7c8691b 0bab9516e95d |||

VOVO WARRANTY ONE YEAR/TWO YEARS LIMITED WARRANTY WATERJET BIDET PRODUCT and AIR PURIFIER One year warranty: **VB-3000S, VB-3100S, VB-5000SE, VB-5100SR, VB-6000SE, VB-6100SR, VB-4000S, VB-4100S** Two year warranty: **VB-4000SE, VB-4100SR, VB-3000SE, VB-31000SR, , VB-2500W, VB-2600W, M-001W, M-001B** 1. VOVO ...

lang:en score:27 filesize: 88.97 K page_count: 1 document date: 2020-10-28



[pdf] User Manual Warranty

VB Manual User VOVO EUVB 28df5f9c ab45 4882 8bfe 80a211df2a08cdn shopify s files 1 0548 6929 5304 80a211df2a08 v 1714027298 EUUser 80a211df2a08VB 1714027298cdn * Please register your product at Only 4000SE 4100SR has the deodorization function Refer to pages 11 15 activate When is User EUC15kybHiYFLVB 80a211df2a08m media amazon images I C15kybHiYFL ref dp quick viewcdn ||| ||| Please register your product at vovo-eu.com/pages/product-registration to receive full warranty benefit. Stainless Steel Nozzle Stainless Steel Nozzle Please plug in the power only after completing all installation and opening the water va

Please register your product at vovo-eu.com/pages/product-registration to receive full warranty be ... tivated the deodorization function using function the remote control is not operational. Only **VB-4000SE**, VB-4100SR has the deodorization function. Please refer to pages 7 to locate the Seat Se...

lang:it score:27 filesize: 5.16 M page_count: 24 document date: 2024-04-25




[pdf] Guide Catalog

Bidet Fit Check Guide VOVO STYLEMENT Electric Smart Seat for Elongated Toilet in White with Remote Control and UV A LED Sterilization VB 4000SE 43cb9524 5a6f 4fb3 bcbd 315b0f915d77 images thdstatic catalog Images 43 |||

...

lang:it score:26 filesize: 1.11 M page_count: 1 document date: 2021-03-30




[pdf] Installation Guide Instructions Specifications

4000 4100 Specification VOVO EU4000 Specificationcdn shopify s files 1 0564 7489 4521 v 1706161670 |||

Model no. **VB-4000SE/4100SR** **VB-4000SE** Elongated VB-4100SR Round Features - UV LED - Heated Seat - Eco-friendly Power Save - 3 in 1 Full Stainless Nozzle - Warm Air Dryer - Deodorization - Self Cleaning Nozzle - Soft Close - Posterior Wash / Feminine Wash / Turbo Wash / Rhythm

lang:en score:21 filesize: 429.66 K page_count: 1 document date: 2024-01-25



[\[pdf\]](#)

VB 4000SE Class B Digital Device VOVO Corporation INC View Details certification US Report IC EMC
2504001263 A254A 167 VOVOVB 3000SE finalcdn shopify s files 1 0522 5932 4075 Report final v
1747171614 |||

...

lang:en **score:14** filesize: 5.4 M page_count: 44 document date: 2025-05-09