

Manuals.plus /

› TOPCHARGEUR /

› TOPCHARGEUR 5V AC Power Adapter User Manual for MEDION AKOYA E2228T MD 61250

TOPCHARGEUR B0855SP61T

TOPCHARGEUR 5V AC Power Adapter User Manual

Model: B0855SP61T

1. INTRODUCTION

Welcome to the user manual for your TOPCHARGEUR 5V AC Power Adapter. This adapter is designed to provide reliable power to compatible devices, specifically the MEDION AKOYA E2228T MD 61250. Please read this manual carefully before use to ensure proper operation and safety. Keep this manual for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using this product:

- This adapter is intended for indoor use only. Do not expose it to rain, moisture, or extreme temperatures.
- Ensure the adapter's voltage (100-240V AC) matches your wall outlet's voltage.
- Do not use the adapter if the cable or plug is damaged.
- Always unplug the adapter from the wall outlet when not in use or before cleaning.
- Keep the adapter out of reach of children.
- Do not attempt to disassemble or modify the adapter. Refer all servicing to qualified personnel.
- Ensure proper ventilation around the adapter during use to prevent overheating.

3. PACKAGE CONTENTS

Verify that your package contains the following item:

- 1x TOPCHARGEUR 5V AC Power Adapter (Model: B0855SP61T)

4. PRODUCT OVERVIEW

The TOPCHARGEUR 5V AC Power Adapter consists of a main adapter unit with a two-pin European plug, an integrated cable, and a DC barrel connector at the end of the cable. The adapter converts alternating current (AC) from your wall outlet to direct current (DC) required by your device.



Image showing the TOPCHARGEUR 5V AC power adapter with its two-pin European plug and DC barrel connector. The adapter body is black, and the cable is coiled.

5. SETUP

Follow these steps to set up your power adapter:

1. **Verify Compatibility:** Ensure your device, such as the MEDION AKOYA E2228T MD 61250, requires a 5V DC input with a positive center polarity and matches the adapter's connector type.
2. **Connect to Device:** Carefully insert the DC barrel connector of the adapter into the power input port of your compatible device. Ensure a snug fit.
3. **Connect to Power Outlet:** Plug the two-pin AC plug of the adapter into a standard wall power outlet (100-240V AC, 50-60Hz).

6. OPERATING INSTRUCTIONS

Once connected, the adapter will supply power to your device. You can then power on your device as usual. The adapter is designed for continuous operation, but it is recommended to unplug it when not in use for extended periods.

7. MAINTENANCE

Proper maintenance ensures the longevity of your power adapter:

- **Cleaning:** Disconnect the adapter from both the wall outlet and your device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Inspection:** Periodically inspect the cable and connectors for any signs of wear, cuts, or damage. If any damage is observed, discontinue use immediately.

8. TROUBLESHOOTING

If you encounter issues with your power adapter, refer to the following table:

| Problem | Possible Cause | Solution |
|---------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Device not receiving power. | Adapter not properly plugged into wall outlet or device. | Ensure both ends of the adapter are securely connected. Try a different wall outlet. |
| Adapter feels unusually hot. | Poor ventilation or overloaded circuit. | Ensure the adapter has adequate airflow. Unplug other devices from the same outlet if possible. If overheating persists, discontinue use. |
| Visible damage to cable or connector. | Physical wear and tear. | Discontinue use immediately to prevent electrical hazards. Replace the adapter. |

9. SPECIFICATIONS

| Feature | Specification |
|------------------------|------------------------------|
| Input Voltage | 100-240V AC |
| Input Frequency | 50-60Hz |
| Output Voltage | 5V DC |
| Polarity | Positive Center |
| Cable Length | 110 cm |
| Compatible Devices | MEDION AKOYA E2228T MD 61250 |
| Model Number (Adapter) | B0855SP61T |

10. WARRANTY AND SUPPORT

This product is covered by a standard manufacturer's warranty. Please refer to your purchase documentation for specific warranty terms and conditions. For technical support or warranty claims, please contact the retailer or manufacturer directly using the contact information provided at the time of purchase.

Please retain your proof of purchase for warranty purposes.