Manuals+
Q & A | Deep Search | Upload

Intel 4214R

Intel Xeon Silver 4214R Processor: User Instruction Manual

Model: 4214R | Brand: Intel

1. Product Overview

The Intel Xeon Silver 4214R is a high-performance Dodeca-core (12-core) processor designed for server and data center environments. It offers essential performance, improved memory speed, and power efficiency, making it suitable for entry-level data center compute, network, and storage applications. This processor features a base clock speed of 2.40 GHz, with an overclocking speed of up to 3.50 GHz, and includes 16.50 MB of cache. It is built on a 14 nm process and utilizes the Socket 3647 interface, supporting 24 threads.

Image 1.1: Top view of the Intel Xeon Silver 4214R processor, showing the Intel logo and model markings.

2. Setup and Installation

Proper installation of the Intel Xeon Silver 4214R processor is crucial for optimal performance and system stability. Always handle the processor by its edges to avoid touching the gold contacts or the top surface.

2.1 Pre-Installation Checklist

- Compatible motherboard with an LGA 3647 socket.
- Appropriate thermal solution (heatsink and fan or liquid cooler) for Socket 3647.
- Thermal interface material (TIM), if not pre-applied to the cooler.
- Anti-static wrist strap or other grounding measures.
- Clean, well-lit workspace.

2.2 Processor Installation Steps

1. **Prepare the Motherboard:** Ensure the motherboard is securely mounted in the chassis and the CPU socket lever(s) are open.
2. **Align the Processor:** Carefully align the processor with the LGA 3647 socket. The processor has

specific notches that must match the socket's alignment keys. Do not force the processor into the socket.

3. **Seat the Processor:** Gently lower the processor straight down into the socket. It should sit without significant pressure.
4. **Secure the Processor:** Close the socket lever(s) to secure the processor in place. Refer to your motherboard manual for specific instructions on securing the LGA 3647 socket.
5. **Apply Thermal Paste:** If your thermal solution does not have pre-applied thermal paste, apply a small amount (pea-sized dot) to the center of the processor's integrated heat spreader (IHS).
6. **Install Thermal Solution:** Mount the compatible heatsink and fan or liquid cooler onto the processor, following the cooler manufacturer's instructions. Ensure even pressure and secure attachment.
7. **Connect Fan/Pump:** Connect the thermal solution's fan or pump cable to the appropriate header on the motherboard (e.g., "CPU_FAN" or "AIO_PUMP").

Image 2.1: Top and bottom views of the Intel Xeon Silver 4214R processor, highlighting the pin array on the underside.

3. Operating Considerations

Once installed, the Intel Xeon Silver 4214R processor operates as the central processing unit of your system. Its performance is influenced by several factors, including motherboard capabilities, memory configuration, and cooling efficiency.

- **BIOS/UEFI Settings:** Ensure your motherboard's BIOS/UEFI is updated to support the Xeon Silver 4214R processor. Verify that CPU-related settings, such as virtualization technology (VT-x/VT-d) and power management, are configured appropriately for your workload.
- **Cooling:** Maintain adequate airflow within the server chassis and ensure the thermal solution is functioning correctly to prevent overheating. High temperatures can lead to performance throttling and system instability.
- **Workload Management:** Optimize your operating system and applications to leverage the 12 cores and 24 threads effectively for demanding server tasks.

4. Maintenance

Regular maintenance helps ensure the longevity and stable performance of your processor and the overall

system.

- **Dust Removal:** Periodically clean dust from the heatsink fins and cooling fans using compressed air. Dust accumulation can impede airflow and reduce cooling efficiency.
- **Thermal Paste Inspection:** Every few years, or if you notice increased operating temperatures, consider reapplying thermal paste. Old or dried thermal paste can lose its effectiveness.
- **System Monitoring:** Use system monitoring software to keep track of CPU temperatures, core utilization, and clock speeds. This helps identify potential issues before they become critical.

5. Troubleshooting

If you encounter issues after installing or during the operation of your Intel Xeon Silver 4214R processor, consider the following troubleshooting steps:

5.1 System Not Booting / No Display

- **Check Power Connections:** Ensure all power cables, especially the CPU power connector (EPS 8-pin or 4+4 pin), are securely connected to the motherboard.
- **Reseat Components:** Carefully reseat the CPU, RAM modules, and any expansion cards.
- **Verify CPU Compatibility:** Confirm that your motherboard's BIOS/UEFI version supports the Intel Xeon Silver 4214R. An outdated BIOS may not recognize newer processors.
- **Clear CMOS:** Reset the motherboard's CMOS settings to default. Refer to your motherboard manual for instructions.

5.2 Overheating Issues

- **Check Thermal Solution:** Ensure the heatsink is properly seated and making good contact with the CPU. Verify that the thermal paste application is adequate.
- **Fan Functionality:** Confirm that all CPU and chassis fans are spinning correctly and are connected to the motherboard.
- **Airflow:** Ensure proper airflow within the chassis. Remove any obstructions and manage cables to improve ventilation.
- **Dust:** Clean any dust accumulation from the heatsink and fans.

5.3 Performance Degradation

- **Monitor Temperatures:** High temperatures can cause the CPU to throttle its performance. Address any overheating issues.
- **Check Power Limits:** Ensure that power limits in the BIOS/UEFI or operating system are not artificially restricting CPU performance.
- **Driver Updates:** Ensure all system drivers, especially chipset drivers, are up to date.
- **Background Processes:** Identify and close unnecessary background applications that may be consuming CPU resources.

6. Specifications

Key technical specifications for the Intel Xeon Silver 4214R processor:

Feature	Specification
Processor Model	Intel Xeon Silver 4214R

Feature	Specification
Cores / Threads	12 Cores / 24 Threads
Base Clock Speed	2.40 GHz
Max Turbo Frequency	3.50 GHz
Cache	16.50 MB Intel Smart Cache
Socket Type	LGA 3647
TDP (Thermal Design Power)	100 W
Lithography	14 nm
Product Dimensions	2.2 x 3 x 0.25 inches
Item Weight	1 pound
Manufacturer Model Number	CD8069504343701

7. Warranty Information

This Intel Xeon Silver 4214R processor is covered by Intel's standard limited warranty. For detailed information regarding warranty terms, conditions, and duration, please refer to the official Intel warranty documentation provided with your purchase or visit the official Intel support website. Warranty coverage typically addresses manufacturing defects under normal use conditions.
Please retain your proof of purchase for warranty claims.

8. Customer Support

For further assistance, technical support, or to report issues not covered in this manual, please contact Intel Customer Support through their official channels:

- **Intel Support Website:** www.intel.com/support
- Refer to your product packaging or Intel's official website for regional contact information and support options.

© 2023 Intel Corporation. All rights reserved. Information in this document is subject to change without notice.

Related Documents - 4214R



Product Change Notification

Intel Product Change Notification 853587-00: Boxed Processor Updates

Notification regarding updates to Intel Boxed Processor manuals, Single Point of Contact (SPoC) details, and China RoHS compliance tables, affecting various Intel Core and Xeon processors.



Intel Xeon CPU Support List for C621-WD12 Motherboard

Find detailed specifications for Intel Xeon Platinum, Gold, Silver, and Bronze processors compatible with the C621-WD12 motherboard, including SKYLAKE-S and Cascade Lake series.

Intel Core i7-4790K Processor - User Manual

Product Overview

Intel Core i7-4790K Processor User Manual and Technical Specifications

Comprehensive user manual and technical specifications for the Intel Core i7-4790K desktop processor, codenamed Haswell. Includes product overview, installation guide, overclocking guidelines, and troubleshooting tips for PC enthusiasts and builders.

Intel Desktop Processor Warranty FAQ: Eligibility, Exchange, and Troubleshooting

Comprehensive FAQ guide on Intel desktop processor warranties. Covers eligibility for boxed vs. OEM processors, warranty exchange procedures, troubleshooting steps, and identification of engineering samples. Get answers to common warranty questions for Intel CPUs.

Intel Xeon E5-2680 v4 Processor

Product Overview

Intel Xeon E5-2680 v4 Processor: User Manual and Installation Guide

Detailed user manual and installation guide for the Intel Xeon E5-2680 v4 processor. Covers specifications, compatible components, installation steps, troubleshooting, and performance optimization for server and workstation environments.

OpenCL™ Developer Guide for Intel® Processor Graphics

OpenCL™ Developer Guide for Intel® Processor Graphics: Optimization and Performance

This comprehensive guide offers developers detailed insights and optimization techniques for OpenCL applications targeting Intel® Processor Graphics. It covers architectural specifics, memory management, coding best practices for CPU and GPU, performance analysis, and multi-device strategies.



[pdf] Specifications Documentation Guide

Content Conductor Supported Environments Guide Telestream LLC 9 0 telestream net support content conductor documentation |||

Telestream Content Conductor Supported Environments Release: 9.0 Revision: 1.0 November 3, 2023 Co ... nt recommended for the installation of the Manager software: Rack mount chassis Intel Xeon Silver **4214R** 2.4Ghz 12C/24T or equivalent optional second processor possible 64GB RAM Two 2 TB HDD 15,0...

lang:en score:26 filesize: 608.08 K page_count: 51 document date: 2023-11-03



[pdf] User Manual Owner's Manual Specifications Dimension Guide Guide

Dell EMC PowerEdge T440 Technical Specifications Owner s Manual specification User Guide Spec Sheet memory DIMM slots BIOS UEFI technical specifications power consumption supply dimension weight hard drive HDD SSD IDSDM SD card OPEN sheet in new window Shop for Intel Xeon Silver 4210R 13 75M Cache 2 4GHz 16 MicroAid Ireland mmo 85893944 1675862244 5471 23060 objects icecat biz |||

Dell EMC PowerEdge T440 Technical Specifications Regulatory Model: E30S Series Regulatory Type: E30S ... el Xeon Silver 4210R 100 10 Yes Yes Intel Xeon Silver 4214 85 12 Yes Yes Intel Xeon Silver **4214R** 100 12 Yes Yes Intel Xeon Silver 4215 85 8 Yes Yes Intel Xeon Silver 4216 100 16 Y...

lang:en score:25 filesize: 110.29 K page_count: 11 document date: 2022-11-04

[pdf]

SERVER SHOP UA Предложение в Процессор серверный INTEL Xeon Silver 4214R CD8069504343701 Купить server shop ua 13751 protsessor servernyj intel xeon silver 4214r cd8069504343701 |||

HP, DELL, IBM /, , INTEL Xeon Silver **4214R** CD8069504343701 : CD8069504343701 INTEL Xeon Silver **4214R** CD8069504343701 : 12 : 34 760 / : 34 760.00 / : 34 760.00 12 0 800 751-880 SERVER-SHOP.UA - : 09:00 18:00 ., ., 11 ...

lang:en score:25 filesize: 88.03 K page_count: 1 document date: 2022-08-28

[pdf]

SERVER SHOP UA Предложение в Процессор серверный Intel Xeon Silver 4214R P4X CLX4214R SRG1W Купить server shop ua 14547 protsessor servernyj intel xeon silver 4214r p4x clx4214r srg1w |||

HP, DELL, IBM /, , Intel Xeon Silver **4214R** Intel Xeon Silver **4214R** : P4X-CLX**4214R**-SRG1W : 12 12 0 800 751-880 SERVER-SHOP.UA - : 09:00 18:00 ., ., 11 ...

lang:en score:24 filesize: 88.7 K page_count: 1 document date: 2022-08-14



[pdf] User Manual Owner's Manual Specifications Datasheet Dimension Guide Guide Borchure

Dell EMC PowerEdge T440 Technical Specifications Owner s Manual specification User Guide Spec Sheet memory DIMM slots BIOS UEFI technical specifications power consumption supply dimension weight hard drive HDD SSD IDSDM SD card DELL server 480 GB Tower 5U Intel Xeon Silver 2 4 GHz 32 DDR4 SDRAM 495 W Product Brochure Datasheet 0 1 MB MDVD1 mmo 85893765 1630929315 6613 1785 objects icecat biz |||

Dell EMC PowerEdge T440 Technical Specifications Regulatory Model: E30S Series Regulatory Type: E30S ... el Xeon Silver 4210R 100 10 Yes Yes Intel Xeon Silver 4214 85 12 Yes Yes Intel Xeon Silver **4214R** 100 12 Yes Yes Intel Xeon Silver 4215 85 8 Yes Yes Intel Xeon Silver 4216 100 16 Y...

lang:en score:24 filesize: 107.55 K page_count: 11 document date: 2021-05-24



[pdf] User Manual Owner's Manual Specifications Datasheet Dimension Guide Guide Borchure

Dell EMC PowerEdge T440 Technical Specifications Owner s Manual specification User Guide Spec Sheet memory DIMM slots BIOS UEFI technical specifications power consumption supply dimension weight hard drive HDD SSD IDSDM SD card DELL server 480 GB Rack 5U Intel Xeon Silver 2 4 GHz 16 DDR4 SDRAM 495 W Product Brochure Datasheet 0 1 MB 4J7VC mmo 95460568 1637592097 9913 4820 objects icecat biz |||

Dell EMC PowerEdge T440 Technical Specifications Regulatory Model: E30S Series Regulatory Type: E30S ... el Xeon Silver 4210R 100 10 Yes Yes Intel Xeon Silver 4214 85 12 Yes Yes Intel Xeon Silver **4214R** 100 12 Yes Yes Intel Xeon Silver 4215 85 8 Yes Yes Intel Xeon Silver 4216 100 16 Y...

lang:en score:24 filesize: 108.75 K page_count: 11 document date: 2021-09-28

Hewlett Packard Enterprise

Scheda tecnica

HPE PROLIANT ML350 GEN10 4214R 1P 32GB-R P408I-A 8SFF 1X800W RPS SERVER (P21789-421)

Server ProLiant ML

NOVITÀ

- Supporta le offerte aggiuntive dei processori scalabili Intel® Xeon di seconda generazione che garantiscono al cliente un valore eccezionale, con prestazioni potenziate e frequenza leader di settore.
- Supporta alloggiamenti per unità misti LFF e SFF all'interno dello stesso server per storage con tiering, per offrire la flessibilità

PANORAMICA

Ti serve un server robusto per PMI e sedi distaccate? Il server HPE ProLiant ML350 Gen10 è un server tower dual-socket sicuro con prestazioni, espandibilità e affidabilità comprovate e rappresenta la scelta ideale per PMI in espansione, sedi distaccate di aziende di maggiori dimensioni e dalla center aziendali. Il server HPE ProLiant ML350 Gen10 sfrutta i processori scalabili Intel® Xeon® per ottenere fino al 72% [1] di incremento delle prestazioni e fino al 27% di aumento dei core

[pdf]

Manuale Server Intel Xeon Silver ProLiant ML350 HP P21789 421 in Offerta su Prezzoforte 275497 mmo 78864216 1589275465 6046 4365 prezzoforte it |||

Scheda tecnica HPE PROLIANT ML350 GEN10 **4214R** 1P 32GB-R P408I-A 8SFF 1X800W RPS SERVER P21789-421 Server ProLiant ML NOVIT Supporta le offerte aggiuntive dei processori scalabili Intel Xeon di seconda generazione che garantiscono al cliente un valore eccezionale, con prestazioni potenziate e fre...

lang:it score:23 filesize: 497.96 K page_count: 0 document date: 0000-00-00

SERVER SHOP

СЕРВЕРЫ HP, DELL, IBM
БУ, ВОССТАНОВЛЕННЫЕ, НОВЫЕ

Процессор серверный DELL EMC Intel Xeon Silver 4214R 2.4G, 12C/24T(338-BVKC) Новый

Есть в наличии **Код для заказа: 338-BVKC**

Процессор серверный DELL EMC Intel Xeon Silver 4214R 2.4G, 12C/24T(338-BVKC)

- Гарантия: 12 месяцев от компании "Сервер Шоп"

Цена: 51 817 грн
Цена БЕЗ НДС: 51 817.00 грн
БЕЗ НДС - недоступен для этого товара

12 мес Гарантия от компании "Сервер Шоп"

Всегда максимальная комплектация

Бесплатная доставка по Украине

Скидки постоянным клиентам

Льготный апгрейд на весь срок гарантии

0 (800) 751-880
Бесплатный звонок по Украине

SERVER-SHOP.UA
ПН - ПТ: с 09:00 до 18:00
г.Ирпень, ул.Соборная, 11

[pdf]

SERVER SHOP UA Предложение в Процессор серверный DELL EMC Intel Xeon Silver 4214R 2 4G 12C 24T 338 BVKC Купить server shop ua 16263 protsessor servernyj dell emc intel xeon silver 4214r 24g 12c24t338 bvkc |||

HP, DELL, IBM /, , DELL EMC Intel Xeon Silver **4214R** 2.4G, 12C/24T 338- BVKC : 338-BVKC DELL EMC Intel Xeon Silver **4214R** 2.4G, 12C/24T 338-BVKC : 12 : 51 817 / : 51 817.00 / - 12 0 800 751-880 SERVER-SHOP.UA - : 09:0...

lang:it score:23 filesize: 88.33 K page_count: 1 document date: 2022-08-15

OFFICE Partner

Intel Xeon Silver 4214R / 2.4 GHz Prozessor

[pdf]

Datenblatt en HPE Intel Xeon Silver 4214R P19792 B21 @ playox de 12860178 Datenblatti1KXQyJUcUBAP cdn assets media c0 ed dd |||

Produktdatenblatt Intel Xeon Silver **4214R** / 2.4 GHz Prozessor Produktbeschreibung: Intel Xeon Silver **4214R** - 2.4 GHz - 12 Kerne - 24 Threads - 16.5 MB Cache-Speicher - fr ProLiant ML350 Gen10 Gruppe: Hersteller: Hersteller Artikel Nr: EAN: Prozessor-Upgrades Hewlett Packard Enterprise P19792-B2...

lang:de score:23 filesize: 225.1 K page_count: 2 document date: 2023-06-13

Lenovo Intel Xeon Silver 4214R processeur 2,4 GHz 16,5 Mo

Marque : Lenovo Code produit: 4XG7A37987

Nom du produit : Intel Xeon Silver 4214R

Lenovo Intel Xeon Silver 4214R, Famille de processeur: Intel® Xeon® Silver, Socket de processeur (réceptable de processeur): LGA 3647 (Socket P), Lithographie du processeur: 14 nm, Canaux de mémoire: Canal Hexa, Mémoire interne maximum prise en charge par le processeur: 1000 Go, Types de mémoires pris en charge par le processeur: DDR4-SDRAM, Segment de marché: Serveur, Set d'instructions pris en charge: AVX, AVX 2.0, AVX-512, SSE4.2, Évolutivité: 2S, Taille de l'emballage du processeur: 76 x 56.5 mm

Processeur	
Génération de processeurs	Intel® Xeon® Scalable de 2nd génération
Modèle de processeur *	4214R
Fréquence de base du processeur *	2.4 GHz
Famille de processeur *	Intel® Xeon® Silver
Nombre de cœurs du processeur *	12
Socket de processeur (réceptable de processeur) *	LGA 3647 (Socket P)
composant pour	Serveur/Station de travail
Lithographie du processeur *	14 nm
Nombre de threads du processeur	24
Mode de fonctionnement du processeur *	64-bit
Fréquence du processeur Turbo	3.5 GHz
Mémoire cache du processeur	16.5 Mo
Thermal Design Power (TDP, Thermal Design Power)	100 W
Refroidisseur inclus *	✗
Type de bus	UPI
Nombre de liens QPI	2
Nom de code du processeur	Cascade Lake

Mémoire	
Mémoire interne maximum prise en charge par le processeur	1000 Go
Types de mémoires pris en charge par le processeur	DDR4 SDRAM
Vitesses d'horloge de mémoire prises en charge par le processeur	2400 MHz
Canaux de mémoire *	Canal Hexa
ECC	✓

Graphique	
Carte graphique intégrée *	✗
Adaptateur de carte graphique distinct *	✗
Modèle d'adaptateur graphique intégré	Indisponible
Modèle d'adaptateur graphique distinct	Indisponible

Caractéristiques	
Bit de verrouillage	✓
Segment de marché	Serveur

Caractéristiques	
Set d'instructions pris en charge	AVX, AVX 2.0, AVX-512, SSE4.2
Évolutivité	2S
Les options intégrées disponibles	✓

Caractéristiques spéciales du processeur	
Technologie Intel® Hyper-Threading (Intel® HT Technology)	✓
Technologie Intel® Turbo Boost	2.0
Nouvelles instructions Intel® AES (Intel® AES-NI)	✓
Technologie SpeedStep évoluée d'Intel	✓
Technologie Trusted Execution d'Intel®	✓
Technologie Speed Shift d'Intel®	✓
Intel® VT-x avec Extended Page Tables (EPT)	✓
Intel® 64	✓
Technologie de virtualisation d'Intel® (VT-x)	✓
Technologie Intel® Virtualization Technology pour les E/S dirigées (VT-d)	✓
Technologie 3.0 Intel® Turbo Boost Max	✗
Jeuxes FMA (Fused Multiply-Add) Intel® AVX	1
Intel® Deep Learning Boost (Intel® DL Boost)	✓
Intel® Speed Select technology - Profil de performances (Intel® SST-PP)	✗
Intel® Volume Management Device (VMD)	✓
Intel® Optane™ DC Persistent Memory Supported	✗
Intel® vPro™ Platform Eligibility	✓
Intel® Speed Select Technology - Base Frequency (Intel® SST-BF)	✗

Conditions environnementales	
Tcase	79 °C

Données logistiques	
Code du système harmonisé	85423119

Publication date: 24-MAI-2023. Prints or copies of information are only valid on the printed Publication date

[pdf] Instructions

TéléchargementLenovo Intel Xeon Silver 4214R processeur 2 4 GHz 16 5 Mo SECOMP France523098687secomp fr media xcont 989 728 3 523098687 |||

Lenovo Intel Xeon Silver **4214R** processeur 2,4 GHz 16,5 Mo Marque : Lenovo Nom du produit : Intel Xeon Silver **4214R** Code produit: 4XG7A37987 Lenovo Intel Xeon Silver **4214R**. Famille de processeur: Intel Xeon Silver, Socket de processeur rceptable de processeur : LGA 3647 Socket P , Lithographie d...

lang:fr score:23 filesize: 173.73 K page_count: 3 document date: 2023-05-24



Lenovo Intel Xeon Silver 4214R processor 2,4 GHz 16,5 MB

Merk : Lenovo Artikelcode: 4XG7A37987

Productnaam : Intel Xeon Silver 4214R

Lenovo Intel Xeon Silver 4214R, Processorfamilie: Intel® Xeon® Silver, Processor socket: LGA 3647 (Socket P), Processor lithografie: 14 nm, Geheugen kanaal: Zeskanaal, Maximaal intern geheugen ondersteund door processor: 1000 GB, Geheugentypen ondersteund door processor: DDR4 SDRAM, Marktsegment: Server, Ondersteunde instructie sets: AVX, AVX 2.0, AVX-512, SSE4.2, Schaalbaarheid: 2S, Verpakkingsgrootte processor: 76 x 56.5 mm

Processor	
Processorgeneratie	2e generatie Intel® Xeon® schaalbaar
Processormodel *	4214R
Basisfrequentie processor *	2.4 GHz
Processorfamilie *	Intel® Xeon® Silver
Aantal processorkernen *	12
Processor socket *	LGA 3647 (Socket P)
Component voor	Server/werkstpaats
Processor lithografie *	14 nm
Processor aantal threads	24
Processor operating modes *	64-bit
Maximale turbofrequentie van processor	3.5 GHz
Processor cache	16.5 MB
Thermal Design Power (TDP)	100 W
Inclusief koeler *	✗
Bus type	UPI
aantal QPI links	2
Codenaam processor	Cascade Lake

Geheugen	
Maximaal intern geheugen ondersteund door processor	1000 GB
Geheugentypen ondersteund door processor	DDR4 SDRAM
Klokgeheugen snelheden ondersteund door processor	2400 MHz
Geheugen kanaal *	Zeskanaals
ECC	✓

Grafisch	
Ingebouwde grafische adapter *	✗
Aparte grafische adapter *	✗
On-board graphics adapter model *	Niet beschikbaar
Discreet grafische adapter model *	Niet beschikbaar

Kenmerken	
Execute Disable Bit	✓
Marktsegment	Server
Maximaal aantal PCI Express-lijnen	48
PCI Express slots versie	3.0
Ondersteunde instructie sets	AVX, AVX 2.0, AVX-512, SSE4.2
Schaalbaarheid	2S

Kenmerken	
Ingebouwde opties beschikbaar	✓

Processor speciale functies	
Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Intel® Turbo Boost Technology	2.0
Intel® AES-New Instructions (Intel® AES-NI)	✓
Enhanced Intel SpeedStep Technology	✓
Intel® Trusted Execution Technology	✓
Intel® Speed Shift-technologie	✓
Intel® VT-x with Extended Page Tables (EPT)	✓
Intel® 64	✓
Intel® Virtualization Technology (VT-x)	✓
Intel® Virtualization Technology for Directed I/O (VT-d)	✓
Intel® Turbo Boost Max Technology 3.0	✗
AVX-512 Fused Multiply-Add (FMA) eenheden	1
Intel® Deep Learning Boost (Intel® DL Boost)	✓
Intel® Speed Select-technologie - Prestatieprofiel (Intel® SST-PP)	✗
Intel® Volume Management Device (VMD)	✓
Intel® Optane™ DC Persistent Memory ondersteund	✗
Intel® vPro™ Platform Eligibility	✓
Intel® Speed Select-technologie - Basisfrequentie (Intel® SST-BF)	✗

Bron van de oorsprong	
Tcase	79 °C

Logistieke gegevens	
Code geharmoniseerd systeem (HS)	85423119

Gewicht en omvang	
Verpakkingsgrootte processor	76 x 56.5 mm

Publication date: 24-MAI-2023. Prints or copies of information are only valid on the printed Publication date

[pdf]

Download Lenovo Intel Xeon Silver 4214R processor 2 4 GHz 16 5 MB SECOMP Nederland GmbH 523098687 secomp nl data i2cmsdata xcont 989 728 |||

Lenovo Intel Xeon Silver **4214R** processor 2,4 GHz 16,5 MB Merk : Lenovo Productnaam : Intel Xeon Silver **4214R** Artikelcode: 4XG7A37987 Lenovo Intel Xeon Silver **4214R**. Processorfamilie: Intel Xeon Silver, Processor socket: LGA 3647 Socket P , Processor lithografie: 14 nm. Geheugen kanaal: Zeskanaal...

lang:nl score:22 filesize: 172.78 K page_count: 2 document date: 2023-05-24

Procesor Xeon Silver 4214R BOX BX806954214R

Indeks: **68723** Producent: **Intel** Kod producenta: **BX806954214R**

Cena: **4,603.41 zł**

Opis

Procesor Xeon Silver 4214R BOX BX806954214R

Producent: Intel

Właściwości

- Opis
- Kod procesora **Xeon 4214R**
- Rodzina procesora **Intel Xeon**
- Gniazdo procesora **Socket 3647**
- Taktowanie procesora **2.4**
- Taktowanie procesora (Boost) **3.5**
- Liczba rdzeni **12**
- Liczba wątków **24**
- Obsługa ECC **Tak**
- Technologia wykonania **14 nm**
- Architektura (32/64-bit) - rylko procesory i systemy op. - nie zla wywołać **64-bit**
- Pozostałe informacje
- Wersja **Box**

Parametry

Producent	Intel
Kod producenta	BX806954214R
Stan	Nowy
EAN	5032037173576
Waga produktu z opakowaniem jednostkowym	0.15

[pdf]

Procesor Xeon Silver 4214R BOX BX806954214R Sklep internetowy stylem pl procesor xeon silver 4214r box bx806954214r 68723 upload files product |||

Procesor Xeon Silver **4214R** BOX BX80695**4214R** Indeks: 68723 Producent: Intel Kod producenta: BX80695**4214R** Cena: 4,603.41 zl Opis Procesor Xeon Silver **4214R** BOX BX80695**4214R** Producent: Intel Wlaciwoci Opis Kod procesora Xeon**4214R** Rodzina procesora Intel Xeon Gniazdo procesora Socket 3647 Taktowanie p...

lang:hr score:22 filesize: 56.86 K page_count: 1 document date: 2022-08-04



Intel® Xeon® Silver 4214R Processor
16.5M Cache, 2.40 GHz

Spec Code	SR6 TW
Ordering Code	CD8069[illegible]

Intel® Xeon® Silver 4214R Processor (16.5M Cache, 2.40 GHz)	
Essentials	
Product Collection	2nd Generation Intel® Xeon® Scalable Processors
Code Name	Products formerly Cascade Lake
Vertical Segment	Server
Processor Number	4214R
Status	Launched
Launch Date	Q1'20
Lithography	14 nm
Recommended Customer Price	$694.00 - $905.00
Performance	
# of Cores	12
# of Threads	24
Processor Base Frequency	2.40 GHz
Max Turbo Frequency	3.50 GHz
Cache	16.5 MB
# of UPI Links	2
TDP	100 W
Supplemental Information	
Embedded Options Available	Yes
Memory Specifications	
Max Memory Size (dependent on memory type)	1 TB
Memory Types	DDR4-2400
Maximum Memory Speed	2400 MHz
Max # of Memory Channels	6
ECC Memory Supported ‡	Yes
Intel® Optane™ DC Persistent Memory Supported	No
Expansion Options	
Scalability	2S
PCI Express Revision	3
Max # of PCI Express Lanes	48
Package Specifications	
Sockets Supported	FCLGA3647

[pdf] Specifications Datasheet

Jocy Lin 96MPXCAR 2 4 16M36 4214R 4G 16 5M 24 Datasheet20200605100856 adv advantech productfile PIS file ||| ||| Intel Xeon Silver 4214R Processor 16.5M Cache, 2.40 GHz Essentials Product Collection 2nd Generation Intel Xeon Scalable Processors Code Name Products formerly Cascade Lake Vertica

Intel Xeon Silver **4214R** Processor 16.5M Cache, 2.40 GHz Essentials Product Collection 2nd Generation Intel Xeon Scalable Processors Code Name Products formerly Cascade Lake Vertical Segment Server Processor Number **4214R** Status Launched Launch Date Q1 20 Lithography 14 nm Recommende...

lang:en score:22 filesize: 83 K page_count: 2 document date: 2020-05-25



Telestream

DIVA

Supported Environments

Release: 9.0

Revision: 1.0

January 9, 2024

2401091737

[pdf] Specifications Documentation Guide

DIVA Supported Environments Guide Telestream LLC Jan 9 2024 · Untested Configurations Used at Customer s Own Risk 15 Known The Dell TL2000 is an IBM TS3100 library 2 ML6010 an Core 0 telestream net support diva documentation Release |||

Telestream DIVA Supported Environments Release: 9.0 Revision: 1.0 January 9, 2024 2401091737 Cop ... nt recommended for the installation of the Manager software: Rack mount chassis Intel Xeon Silver **4214R** 2.4Ghz 12C/24T or equivalent optional second processor possible 64GB RAM Two 2 TB HDD 15,0...

lang:en score:22 filesize: 661.45 K page_count: 51 document date: 2024-01-10



HYRICAN Produktdatenblatt

Intel Xeon Silver 4214R / 2.4 GHz Prozessor

Produktbeschreibung:	Intel Xeon Silver 4214R - 2.4 GHz - 12 Kerne - 24 Threads - 16.5 MB Cache-Speicher - für PowerEdge C4140, PowerEdge C6420, FC640, M640, MX740, R440, R540, R640, R740, T440, T640
Gruppe:	Prozessor-Upgrades
Hersteller:	Dell
Hersteller Artikel Nr:	338-BVKC

No image available

Hauptmerkmale	
Produktbeschreibung	Intel Xeon Silver 4214R / 2.4 GHz Prozessor
Produkttyp	Prozessor
Prozessortyp	Intel Xeon Silver 4214R
Anz. der Kerne	12 Kerne / 24 Threads
Cache-Speicher	16.5 MB
Prozessoranz.	1
Taktfrequenz	2.4 GHz
Max. Turbo-Taktfrequenz	3.5 GHz
Funktionen	Hyper-Threading-Technologie
Entwickelt für	PowerEdge C4140, PowerEdge C6420, FC640, M640, MX740c, R440, R540, R640, R740, R740xd, T440, T640

[pdf]

%product title% Conrad Electronic Suisse fiche technique 2841126 338 bvkc dell processeur cpu boxed intel xeon silver 4214r 12 x socket pc 3647 100 w asset conrad media10 add 160267 c1 gl 821358891DS00 |||

Produktdatenblatt Intel Xeon Silver **4214R** / 2.4 GHz Prozessor Produktbeschreibung: Gruppe: Hersteller: Hersteller Artikel Nr: Hauptmerkmale Produktbeschreibung Produkttyp Prozessortyp Anz. der Kerne Cache-Speicher Prozessoranz. Taktfrequenz Max. Turbo-Taktfrequenz Funktionen Entwickelt fr Intel X...

lang:de score:21 filesize: 70.02 K page_count: 1 document date: 2022-01-04

[pdf] Borchure Catalog

Brochure HPE ProLiant DL380 Gen10 Intel Xeon S 4214R 12 Core P24842 B21 05386b232871da89eaf3727b6f91e5fc7b074b81 1042675 icecat multimedia leaflet 1 fr FR gfx3 senetic akeneo catalog 0 5 3 8 |||

Fiche technique SERVEUR HPE PROLIANT DL380 GEN10**4214R**, MONOPROCESSEUR, 32GO-R P408I-A NC 8LECTEURSSFF, ALIMENTATION 800W P24842-B21 ProLiant DL Servers NOUVEAUTS Prend en charge les familles de processeurs Intel Xeon Scalable VUE D ENSEMBLE Quel est le goulet d tranglement de votre serveur: le...

lang:fr score:20 filesize: 522.83 K page_count: 0 document date: 0000-00-00

[pdf] Datasheet Borchure

Manufacturer s Product Brochure HPE ProLiant ML350 G10 4U Tower Server 1 x Intel Xeon Silver 4214R 2 40 GHz 32 GB RAM Serial ATA 600 Controller Camcor 350061397 HP P21789 001 camcor brochures Index of |||

Data sheet HPE PROLIANT ML350 GEN10**4214R** 1P 32GB-R P408I-A 8SFF 1X800W RPS SERVER P21789-001 ProLiant ML300 Servers WHAT S NEW Supports the additional 2nd generation Intel Xeon Scalable Processor offerings delivering exceptional customer value with increased performance and industry leading OV...

lang:en score:20 filesize: 511.53 K page_count: 0 document date: 0000-00-00

[pdf]

Паспорт VOLAT Xeon Silver 4214R K91941 Пасканов Владислав Витальевич fc91737b babc 41b3 98e0 a6bbb684b215unibelus kz upload files a6bbb684b215 |||

220070, , ., ., 7 https://unibelus.by/ 375 29/44/25 500-2000 info unibelus.com 375 17 330-15-05 VOLAT Xeon Silver **4214R**/32Gb/6x1.2Tb/DVDRW/AOC-STGN-I2S/AOC-E10GSFPLR/4U https://www.unibelus.by/itm/K91941 220070, , ., ., 7 https://unibelus.by/ 375 29/44/25 500-2000 in...

lang:i-klingon score:19 filesize: 160.04 K page_count: 4 document date: 2021-10-11



büroTec

Lenovo ThinkStation P720 30BA - Tower - 2 x Xeon Silver 4214R / 2.4 GHz

vPro - RAM 64 GB - SSD 1 TB - TCG Opal Encryption - NVMe - keine Grafiken - GigE - Win 10 Pro for Workstations 64-bit - Monitor: keiner - Tastatur: Deutsch - TopSeller

Gruppe	Komplettsysteme
Hersteller	Lenovo
Hersteller Art. Nr.	30BA000XGE
EAN/UPC	0195713019125

Beschreibung

Mit Intel Xeon Prozessoren und NVIDIA Quadro Grafik bietet diese mit zwei Prozessoren ausgestattete Workstation optimale Leistung. Sie eignet sich perfekt bei hohen Anforderungen an Datenverarbeitung und bietet schnelle Rechenleistung, umfassende Speicheroptionen sowie Parallelverarbeitung.

Hauptmerkmale

Produktbeschreibung	Lenovo ThinkStation P720 - Tower - Xeon Silver 4214R 2.4 GHz - vPro - 64 GB - SSD 1 TB - Deutsch
Typ	Workstation – Tower
Plattform-Technologie	Intel vPro Platform
Lokalisierung	Sprache: Deutsch / Region: Deutschland
Prozessor	2 x Intel Xeon Silver 4214R / 2.4 GHz (3.5 GHz) (12 Kerne)
Prozessorsockel	FCLGA3647 Socket
Cache-Speicher	33 MB
Cache pro Prozessor	16.5 MB
RAM	64 GB (installiert) / 768 GB (Max) - DDR4 SDRAM - ECC
Massenspeicher-Controller	RAID (SATA 6Gb/s), RAID (PCI Express)
Festplatte	SSD 1 TB - PCI Express - M.2 - TCG Opal Encryption, NVM Express (NVMe)
Optischer Speicher	Kein optisches Laufwerk
Kartenleser	Ja
Grafik-Controller	Keine Grafiken
Netzwerk	GigE
Tastatur	Deutsch
Stromversorgung	Wechselstrom 120/230 V (50/60 Hz)
Bereitgestelltes Betriebssystem	Windows 10 Pro für Workstations 64-bit Edition
Abmessungen (Breite x Tiefe x Höhe)	17.5 cm x 48.5 cm x 44.6 cm
Gewicht	25.7 kg
Hersteller-Vertriebsprogramm	TopSeller

[pdf]

Datenblatt Download Lenovo ThinkStation P720 30BA Tower 2 x Xeon Silver 4214R 4 GHz büroTec DgtXexwJW0OamJuut8JaZUuElY1xEPqaMGt36TqGDNXS6QFmBJ1X4enr1g6nayNa4PcMB21k 2uXUIYn KFn3xPyvJHVD1TPedQMSmNwTldxSFnTBYrchdKjTEdaDdur shop buerotec de media a6 90 8a KFn3xPyvJHVD1TPedQMSmNwTldxSFnTBYrchdKjTEdaDdurDnC97sE39NvJzfyBshUdVJMWc0HXI CHXN9ohnLLRR264srnuv44 |||

Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Lenovo ThinkStation P720 30BA Tower - 2 x Xeon Silver **4214R** / 2.4 GHz vPro - RAM 64 GB - SSD 1 TB - TCG Opal Encryption - NVMe - keine Grafiken GigE - Win 10 Pro fr Workstations 64-bit - Monitor: keiner - Tastatur: Deutsch - TopSeller Komplettsysteme Le...

lang:de score:19 filesize: 158.73 K page_count: 4 document date: 2022-01-02



Dell EMC PowerEdge T440

Especificaciones técnicas

Modelo reglamentario: E30S Series
Tipo reglamentario: E30S002
Noviembre de 2020
Rev. A11

DELL EMC

[pdf] User Manual

Dell EMC PowerEdge T440 Especificaciones técnicas Manual del propietario Especificación técnica de Guía usuario Hoja especificaciones Ranuras DIMM memoria UEFI y BIOS Suministro consumo energía Peso dimensiones Tarjeta SD IDSDM SSD HDD Leaflet Servidores SERVIDOR DELL 4214R 480GB 32GB DMI Computer S A Mayorista distribuidor Informático leaflet dmi es 156 97134 23332376 |||

Dell EMC PowerEdge T440 Especificaciones tcnicas Modelo reglamentario: E30S Series Tipo reglamentari ... S Intel Xeon Silver 4210R 100 10 S S Intel Xeon Silver 4214 85 12 S S Intel Xeon Silver **4214R** 100 12 S S Intel Xeon Silver 4215 85 8 S S 10 Especificaciones tcnicas Tabla 15. ...

lang:es score:19 filesize: 102.03 K page_count: 11 document date: 2022-11-07



SANGFOR aDesk
Virtual Desktop Infrastructure Solution - Datasheet

VDS Specifications

Model (Cascade Network)	VDS-D850	VDS-M850	VDS-7960	VDS-R-D630	VDS-R-G630
Dimension	90H(2u)*448W*450D(mm)	90H(2u)*448W*450D(mm)	90H(2u)*448W*450D(mm)	90H(2u)*448W*450D(mm)	90H(2u)*448W*450D(mm)
CPU	2*Intel(R) Xeon(R) Processor Silver 4210R 10c 2.4GHz	2*Intel(R) Xeon(R) Processor Silver 4214R 12c 2.4GHz	2*Intel(R) Xeon(R) Processor Gold 6226R 16c 2.9GHz	2*Intel(R) Xeon(R) Processor Silver 4214R 12c 2.4GHz	2*Intel(R) Xeon(R) Processor Gold 6226R 16c 2.9GHz
Memory Type	DDR4	DDR4	DDR4	DDR4	DDR4
Memory	16GB of DDR	16GB of DDR	256GB (8*32G)	128GB of DDR	128GB of DDR
Memory Slots	24 slots, ever support DDR4 2933 MHz	24 slots, ever support DDR4 2933 MHz	24 slots, ever support DDR4 2933 MHz	24 slots, ever support DDR4 2933 MHz	24 slots, ever support DDR4 2933 MHz
Hard Drive	Standard SSD			Optional 1TB	
	2 options available: 1. Standard configuration: 1 x 1TB SSD 2. 1TB SSD (Optional setting: Only when VDS-7960 is being sold)	2 options available: 1. Standard configuration: 1 x 1TB SSD 2. 1TB SSD (Optional setting: Only when VDS-7960 is being sold)	2 options available: 1. Standard configuration: 1 x 1TB SSD 2. 1TB SSD (Optional setting: Only when VDS-7960 is being sold)	3 options available: 1. 1TB SSD (Minimum configuration) 2. 1TB SSD (Maximum capacity) 3. 1TB SSD (Maximum capacity, Only when VDS-R-G630 is being sold)	3 options available: 1. 1TB SSD (Minimum configuration) 2. 1TB SSD (Maximum capacity) 3. 1TB SSD (Maximum capacity, Only when VDS-R-G630 is being sold)
	Data disk is optional (capacity is minimum 2, and recommended as even number)				
Hot Swap	8* Front 2.5SSD	12* Front 2.5SSD	12* Front 2.5SSD	8* Front 2.5SSD	8* Front 2.5SSD
Max. Storage Capacity in Single Disk Mode	8T				
NIC	4*GE+2*10GE optical port	4*GE+2*10GE optical port	4*GE+2*10GE optical port	4*GE+2*10GE optical port	4*GE+2*10GE optical port
PCIe Type	PCIe 3.0	PCIe 3.0	PCIe 3.0	PCIe 3.0	PCIe 3.0
Total PCIe Slot	5	5	5	5	5
Spare PCIe Slot	2	2	2	3	3
Supported Network Card	2*10GE Optical port card (Optional setting: Only when VDS-7960 is being sold)	2*10GE Optical port card (Optional setting: Only when VDS-7960 is being sold)	2*10GE Optical port card (Optional setting: Only when VDS-7960 is being sold)	2*10GE Optical port card (Optional setting: Only when VDS-R-G630 is being sold)	2*10GE Optical port card (Optional setting: Only when VDS-R-G630 is being sold)
GPU	Not Support			Optional: 1*NVIDIA T4 16GB PCIe 3.0 x16 Single Slot Low Profile 1*NVIDIA A2 16GB PCIe 4.0 x16 Single Slot Low Profile	Optional: 1*NVIDIA T4 16GB PCIe 3.0 x16 Single Slot Low Profile 1*NVIDIA A2 16GB PCIe 4.0 x16 Single Slot Low Profile
IO Port	2*USB3.0 2*USB2.0 1*VGA	2*USB3.0 2*USB2.0 1*VGA	2*USB3.0 2*USB2.0 1*VGA	2*USB3.0 4*USB2.0 1*VGA	2*USB3.0 4*USB2.0 1*VGA
Serial Port	1				
PSU	550W or 800W dual PSU	550W or 800W dual PSU	800W dual PSU	800W dual PSU	800W dual PSU

[pdf] Datasheet

Sangfor VDI Datasheet 20200828 VDS R G630 2*Intel Xeon Processor Silver 4214R 12c 2 4GHz Gold 6226R 16c 9GHz Rsangfor vdi datasheet 20210520sangfor sites default files sangfor 20210520 |||

SANGFOR aDesk Virtual Desktop Infrastructure Solution - Datasheet VDS Speci cations Model Casca ... 90 H mm 2*Intel R Xeon R 2*Intel R Xeon R Processor Silver 4210R 10c 2.4GHz Processor Silver **4214R** 12c 2.4GHz DDR4 DDR4 800 L x448 W x90 H mm 2*Intel R Xeon R Processor Gold 6226R 16c 2.9G...

lang:en score:19 filesize: 85.04 K page_count: 3 document date: 2021-05-20



intel

Product Change Notification

Change Notification #: 853587-00
Change Title: Select Intel® Boxed Processor
Change Detail: Boxed CPU manuals, SPoC details, and China RoHS compliance table update
Date of Publication: May 01, 2025

Key Characteristics of the Change:
Documentation

Forecasted Key Milestones:

Date Customer Must be Ready to Receive Post-Conversion Material	June 02, 2025

Description of Change to the Customer:
The Intel® SKUs listed in the products affected table below will be updated with the following change(s) in the following pages:

Page 1 of 12 PCN #853587-00

[Intel Product Change Notification 853587-00: Boxed Processor Updates]

Notification regarding updates to Intel Boxed Processor manuals, Single Point of Contact (SPoC) details, and China RoHS compliance tables, affecting various Intel Core and Xeon processors.

lang:en score:19 filesize: 351.03 K page_count: 12 document date: 2025-05-02

ProductSheet
HP Workstation Z6 G4 Tower (643V7UT)

A future-proof powerhouse

No matter what the future holds, you'll have all the performance you need. Ideal for VFX and rendering, this workhorse offers a wide range of processing power and the flexibility to upgrade components over time.

HP recommends Windows 11 Pro for business

Designed to grow with you
Invest only in the technologies you need today, and easily upgrade in the future. Scale-up with a broad range of configurations from single or dual processors to multiple graphics cards.

Relentless power
Take on demanding workloads with high-powered processors, professional graphics and 768 GB of memory. Experience seamless performance during graphics-intensive work, such as visual effects and design visualization.

HP's most secure workstations
Advanced security features come standard on every Z6. Rest assured your device, identity and data are safe with security software like HP Client Security Suite[2] and HP Sure Start, the industry's first self-healing BIOS with intrusion detection.

Featuring

Intel® Xeon® processor
Get professional-class speed to maximize your performance and optimize on the most demanding professional workflows with the Intel® Xeon® processor. [1]

Security is your top priority
The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses. [3]

Graphics
Get serious about graphics and reach peak productivity with access to a breadth of NVIDIA® and AMD professional graphics, from entry to ultra 3D. [4]

Storage
Install the fastest professional-grade storage hardware around, unlocking performance for storage-bound applications without sacrificing standard PCIe slots.

Deliberate design
The Z6 workstation's sleek, iconic design doesn't compromise on quiet, reliable performance.

Generated by Dynamic Collateral Tool - (www.mf) - Mar 15, 2022 11:08 AM UTC +0000

[pdf] Borchure

Manufacturer Brochure HP Z6 G4 Workstation Intel Xeon Gold Dodeca core 12 Core 4214R 2 40 GHz 16 GB DDR4 SDRAM RAM 512 SSD Tower antonline 1071850030 content etilize |||

ProductSheet HP Workstation Z6 G4 Tower 643V7UT A future-proof powerhouse No matter what the futur ... ing system Windows 11 Pro Processor family Intel Xeon Gold processor Processor Intel Xeon Gold **4214R** 2.4 GHz base frequency, up to 3.5 GHz with Intel Turbo Boost Technology, 16.5 MB cache, 12 co...

lang:en score:19 filesize: 529.55 K page_count: 4 document date: 2022-03-15

ProductSheet
HP Workstation Z6 G4 Tower (643V9UT)

A future-proof powerhouse

No matter what the future holds, you'll have all the performance you need. Ideal for VFX and rendering, this workhorse offers a wide range of processing power and the flexibility to upgrade components over time.

HP recommends Windows 11 Pro for business

Designed to grow with you
Invest only in the technologies you need today, and easily upgrade in the future. Scale-up with a broad range of configurations from single or dual processors to multiple graphics cards.

Relentless power
Take on demanding workloads with high-powered processors, professional graphics and 768 GB of memory. Experience seamless performance during graphics-intensive work, such as visual effects and design visualization.

HP's most secure workstations
Advanced security features come standard on every Z6. Rest assured your device, identity and data are safe with security software like HP Client Security Suite[2] and HP Sure Start, the industry's first self-healing BIOS with intrusion detection.

Featuring

Intel® Xeon® processor
Get professional-class speed to maximize your performance and optimize on the most demanding professional workflows with the Intel® Xeon® processor. [1]

Security is your top priority
The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses. [3]

Graphics
Get serious about graphics and reach peak productivity with access to a breadth of NVIDIA® and AMD professional graphics, from entry to ultra 3D. [4]

Storage
Install the fastest professional-grade storage hardware around, unlocking performance for storage-bound applications without sacrificing standard PCIe slots.

Deliberate design
The Z6 workstation's sleek, iconic design doesn't compromise on quiet, reliable performance.

Generated by Dynamic Collateral Tool - (www.mf) - Mar 15, 2022 11:51 AM UTC +0000

[pdf] Borchure

Manufacturer Brochure HP Z6 G4 Workstation Intel Xeon Gold Dodeca core 12 Core 4214R 2 40 GHz 32 GB DDR4 SDRAM RAM 512 SSD Tower antonline 1071850021 content etilize |||

ProductSheet HP Workstation Z6 G4 Tower 643V9UT A future-proof powerhouse No matter what the futur ... ing system Windows 11 Pro Processor family Intel Xeon Gold processor Processor Intel Xeon Gold **4214R** 2.4 GHz base frequency, up to 3.5 GHz with Intel Turbo Boost Technology, 16.5 MB cache, 12 co...

lang:en score:19 filesize: 553.58 K page_count: 4 document date: 2022-03-15

ProductSheet
HP Workstation Z8 G4 Tower (643W3UT)

HP's most powerful desktop workstation [2]

Top-of-the-line power to fuel those who reimagine our world. When you need a workstation with the capability to run complex simulations, handle advanced Machine Learning algorithms and process huge amounts of data, the HP Z8 doesn't disappoint.

HP recommends Windows 11 Pro for business.

Extreme power
Run 3D simulations and edit 8K video in real time with up to 56 processing cores and up to 1.5 TB high-speed memory. Certified for various software, such as ANSYS or After Effects, you can create and iterate more to deliver better work in less time.

Industry-leading design and acoustics
From the inside out, the Z8 is an engineering wonder. The modern exterior provides tool-free access to a clean, modular interior. Strategically placed vents and ducts throughout the system circumvent airflow for ultra-quiet performance.

HP's most secure workstations
Advanced security features come standard on every Z8. Rest assured your device, identity and data are safe with security software like HP Client Security Suite Gen10 and HP Sure Start Gen10[8], the industry's first self-healing BIOS with intrusion detection.

Featuring

Intel® Xeon® processor
Get professional-class speed to maximize your performance and uptimes on the most demanding professional workflows with the Intel® Xeon® processor.[10]

Security in your top priority
The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses.[18]

NVIDIA® Quadro® Graphics
Experience high-end visualization and seamlessly render your biggest projects with the most generation NVIDIA® Quadro® P-series graphics, certified and supported for the apps you use every day.

Memory
Easily handle massive datasets with 24 memory slots supporting up to 3 TB of high-speed memory.[11]

Expandability
Get ultra-flexible configuration with 7 high performance PCIe Gen3 slots and get additional expandability supporting up to 4 PCIe storage devices with optional slots.[14]

Generated by Dynamic Collateral Tool - Generated - Mar 15, 2022 3:09 PM GMT +0000

[pdf] Borchure

Manufacturer Brochure HP Z8 G4 Workstation Intel Xeon Gold Dodeca core 12 Core 4214R 2 40 GHz 16 GB DDR4 SDRAM RAM 512 SSD Tower antonline 1071849996 content etilize |||

ProductSheet HP Workstation Z8 G4 Tower 643W3UT HP s most powerful desktop workstation 2 Top-of- ... ing system Windows 11 Pro Processor family Intel Xeon Gold processor Processor Intel Xeon Gold **4214R** 2.4 GHz base frequency, up to 3.5 GHz with Intel Turbo Boost Technology, 16.5 MB cache, 12 co...

lang:en score:19 filesize: 529.51 K page_count: 4 document date: 2022-03-15

Hewlett Packard Enterprise

Hoja de datos

SERVIDOR HPE PROLIANT DL380 GEN10 4214R 1P 32 GB-R P408I-A NC 8 SFF FUENTE DE 800 W (P24842-B21)

ProLiant DL Servers

NOVEDADES
- Admite la segunda generación de la familia de procesadores escalables Intel® Xeon®.
- Aumento de la densidad de la GPU de ancho único con hasta 7 NVIDIA T4/Quadro P2000/P2200 a Intel PAC D5005 (Stratix 10 SX) en un servidor de

DESCRIPCIÓN GENERAL
¿Dónde se encuentra el cuello de botella de su servidor: en el almacenamiento, en el procesamiento o en la expansión? El servidor HPE ProLiant DL380 Gen10 ofrece lo último en seguridad, rendimiento y capacidad de expansión, respaldado por una garantía completa. Estandarizado en la plataforma de procesamiento más fiable del sector. El servidor HPE ProLiant

[pdf]

Leaflet Servidores SERVIDOR HPE DL380G10 S 4214R 32GB DMI Computer A Mayorista y distribuidor Informático leaflet dmi es 156 77575 16885082 |||

Hoja de datos SERVIDOR HPE PROLIANT DL380 GEN10**4214R** 1P 32 GB-R P408I-A NC 8 SFF FUENTE DE 800 W P24842-B21 ProLiant DL Servers NOVEDADES Admite la segunda generacin de la familia de procesadores escalables Intel Xeon. Aumento de la densidad de la GPU de ancho nico con hasta 7 NVIDIA T4/Quadro...

lang:es score:19 filesize: 507.27 K page_count: 0 document date: 0000-00-00

HPE GreenLake

Data sheet

HPE ProLiant DL360 Gen10 4214R 2.4GHz 12-core 1P 32GB-R MR416i-a 8SFF BC 800W PS Server (P56951-B21)

What's new
- Support for additional second generation Intel® Xeon® Scalable processors with improved price/performance.
- Networking Choice (NC) server models provide greater flexibility in the primary networking selection.
- Enhanced iLO 5 security features such as Server Configuration Lock, iLO Security Dashboard and Workload Performance Advisor.
- HPE InfoSight provides a cloud-based analytics tool that predicts and prevents problems before your business is impacted.
- Intel® Optane™ persistent memory 100 series for HPE offers the flexibility to deploy as dense memory or fast storage and enables per-socket memory capacity

Overview
Does your data center need a secure, performance driven dense server that you can confidently deploy for virtualization, database, or high-performance computing?

The HPE ProLiant DL360 Gen10 server delivers security, agility and flexibility without compromise. It supports the Intel® Xeon® Scalable processor with up to a 60% performance gain [1] and 27% increase in cores [2], along with 2933 MT/s HPE DDR4 SmartMemory supporting up to 3.0 TB [2] with an increase in performance of up to 82% [3]. With the added performance that Intel® Optane™ persistent memory 100 series for HPE [4], HPE NVDIMMs [7] and 10 NVMe bring, the HPE ProLiant DL360 Gen10 means business. Deploy, update, monitor and maintain with ease by automating essential server life cycle management tasks with HPE OneView and HPE Integrated Lights Out 5 (iLO 5). Deploy this 2P secure platform for diverse workloads in space constrained environments.

[pdf] Datasheet Borchure Catalog

HPE ProLiant DL360 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i a 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014670666UKEN 1014670666 DL Servers Products Solutions Now psnow ext hpe Product Brochure Intel Xeon S Core P56951 B21 deaa07143bde2dd5f7213e1a8b1887c1176a1982 1683329 icecat multimedia leaflet 1 en GB gfx3 senetic akeneo catalog d e |||

Data sheet HPE ProLiant DL360 Gen10**4214R** 2.4GHz 12-core 1P 32GB-R MR416i-a 8SFF BC 800W PS Server P56951-B21 What s new Support for additional second generation Intel Xeon Scalable processors with improved price/performance. Networking Choice NC server models provide greater flexibility in t...

lang:en score:19 filesize: 333.64 K page_count: 5 document date: 2023-08-15

Hewlett Packard Enterprise

Datenblatt

HPE PROLIANT DL360 GEN10 4214R 2,4 GHZ 12 KERNE 1P 32 GB-R MR416I-A 8SFF BC SERVER MIT 800 W-NETZTEIL (P56951-421)

ProLiant DL300 Server

NEUERUNGEN

- Support für zusätzliche skalierbare Intel® Xeon® Prozessoren der zweiten Generation mit verbesserten Preis- /Leistungsverhältnis.

ÜBERSICHT

Benötigen Sie für Ihr Rechenzentrum einen sicheren, leistungsstarken, kompakten Server, den Sie zuverlässig für Virtualisierung, Datenbanken oder High Performance Computing (HPC) bereitstellen können? Der HPE ProLiant DL360 Gen10 Server bietet Sicherheit, Agilität und Flexibilität

[pdf]

HPE ProLiant DL360 Gen10 4214R 2 4 GHz 12 Kerne 1P 32 GB R MR416i a 8SFF BC Server mit 800 W Netzteil Datenblatt Hewlett Packard Enterprise PSN1014690945DEDE 1014690945 DL Products Solutions Now psnow ext hpe Technisches de HP Intel Xeon Silber Interdiscount c4c8d96cb395157242ef8e305e2e77a63b28 storage googleapis static shops products document |||

Datenblatt HPE PROLIANT DL360 GEN10**4214R** 2,4 GHZ 12 KERNE 1P 32 GB-R MR416I-A 8SFF BC SERVER MIT 800 WNETZTEIL P56951-421 ProLiant DL300 Server NEUERUNGEN Support fr zustzliche skalierbare Intel Xeon Prozessoren der zweiten Generation mit verbessertem Preis- /Leistungsverhltnis. BERSICHT Benti...

lang:de score:19 filesize: 323.48 K page_count: 6 document date: 2022-12-27

Hewlett Packard Enterprise

Fiche technique

SERVEUR HPE PROLIANT DL380 GEN10 4214R, MONOPROCESSEUR, 32GO-R P408I-A NC 8LECTEURSSFF, ALIMENTATION 800W (P24842-B21)

Serveurs ProLiant DL300

NOUVEAUTÉS

- Protégez les applications et les données avant même que votre serveur ne soit construit, grâce à la nouvelle offre de chaîne logistique éprouvée HPE
- Prend en charge les familles de processeurs Intel® Xeon® Scalable 2e génération.
- Meilleure densité du processeur graphique à simple largeur, avec jusqu'à sept accélérateurs de calcul NVIDIA Tesla T4 16Go ou sept accélérateurs Xilinx Alveo U50 pris en charge dans un rack 2U de

VUE D'ENSEMBLE

Quel est le goulet d'étranglement de votre serveur: le stockage, les calculs, l'expansion? Le serveur HPE ProLiant DL380 Gen10 offre une sécurité, des performances et une évolutivité ultra-modernes, couvertes par une garantie complète. Optez pour la plateforme informatique la plus appréciée de l'industrie. Le serveur ProLiant HPE DL380 Gen10 est conçu pour la sécurité et pour réduire les coûts et la complexité, intégrant la famille de processeurs Intel® Xeon® Scalable de première et seconde génération, qui offrent un gain de performances de 60% [1] et une augmentation de 27% du nombre des cœurs [2], et HPE DDR4 SmartMemory de 2 933 MT/s prenant en charge 3,0 To. Il prend en charge SAS 12 GBit/s et jusqu'à 20

[pdf]

Serveur HPE ProLiant DL380 Gen10 4214R monoprocesseur 32 Go R P408i a NC 8 lecteurs SFF alimentation 800 W Fiche techniqu serveur hpe proliant dl380 gen10 4214r go r p408i nc sff w p24842 b21 iris ma files |||

Fiche technique SERVEUR HPE PROLIANT DL380 GEN10**4214R**, MONOPROCESSEUR, 32GO-R P408I-A NC 8LECTEURSSFF, ALIMENTATION 800W P24842-B21 Serveurs ProLiant DL300 NOUVEAUTS Protgez les applications et les donnes avant mme que votre serveur ne soit construit, grce la nouvelle offre de chane logistique...

lang:fr score:19 filesize: 562.93 K page_count: 0 document date: 0000-00-00

Hewlett Packard Enterprise

Data sheet

HPE PROLIANT DL360 GEN10 4214R 1P 32GB-R P408I-A NC 8SFF 500W PS SERVER (P23579-B21)

ProLiant DL300 Servers

WHAT'S NEW

- Support for additional second generation Intel® Xeon® Scalable processors with improved price/performance.
- Networking Choice (NC) server models provide greater flexibility in the primary networking selection.
- Enhanced iLO 5 security features such as Server Configuration Lock, iLO Security

OVERVIEW

Does your data center need a secure, performance driven dense server that you can confidently deploy for virtualization, database, or high-performance computing?

The HPE ProLiant DL360 Gen10 server delivers security, agility and flexibility without compromise. It supports the Intel® Xeon® Scalable processor with up to a 60% performance gain [1] and 27% increase in cores [2], along with 2933 MT/s HPE

[pdf] Datasheet

hpe proliant dl360 gen10 4214r 1p 32gb r p408i a nc 8sff 500w ps server data sheet p23579 b21 435753 edshop edsystem pl fileshare products datasheet |||

Data sheet HPE PROLIANT DL360 GEN10**4214R** 1P 32GB-R P408I-A NC 8SFF 500W PS SERVER P23579-B21 ProLiant DL300 Servers WHAT S NEW Support for additional second generation Intel Xeon Scalable processors with improved price/performance. Networking Choice NC server models provide greater flexibili...

lang:en score:18 filesize: 263.07 K page_count: 6 document date: 2021-06-29

[pdf] Datasheet Borchure Catalog

HPE ProLiant ML350 Gen10 4214R 2 4GHz 12 core 1P 32GB R P408i a 8SFF 1x800W RPS Server Data sheet Hewlett Packard Enterprise PSN1014691096UKEN 1014691096 ML Servers Products Solutions Now psnow ext hpe Product Brochure Tower Intel Xeon S Core P59549 421 08f22c0495c8ccc4251eecf259aedd9edf0046c9 1718458 icecat multimedia leaflet 1 en GB gfx3 senetic akeneo catalog 0 8 f |||

Data sheet HPE ProLiant ML350 Gen10 **4214R** 2.4GHz 12-core 1P 32GB-R P408i-a 8SFF 1x800W RPS Server P59549421 ProLiant ML300 Servers What s new Supports the additional 2nd generation Intel Xeon Scalable Processor offerings Overview Do you need a robust server for your SMB and remote offices HPE ...

lang:en score:18 filesize: 317.1 K page_count: 5 document date: 2023-01-26

[pdf] Borchure

Server PS HPE ProLiant DL380 Gen10 4214R 2 4 GHz 12 core 1P 32 GB R MR416i p 8 SFF BC 800 W Scheda tecnica Hewlett Packard Enterprise PSN1014690199ITIT 1014690199 DL Products Solutions Now psnow ext hpe BrochureServer Intel Xeon HP Yepponp56963 421 leafletmultimedia yeppon it products p56963 leaflet |||

Scheda tecnica SERVER PS HPE PROLIANT DL380 GEN10**4214R** 2,4 GHZ 12 CORE 1P 32 GB-R MR416I-P 8 SFF BC 800 W P56963421 Server ProLiant DL300 NOVIT Nuova offerta HPE Trusted Supply Chain: difesa di dati e applicazioni prima della realizzazione del server. Supporto per offerte aggiuntive della PAN...

lang:it score:18 filesize: 331.33 K page_count: 5 document date: 2022-12-29

[pdf]

Leaflet Servidores SERVIDOR HPE ML350 GEN10 4214R 1P 32G STOCK SYSTIN DMI Computer S A Mayorista y distribuidor Informático leaflet dmi es 156 77826 17079265 |||

Hoja de datos SERVIDOR HPE PROLIANT ML350 GEN10**4214R** 1P 32 GB-R P408I-A 8 SFF FUENTE DE ALIMENTACIN REDUNDANTE 1X800W P21789-421 Servidores ProLiant ML NOVEDADES Compatible con las ofertas adicionales del procesador Intel Xeon Scalable de DESCRIPCIN GENERAL Necesitas un servidor fiable para tu...

lang:es score:18 filesize: 520.23 K page_count: 0 document date: 0000-00-00

Hewlett Packard Enterprise

Data sheet

HPE PROLIANT DL360 GEN10 4214R 2.4GHZ 12-CORE 1P 32GB-R MR416I-A 8SFF BC 800W PS SERVER (P56951-421)

ProLiant DL300 Servers

WHAT'S NEW

- Support for additional second generation Intel® Xeon® Scalable processors with improved price/performance
- Networking Choice (NC) server models provide greater flexibility in the primary networking selection.

OVERVIEW

Does your data center need a secure, performance driven dense server that you can confidently deploy for virtualization, database, or high-performance computing?

The HPE ProLiant DL360 Gen10 server delivers security, agility and flexibility without compromise. It supports the Intel®

[pdf] Datasheet Borchure Catalog

HPE ProLiant DL360 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i a 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014690945UKEN 1014690945 DL Servers Products Solutions Now psnow ext hpe Product Brochure Intel Xeon S Core P56951 421 ba69fc429fdaff3119550bc03fbeb037068dfdc7 1718468 icecat multimedia leaflet 1 en GB gfx3 senetic akeneo catalog b 6 9 |||

Data sheet HPE PROLIANT DL360 GEN10**4214R** 2.4GHZ 12CORE 1P 32GB-R MR416IA 8SFF BC 800W PS SERVER P56951-421 ProLiant DL300 Servers WHAT S NEW Support for additional second generation Intel Xeon Scalable processors with improved price/performance. Networking Choice NC server models provide gre...

lang:en score:18 filesize: 332.31 K page_count: 6 document date: 2022-12-27

Hewlett Packard Enterprise

Hoja de datos

SERVIDOR HPE PROLIANT DL360 GEN10 4214R 1P 32 GB-R P408I-A NC 8 SFF FUENTE DE 500 W (P23579-B21)

ProLiant DL Servers

NOVEDADES

- Admite los procesadores escalables Intel® Xeon® de 2ª generación con un rendimiento y precio mejorados
- Los modelos de servidor Networking Choice (NC) ofrecen una mayor flexibilidad en la selección de red principal

DESCRIPCIÓN GENERAL

¿Necesita un servidor denso, caracterizado por su seguridad y rendimiento para su centro de datos, que pueda implementar con tranquilidad para virtualización, bases de datos o procesamiento de alto rendimiento? El servidor HPE ProLiant DL360 Gen10 proporciona seguridad, agilidad y flexibilidad sin sacrificar el rendimiento. Es compatible con los

[pdf]

Leaflet Servidores SERVIDOR HPE DL360 GEN10 4214R 1P 32G SYSTNC 8SFF SVR DMI Computer S A Mayorista y distribuidor Informático leaflet dmi es 156 77830 16881362 |||

Hoja de datos SERVIDOR HPE PROLIANT DL360 GEN10**4214R** 1P 32 GB-R P408I-A NC 8 SFF FUENTE DE 500 W P23579-B21 ProLiant DL Servers NOVEDADES Admite los procesadores escalables Intel Xeon de 2. generacin con un rendimiento y precio mejorados. Los modelos de servidor Networking Choice NC ofrecen ...

lang:es score:18 filesize: 500.67 K page_count: 0 document date: 0000-00-00

Hewlett Packard Enterprise

Data sheet

HPE PROLIANT DL380 GEN10 4214R 2.4GHZ 12-CORE 1P 32GB-R MR416I-A 8SFF BC 800W PS SERVER (P56963-B21)

ProLiant DL300 Servers

WHAT'S NEW

- Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering
- Supporting additional second generation Intel® Xeon® Scalable processor family offerings

OVERVIEW

Where is your server bottlenecked...storage, compute, expansion?

The HPE ProLiant DL380 Gen10 server delivers the latest in security, performance and expandability, backed by a comprehensive warranty. Standardize on the industry's most

[pdf] Datasheet Warranty Borchure Catalog

HPE ProLiant DL380 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i a 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014670686UKEN 1014670686 DL Servers Products Solutions Now psnow ext hpe Product Brochure Intel Xeon S Core P56963 B21 87c75abf6945a955d562b8cb3c072acf0b453a59 1683376 icecat multimedia leaflet 1 en GB gfx3 senetic akeneo catalog 8 7 c |||

Data sheet HPE PROLIANT DL380 GEN10**4214R** 2.4GHZ 12CORE 1P 32GB-R MR416IA 8SFF BC 800W PS SERVER P56963-B21 ProLiant DL300 Servers WHAT S NEW Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering. Supporting additional second generation Intel Xe...

lang:en score:18 filesize: 330.48 K page_count: 5 document date: 2022-12-27

Hewlett Packard Enterprise

Data sheet

HPE PROLIANT DL380 GEN10 4214R 2.4GHZ 12-CORE 1P 32GB-R MR416I-P 8SFF BC 800W PS SERVER (P56963-421)

ProLiant DL300 Servers

WHAT'S NEW

- Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering
- Supporting additional second generation Intel® Xeon® Scalable processor family offerings.

OVERVIEW

Where is your server bottlenecked...storage, compute, expansion?

The HPE ProLiant DL380 Gen10 server delivers the latest in security, performance and expandability, backed by a comprehensive warranty. Standardize on the industry's most

[pdf] Datasheet Warranty Borchure Catalog

HPE ProLiant DL380 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i p 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014690199UKEN 1014690199 DL Servers Products Solutions Now psnow ext hpe Product Brochure Intel Xeon S Core P56963 421 c085abe52325c52c67dac9caff1f2df6af5c1933 1709159 icecat multimedia leaflet 1 en GB gfx3 senetic akeneo catalog c 0 8 5 |||

Data sheet HPE PROLIANT DL380 GEN10 **4214R** 2.4GHZ 12CORE 1P 32GB-R MR416I-P 8SFF BC 800W PS SERVER P56963-421 ProLiant DL300 Servers WHAT S NEW Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering. Supporting additional second generation Intel X...

lang:en score:18 filesize: 330.49 K page_count: 5 document date: 2022-12-28

ProductSheet

HP Workstation Z8 G4 Tower (643X1UT)

HP's most powerful desktop workstation [2]

Top-of-the-line power to fuel those who reimagine our world. When you need a workstation with the capability to run complex simulations, handle advanced Machine Learning algorithms and process huge amounts of data, the HP Z8 doesn't disappoint.

HP recommends Windows 11 Pro for business.

Extreme power

Run 3D simulations and edit 8K video in real time with up to 56 processing cores and up to 1.5 TB high-speed memory. Certified for serious software, such as ANSYS or After Effects, you can iterate and iterate more to deliver better work in less time.

Industry-leading design and acoustics

From the inside out, the Z8 is an engineering wonder. The modern exterior provides tool-free access to a clean, modular interior. Strategically placed vents and ducts throughout the system streamline airflow for ultra-quiet performance.

HP's most secure workstations

Advanced security features come standard on every Z8. Rest assured your device, identity and data are safe with security software like HP Client Security Suite Gen2 (CS) and HP Sure Start Gen5(SS), the industry's first self-healing BIOS with intrusion detection.

Featuring

Intel® Xeon® processor

Get professional-class speed to maximize your performance and optimize on the most demanding professional workflows with the Intel® Xeon® processor. [4]

Security in your top priority

The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses. [9]

NVIDIA Quadro GV100

Give ML developers high-performance GPU-accelerated algorithm development tools with support for the NVIDIA Deep Learning SDK and many widely used deep learning frameworks.

Memory

Easily handle massive data sets with 24 memory slots supporting up to 3 TB of high-speed memory. [1]

Expandability

Set ultra-flexible configuration with 7 high-performance PCIe Gen3 slots and get additional expandability supporting up to 8 PCIe storage devices with optional slots. [14]

Generated by Dynamic Collateral Tool - Eaw.exe - Mar 15, 2022 3:03 PM UTC +0000

[pdf] Borchure

Manufacturer Brochure HP Z8 G4 Workstation Intel Xeon Gold Dodeca core 12 Core 4214R 2 40 GHz 32 GB DDR4 SDRAM RAM 512 SSD Tower CareTek Information Technology Solutions 1071849995 content etilize Manufacturer |||

ProductSheet HP Workstation Z8 G4 Tower 643X1UT HP s most powerful desktop workstation 2 Top-of- ... ing system Windows 11 Pro Processor family Intel Xeon Gold processor Processor Intel Xeon Gold **4214R** 2.4 GHz base frequency, up to 3.5 GHz with Intel Turbo Boost Technology, 16.5 MB cache, 12 co...

lang:en score:18 filesize: 526.3 K page_count: 4 document date: 2022-03-15

ProductSheet

HP Workstation Z8 G4 Tower (644F2UT)

HP's most powerful desktop workstation [2]

Top-of-the-line power to fuel those who reimagine our world. When you need a workstation with the capability to run complex simulations, handle advanced Machine Learning algorithms and process huge amounts of data, the HP Z8 doesn't disappoint.

HP recommends Windows 11 Pro for business.

Extreme power

Run 3D simulations and edit 8K video in real time with up to 56 processing cores and up to 1.5 TB high-speed memory. Certified for serious software, such as ANSYS or After Effects, you can iterate and iterate more to deliver better work in less time.

Industry-leading design and acoustics

From the inside out, the Z8 is an engineering wonder. The modern exterior provides tool-free access to a clean, modular interior. Strategically placed vents and ducts throughout the system streamline airflow for ultra-quiet performance.

HP's most secure workstations

Advanced security features come standard on every Z8. Rest assured your device, identity and data are safe with security software like HP Client Security Suite Gen2 (CS) and HP Sure Start Gen5(SS), the industry's first self-healing BIOS with intrusion detection.

Featuring

Intel® Xeon® processor

Get professional-class speed to maximize your performance and optimize on the most demanding professional workflows with the Intel® Xeon® processor. [4]

Security in your top priority

The HP Wolf Pro Security Edition provides preconfigured enterprise-level PC protection for small and medium sized businesses. [9]

NVIDIA Quadro GV100

Give ML developers high-performance GPU-accelerated algorithm development tools with support for the NVIDIA Deep Learning SDK and many widely used deep learning frameworks.

Memory

Easily handle massive data sets with 24 memory slots supporting up to 3 TB of high-speed memory. [1]

Expandability

Set ultra-flexible configuration with 7 high-performance PCIe Gen3 slots and get additional expandability supporting up to 8 PCIe storage devices with optional slots. [14]

Generated by Dynamic Collateral Tool - Eaw.exe - Mar 15, 2022 3:17 PM UTC +0000

[pdf] Borchure

Manufacturer Brochure HP Z8 G4 Workstation Intel Xeon Gold Dodeca core 12 Core 4214R 2 40 GHz 16 GB DDR4 SDRAM RAM 512 SSD Tower CareTek Information Technology Solutions 1071850031 content etilize Manufacturer |||

ProductSheet HP Workstation Z8 G4 Tower 644F2UT HP s most powerful desktop workstation 2 Top-of- ... ing system Windows 11 Pro Processor family Intel Xeon Gold processor Processor Intel Xeon Gold **4214R** 2.4 GHz base frequency, up to 3.5 GHz with Intel Turbo Boost Technology, 16.5 MB cache, 12 co...

lang:en score:18 filesize: 514.58 K page_count: 4 document date: 2022-03-15

[pdf] Datasheet Borchure

HPE ProLiant DL360 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i a 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014670666USEN 1014670666 DL Servers Products Solutions Now psnow ext hpe Manufacturer s Product Brochure G10 1U Rack 1 x Intel Xeon Silver 40 GHz 32 GB RAM Serial ATA 12Gb SAS Controller Camcor 350074049 HP P56951 B21 camcor brochures |||

Data sheet HPE PROLIANT DL360 GEN10**4214R** 2.4GHZ 12CORE 1P 32GB-R MR416I-A 8SFF BC 800W PS SERVER P56951-B21 ProLiant DL300 Servers WHAT S NEW Support for additional second generation Intel Xeon Scalable processors with OVERVIEW Does your data center need a secure, performance driven dense serv... lang:en score:18 filesize: 409.39 K page_count: 6 document date: 2022-09-15



[pdf] Borchure

Manufacturer Brochure Lenovo ThinkStation P920 30BC007FUS Workstation 1 x Intel Xeon Silver Dodeca core 12 Core 4214R 2 40 GHz 32 GB DDR4 SDRAM RAM TB SSD Tower CareTek Information Technology Solutions 1073446661 content etilize Manufacturer |||

ThinkStation P920 30BC007FUS PERFORMANCE Processor 1x Intel Xeon Silver **4214R** 12C / 24T, 2.4 / 3.5GHz, 16.5MB Processor Sockets 2x FCLGA3647 Chipset Intel C621 Memory 2x 16GB RDIMM DDR4-2933 ECC Memory Slots 16 DDR4 DIMM slots, 12 channels capable 8 DIMM slots with 6 channels per processor Max ... lang:en score:18 filesize: 1.06 M page_count: 2 document date: 2022-08-14



[pdf] Borchure

Manufacturer Brochure Lenovo ThinkStation P720 30BA00K0US Workstation 1 x Intel Xeon Silver Dodeca core 12 Core 4214R 2 40 GHz 16 GB DDR4 SDRAM RAM 512 SSD Tower CareTek Information Technology Solutions 1073446645 content etilize Manufacturer |||

ThinkStation P720 30BA00K0US PERFORMANCE Processor 1x Intel Xeon Silver **4214R** 12C / 24T, 2.4 / 3.5GHz, 16.5MB Processor Sockets 2x FCLGA3647 Chipset Intel C621 Memory 1x 16GB RDIMM DDR4-2933 ECC Memory Slots 12 DDR4 DIMM slots, 12 channels capable 6 DIMM slots with 6 channels per processor Max ... lang:en score:18 filesize: 1.02 M page_count: 2 document date: 2022-06-15



[pdf] Borchure

Manufacturer Brochure Lenovo ThinkStation P720 30BA00K3US Workstation 1 x Intel Xeon Silver Dodeca core 12 Core 4214R 2 40 GHz 32 GB DDR4 SDRAM RAM TB SSD Tower CareTek Information Technology Solutions 1073446646 content etilize Manufacturer |||

ThinkStation P720 30BA00K3US PERFORMANCE Processor 1x Intel Xeon Silver **4214R** 12C / 24T, 2.4 / 3.5GHz, 16.5MB Processor Sockets 2x FCLGA3647 Chipset Intel C621 Memory 1x 32GB RDIMM DDR4-2933 ECC Memory Slots 12 DDR4 DIMM slots, 12 channels capable 6 DIMM slots with 6 channels per processor Max ... lang:en score:18 filesize: 1.02 M page_count: 2 document date: 2022-07-30



[pdf] Borchure

Manufacturer Brochure Lenovo ThinkStation P920 30BC007HUS Workstation 1 x Intel Xeon Silver Dodeca core 12 Core 4214R 2 40 GHz 16 GB DDR4 SDRAM RAM 512 SSD Tower CareTek Information Technology Solutions 1073446660 content etilize Manufacturer |||

ThinkStation P920 30BC007HUS PERFORMANCE Processor 1x Intel Xeon Silver **4214R** 12C / 24T, 2.4 / 3.5GHz, 16.5MB Processor Sockets 2x FCLGA3647 Chipset Intel C621 Memory 1x 16GB RDIMM DDR4-2933 ECC Memory Slots 16 DDR4 DIMM slots, 12 channels capable 8 DIMM slots with 6 channels per processor Max ...

lang:en score:18 filesize: 1.06 M page_count: 2 document date: 2022-07-20



[pdf] Datasheet Warranty Borchure

HPE ProLiant DL380 Gen10 4214R 2 4GHz 12 core 1P 32GB R MR416i a 8SFF BC 800W PS Server Data sheet Hewlett Packard Enterprise PSN1014670686AEEN 1014670686 DL Servers Products Solutions Now psnow ext hpe Manufacturer s Product Brochure G10 2U Rack 1 x Intel Xeon Silver 40 GHz 32 GB RAM Serial ATA 12Gb SAS Controller Camcor 350074053 HP P56963 B21 camcor brochures |||

Data sheet HPE PROLIANT DL380 GEN10 **4214R** 2.4GHZ 12CORE 1P 32GB-R MR416IA 8SFF BC 800W PS SERVER P56963-B21 ProLiant DL300 Servers WHAT S NEW Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering. Supporting additional second generation Intel X...

lang:en score:18 filesize: 288.92 K page_count: 5 document date: 2022-09-15



[pdf] Specifications

Invoice Hpe Ml350 Gen10 4214r 1 2 32gb 12 sata sas 5 0 8 p408i P21789 371 Zylax Computers Address 13 4A Foundry Rd Seven Hills NSW 2147 Australia Phone 1300 099529 ABN Number 50 095 556 586 Contact sales@zylax au ZYLAX PRODUCT 35014 zylax generate product hpe ml350 gen10 p21789 |||

Zylax Computers Address: 13/4A Foundry Rd, Seven Hills NSW 2147, Australia Phone: 1300 099529 ABN Nu ... 0/8 p408i- P21789-371 HPE 4,781.00 Hpe Ml350 Gen10 **4214r** P21789-371, Processor Intel Xeon Scalable**4214R** 12 core, 2.4 GHz, 16.50 MB, 100W , Memory 32 GB 1x 32 GB RDIMM, 1 HPE 800W Flex Slot power ...

lang:en score:18 filesize: 70.42 K page_count: 2 document date: 2022-06-29

[pdf] Safety Datasheet

Datenblatt Download Lenovo ThinkSystem SR630 7X02 Server Rack Montage 1U zweiweg 1 x Xeon Silver 4214R 2 4 GHz RAM 32 GB SAS Hot Swap 6 cm 5 büroTec oUNFHsOcN3h8qKCnAN5LRm4OOKA2rN44QBarK0 NcM S6QFmBJ1X4enr1g6nayNaEaX23rUa5A49LNR7kDBhz0ysFp4G5BB pHMRZdELYWYU8JIEa7GIk4icS0sgm7 y shop buerotec de media 98 bb b8 yGttsRO4wvQsRgHUr9utYOVf04f 5JG1TjR4h7rYhjAEFG6jFD7N4 |||

Lenovo ThinkSystem SR630 7X02 - Server - Rack-Montage - 1U - zweiweg - 1 x Xeon Silver **4214R** / 2.4 GHz - RAM 32 GB - SAS - Hot-Swap 6.4 cm 2.5 Schacht/Schchte - keine HDD - G200e - kein Betriebssystem Monitor: keiner Gruppe Hersteller Hersteller Art. Nr. Server Lenovo 7X02A0H7EA Beschreibung M...

lang:de score:18 filesize: 99.09 K page_count: 4 document date: 2022-05-01

HPE GreenLake

Hoja de datos

Servidor HPE ProLiant DL360 Gen10 4214R 2.4 GHz 12 núcleos 1P 32 GB-R MR416i-a 8 SFF BC fuente de 800 W (P56951-B21)

Novedades

- Admite los procesadores escalables Intel® Xeon® de 2.ª generación con un rendimiento y precio mejorados
- Los modelos de servidor Networking Choice (NC) ofrecen una mayor flexibilidad en la selección de red principal
- Características de seguridad iLO 5 mejoradas como Server Configuration Lock, el panel de seguridad iLO y Workload Performance Advisor
- HPE InfoSight proporciona una herramienta basada en la nube de análisis que predice y evita los problemas antes de que su negocio se vea afectado
- La memoria persistente Intel® Optane™ serie 100 para HPE ofrece la flexibilidad de

Descripción general

¿Necesitas un servidor denso, caracterizado por su seguridad y rendimiento para tu centro de datos, que puedas implementar con tranquilidad para virtualización, bases de datos o computación de alto rendimiento? El servidor HPE ProLiant DL360 Gen10 proporciona seguridad, agilidad y flexibilidad sin sacrificar el rendimiento. Es compatible con los procesadores escalables Intel® Xeon® con hasta un aumento de rendimiento del 60 %[1] y 27 % en los núcleos[2], además de hasta 3 TB[2] de DDR4 HPE SmartMemory de 2933 MT/s con un incremento del rendimiento de hasta el 82 %[3]. HPE ProLiant DL360 Gen10 permite lograr más negocios gracias al rendimiento adicional que ofrece la memoria persistente Intel® Optane™ serie 100 para HPE[6], los HPE NVDIMM[7] y los 10 NVMe. Implementa, actualiza, supervisa y mantén el servidor con facilidad al automatizar las tareas esenciales de gestión del ciclo de vida del servidor con HPE OneView y HPE Integrated

[pdf] Catalog

Servidor HPE ProLiant DL360 Gen10 4214R 2 4 GHz 12 núcleos 1P 32 GB R MR416i a 8 SFF BC fuente de 800 W Hoja datos Hewlett Packard Enterprise PSN1014670666ESES 1014670666 Servidores DL Products Solutions Now psnow ext hpe Folleto Intel Xeon S Core P56951 B21 97eb7cff18e1375a19fee31336270f5097ec6a24 1683329 icecat multimedia leaflet 1 es ES gfx3 senetic akeneo catalog 9 7 e b |||

Hoja de datos Servidor HPE ProLiant DL360 Gen10**4214R** 2.4 GHz 12 ncleos 1P 32 GB-R MR416i-a 8 SFF BC fuente de 800 W P56951-B21 Novedades Admite los procesadores escalables Intel Xeon de 2. generacin con un rendimiento y precio mejorados. Los modelos de servidor Networking Choice NC ofrecen u...

lang:es score:18 filesize: 345.65 K page_count: 6 document date: 2023-08-15

Hewlett Packard Enterprise

Hoja de datos

SERVIDOR HPE PROLIANT DL380 GEN10 4214R 2.4 GHZ 12 NÚCLEOS 1P 32GB-R MR416I-P 8 SFF BC FUENTE DE 800 W (P56963-421)

Servidores ProLiant DL300

NOVEDADES

- Protege tus aplicaciones y datos antes de que se construya tu servidor con la nueva oferta de HPE Trusted Supply Chain.
- Admite la segunda generación de la familia

DESCRIPCIÓN GENERAL

¿Dónde se encuentra el cuello de botella de tu servidor: en el almacenamiento, el procesamiento o la expansión? El servidor HPE ProLiant DL380 Gen10 ofrece lo último en seguridad, rendimiento y capacidad de expansión, respaldado por una garantía completa. Estandarizado en la plataforma de

[pdf] Catalog

Servidor HPE ProLiant DL380 Gen10 4214R 2 4 GHz 12 núcleos 1P 32GB R MR416i p 8 SFF BC fuente de 800 W Hoja datos Hewlett Packard Enterprise PSN1014690199ESES 1014690199 Servidores DL Products Solutions Now psnow ext hpe Folleto Intel Xeon S Core P56963 421 2e28f64daac17d36bd8e594367bbff51489be8c1 1709159 icecat multimedia leaflet 1 es ES gfx3 senetic akeneo catalog e |||

Hoja de datos SERVIDOR HPE PROLIANT DL380 GEN10**4214R** 2.4 GHZ 12 NCLEOS 1P 32GB-R MR416I-P 8 SFF BC FUENTE DE 800 W P56963-421 Servidores ProLiant DL300 NOVEDADES Protege tus aplicaciones y datos antes de que se construya tu servidor con la nueva oferta de HPE Trusted Supply Chain. Admite la se...

lang:es score:18 filesize: 343.26 K page_count: 5 document date: 2022-12-26

Hewlett Packard Enterprise

Data sheet

HPE PROLIANT DL380 GEN10 4214R 1P 32GB-R P408I-A NC 8SFF 800W PS SERVER (P24842-B21)

ProLiant DL300 Servers

WHAT'S NEW

- Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering
- Supporting additional second generation Intel® Xeon® Scalable processor family offerings
- Increased Single-Width GPU Density with up to 7 NVIDIA Tesla T4 16GB

OVERVIEW

Where is your server bottlenecked...storage, compute, expansion?

The HPE ProLiant DL380 Gen10 server delivers the latest in security, performance and expandability, backed by a comprehensive warranty. Standardize on the industry's most trusted compute platform. The HPE ProLiant DL380 Gen10 server is securely designed to reduce costs and complexity,

[pdf] Datasheet Warranty

hpe proliant dl380 gen10 4214r 1p 32gb r p408i a nc 8sff 800w ps server data sheet p24842 b21 435849 edshop edsystem pl fileshare products datasheet |||

Data sheet HPE PROLIANT DL380 GEN10**4214R** 1P 32GB-R P408I-A NC 8SFF 800W PS SERVER P24842-B21 ProLiant DL300 Servers WHAT S NEW Defend applications and data before your server is built with the new HPE Trusted Supply Chain offering. Supporting additional second generation Intel Xeon Scalable pr...

lang:en score:18 filesize: 268.1 K page_count: 6 document date: 2021-06-29