

- Manuals.plus /
- › LITFAD /
 - › LITFAD 12-inch LED Flush Mount Ceiling Light Instruction Manual

LITFAD 35d81e3f-b2c7-491f-b7e4-58c3907a3024

LITFAD 12-inch LED Flush Mount Ceiling Light Instruction Manual

Model: 35d81e3f-b2c7-491f-b7e4-58c3907a3024 | Brand: LITFAD

1. PRODUCT OVERVIEW

The LITFAD 12-inch LED Flush Mount Ceiling Light is a decorative lighting fixture designed for indoor use. It features a hand-made art glass shade with shell accents, providing a unique Mediterranean and Tiffany-inspired aesthetic. This fixture is equipped with an integrated LED light source, offering energy-efficient illumination for various rooms such as bedrooms, living rooms, dining rooms, and hallways.



Image 1.1: The LITFAD 12-inch LED Flush Mount Ceiling Light installed in a living room setting.

Package Contents

- LITFAD 12-inch LED Flush Mount Ceiling Light Fixture (with integrated LED bulb)
- Mounting Hardware (screws, wire nuts)
- Instruction Manual

2. SAFETY INFORMATION

Please read all safety instructions carefully before installation and use. Failure to follow these instructions may result in electric shock, fire, or personal injury.

- **Professional Installation Recommended:** For a safe and secure installation, it is recommended to have this fixture installed by a qualified electrician.
- **Secure Mounting:** Ensure that the electrical box to which this fixture will be mounted is properly attached to a structural member of the building and can support the weight of the fixture.
- **Electrical Disconnection:** Always turn off the main power supply at the circuit breaker or fuse box before

beginning installation, maintenance, or cleaning.

- **Wiring Precautions:** All wires are connected. When unpacking, be careful not to pull with wires as a bad connection may result. Do not connect electricity until your fixture is fully assembled.
- **Bulb Handling:** To reduce the risk of fire, electrical shock, or personal injury, always turn off and unplug the fixture and allow it to cool prior to replacing the light bulb (if applicable). Do not touch the bulb when the fixture is turned on or look directly at a lit bulb. Keep flammable materials away from a lit bulb.
- **Indoor Use Only:** This fixture is designed for indoor use only and is not water-resistant.

3. SETUP AND INSTALLATION

Follow these steps for proper installation of your flush mount ceiling light. If you are unsure about any step, consult a qualified electrician.

Tools Required (Not Included)

- Screwdriver (Phillips and/or Flathead)
- Wire Strippers
- Electrical Tape
- Ladder

Installation Steps

1. **Turn Off Power:** Locate the circuit breaker controlling the light fixture's power supply and turn it OFF. Verify power is off using a voltage tester.
2. **Prepare Mounting Surface:** If replacing an existing fixture, carefully remove it. Ensure the junction box is securely mounted to the ceiling joist.
3. **Connect Wiring:** Connect the fixture's wires to the corresponding wires from the junction box using wire nuts. Typically, connect black to black (live), white to white (neutral), and green/bare copper to green/bare copper (ground). Ensure all connections are secure and insulated with electrical tape if necessary.
4. **Mount Fixture:** Carefully align the fixture base with the mounting holes on the junction box. Secure the fixture to the junction box using the provided screws. Ensure the fixture is flush against the ceiling and stable.
5. **Restore Power:** Once the fixture is securely mounted and all wiring connections are complete, turn the power back ON at the circuit breaker.
6. **Test Light:** Turn on the light switch to ensure the fixture is functioning correctly.



High-end stained glass

The classic design of the Mediterranean, the line is soft and smooth, touch wood bed. Delicate texture feel full.

Energy-saving LED chip

Rubber wood to build the foot of the bed, bearing capacity is strong, solid and firm.



Image 3.1: Internal view showing the energy-saving LED chip and wiring connections.

4. OPERATING INSTRUCTIONS

This LITFAD ceiling light is designed for simple operation via a standard wall switch.

- **Turning On/Off:** Use the wall switch connected to the fixture to turn the light on or off.
- **Color Temperature Cycling:** This fixture may feature multiple color temperature settings (e.g., cool white, daylight, warm white). If your light exhibits this feature, rapidly toggling the wall switch OFF and then ON will cycle through the available color temperatures. To select your desired color, simply leave the light on at that setting. The light will typically remember the last setting if left off for a longer period.

5. MAINTENANCE

Regular cleaning and proper care will help maintain the appearance and functionality of your light fixture.

- **Cleaning:** Before cleaning, ensure the power to the fixture is turned off at the circuit breaker. Use a soft, dry, or slightly damp cloth to wipe down the exterior surfaces of the fixture. Avoid using abrasive cleaners, solvents, or polishes as they may damage the finish or art glass.
- **Bulb Replacement:** This fixture uses an integrated LED light source, which is designed for long-term use and typically does not require bulb replacement. If the LED light source fails, professional service may be required.
- **Inspection:** Periodically inspect the fixture for any signs of damage or loose connections. If any issues are found, turn off the power and consult a qualified electrician.

6. TROUBLESHOOTING GUIDE

If you encounter issues with your LITFAD ceiling light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture. Loose wiring connection. Faulty wall switch.	Check circuit breaker and ensure it is ON. Verify all wire connections are secure (with power OFF). Test the wall switch or consult an electrician.
Light flickers or dims.	Loose wiring connection. Incompatible dimmer switch (if applicable).	Check all wire connections (with power OFF). Ensure any dimmer switch used is compatible with LED fixtures.
Light cycles through colors unexpectedly.	This is a feature of the light.	Rapidly toggle the wall switch OFF/ON until the desired color temperature is achieved. Leave the light on at that setting.
Fixture is loose or wobbles.	Mounting screws are not tight. Junction box not securely installed.	Turn off power and tighten mounting screws. Ensure the junction box is properly secured to a structural member.

7. TECHNICAL SPECIFICATIONS




Image 7.1: Product dimensions.

Feature	Specification
Brand	LITFAD
Model Number	35d81e3f-b2c7-491f-b7e4-58c3907a3024
Fixture Width	12 inches (30 cm)
Fixture Height	3 inches (8 cm)
Material	Art Glass
Finish	White Finish
Bulb Type	Integrated LED
Bulb Included	Yes
Voltage	AC110-120V
Wattage	18 watts
Installation Type	Flush Mount
Control Method	Wall Switch (Hardwired)
Indoor/Outdoor Usage	Indoor
Item Weight	4.04 pounds (1.83 kg)

8. WARRANTY AND CUSTOMER SUPPORT

Warranty Information

This LITFAD product comes with a **2-year warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. It does not cover damage caused by improper installation, misuse, accidents, or unauthorized modifications.

Customer Support

If you have any questions, concerns, or require assistance with your LITFAD 12-inch LED Flush Mount Ceiling Light, please contact our customer support team. Refer to your purchase documentation or the retailer's website for specific contact details.

We are committed to providing support and ensuring your satisfaction with our products.

© 2025 LITFAD. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question