#### Manuals+

Q & A | Deep Search | Upload

#### manuals.plus /

- > SANSUI /
- > Sansui 40-Inch S40P28FN FHD DLED Smart TV User Manual

#### **SANSUI S40P28FN**

# Sansui 40-Inch S40P28FN FHD DLED Smart TV User Manual

Model: S40P28FN

#### 1. Introduction

This manual provides essential information for the safe and efficient operation of your Sansui 40-Inch S40P28FN Full HD DLED Smart TV. Please read this manual thoroughly before using the television and retain it for future reference.



Image 1.1: Front view of the Sansui 40-Inch S40P28FN Full HD DLED Smart TV.

#### 2. SAFETY INFORMATION

Observe the following safety precautions to prevent fire, electric shock, or injury:

- Do not expose the TV to rain or moisture.
- Do not open the TV casing; refer all servicing to qualified personnel.
- Ensure proper ventilation around the TV.
- Avoid placing the TV on unstable surfaces.
- Disconnect the power cord during lightning storms or when unused for long periods.
- Keep small parts and batteries out of reach of children.

## 3. PACKAGE CONTENTS

Verify that all items listed below are included in your package:

- Sansui 40-Inch S40P28FN DLED Smart TV
- Remote Control
- TV Stand (2 pieces)
- User Manual (this document)
- 6.5 ft HDMI Cable
- 2x Mophead Cable Ties
- Circuit City Microfiber Cloth



Image 3.1: Sansui TV and accessories.



Image 3.2: Mophead Cable Tie.




Image 3.3: Microfiber Cleaning Cloth.

## 4. SETUP

#### 4.1 Attaching the Stand

To attach the stand to your TV:

- 1. Carefully place the TV face-down on a soft, clean surface to prevent screen damage.
- 2. Align the stand pieces with the corresponding slots on the bottom of the TV.
- 3. Secure the stands using the provided screws. Ensure they are tightened firmly.



Image 4.1: Sansui TV with stand.

# **4.2 Wall Mounting**

The Sansui S40P28FN TV is designed to be wall-mountable. For wall mounting, use a compatible VESA wall mount kit (sold separately) and follow the instructions provided with the wall mount. Ensure the wall can support the weight of the TV.




Image 4.2: Sansui TV mounted on a wall.

#### 4.3 Connecting Peripherals

Your TV offers various connectivity options:

- HDMI (3x): Connect Blu-ray players, gaming consoles, or set-top boxes.
- USB (2x): Connect USB drives for media playback.
- AV IN (1x): Connect older devices using composite video and stereo audio cables.
- Earphone Out (1x): Connect headphones for private listening.
- RJ45 (1x): Connect an Ethernet cable for wired internet access.
- Optical (1x): Connect to a soundbar or home theater system for digital audio output.

#### 4.4 Powering On

- 1. Connect the power cord to the TV and then to a power outlet.
- 2. Press the power button on the remote control or on the TV itself.
- 3. Follow the on-screen instructions for initial setup, including language selection and network configuration.

#### 5. OPERATING INSTRUCTIONS

#### **5.1 Remote Control Overview**

The remote control allows you to access all TV functions. Insert two AAA batteries (not included) into the

remote control, ensuring correct polarity.

#### **5.2 Basic Functions**

- Power: Turns the TV on or off.
- Volume +/-: Adjusts the sound level.
- Channel +/-: Changes TV channels.
- Input: Selects the input source (HDMI, USB, AV, etc.).
- Menu: Accesses the main settings menu.

#### **5.3 Smart TV Features**

Your Sansui S40P28FN operates on a Linux-based smart TV platform, offering access to various applications and internet services.

- **Network Connection:** Connect to your home Wi-Fi network via the settings menu or use an Ethernet cable for a wired connection.
- **App Navigation:** Use the remote control's directional buttons to navigate through the smart TV interface and select applications.
- **Media Playback:** Utilize the USB ports to play media files (photos, videos, music) directly from a USB storage device.

#### 5.4 Picture and Sound Settings

Access the TV's menu to adjust picture and sound settings:

- **Picture Modes:** Select from various preset picture modes (e.g., Standard, Dynamic, Movie) or customize settings like brightness, contrast, and color. The TV features a 1920 x 1080 Full HD resolution and a 178-degree viewing angle for clear visuals.
- **Sound Modes:** Choose from preset sound modes or adjust equalizer settings. The TV supports Dolby Audio for enhanced sound quality.



Image 5.1: High-resolution display of the Sansui TV.

#### 6. MAINTENANCE

## 6.1 Cleaning the Screen

To clean the screen, gently wipe it with the provided microfiber cloth or a soft, lint-free cloth. For stubborn marks, lightly dampen the cloth with water or a specialized screen cleaner. Do not spray liquid directly onto the screen.

#### **6.2 General Care**

- Keep the TV away from direct sunlight and heat sources.
- Ensure adequate ventilation by not blocking the TV's vents.
- Avoid placing heavy objects on top of the TV.

# 7. TROUBLESHOOTING

If you encounter issues with your TV, refer to the following common solutions:

Problem	Possible Solution
No power	Check if the power cord is securely connected and the power outlet is working. Try a different outlet.
No picture, but sound is present	Ensure the correct input source is selected. Check cable connections to external devices.

Problem	Possible Solution
No sound, but picture is present	Check volume level and mute status. Verify audio cable connections.
Remote control not working	Replace batteries. Ensure no obstructions between the remote and the TV's IR sensor.
Cannot connect to Wi-Fi	Check Wi-Fi password. Restart your router. Ensure the TV is within range of the Wi-Fi signal.

If the problem persists, contact customer support.

# 8. SPECIFICATIONS

Brand	SANSUI
Model	S40P28FN
Display Size	40 Inches
Resolution	1920 x 1080 (Full HD 1080p)
Display Technology	DLED (Direct LED)
Operating System	Linux
Refresh Rate	60 Hz
Viewing Angle	178 Degrees
Audio Output	Dolby Audio, Surround Sound (7.1 channel configuration)
Connectivity	3x HDMI, 2x USB, 1x AV IN, 1x Earphone Out, 1x RJ45, 1x Optical, Wi-Fi
Product Dimensions (LxWxH)	90.42 x 51.82 x 8.13 cm
Item Weight	5.69 kg
Mounting Type	Wall Mount




Image 8.1: Sansui TV dimensions.





Image 8.2: Energy Guide for Sansui S40P28FN.

#### 9. WARRANTY AND SUPPORT

Your Sansui S40P28FN Smart TV comes with a**1-year USA warranty** from the date of purchase. Please retain your proof of purchase for warranty claims.

For technical support, troubleshooting assistance, or warranty service, please refer to the contact information provided with your product documentation or visit the official Sansui support website.

**Note:** Batteries for the remote control are not included and are required for operation.





#### Manual de Instrucciones SANSUI SMX55KAUG con Google TV

Guía completa de instalación, configuración y uso del televisor SANSUI SMX55KAUG con Google TV. Incluye especificaciones, control remoto y solución de problemas.