

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SCHÜTTE](#) /

› [SCHÜTTE AQUASTAR 60520 Shower System Instruction Manual](#)

SCHÜTTE 60520

SCHÜTTE AQUASTAR 60520 Shower System Instruction Manual

Model: 60520

INTRODUCTION

Thank you for choosing the SCHÜTTE AQUASTAR 60520 Shower System. This manual provides essential information for the safe installation, operation, and maintenance of your new shower system. Please read these instructions carefully before installation and retain them for future reference.

SAFETY INSTRUCTIONS

- Ensure all water supply lines are turned off before beginning installation.
- Installation should be performed by a qualified professional if you are unsure about any steps.
- Use only the provided mounting hardware.
- Do not use abrasive cleaners or solvents on any part of the shower system, as this may damage the finish.
- Regularly check all connections for leaks.
- Ensure the wall structure can support the weight of the shower system.

PACKAGE CONTENTS

Verify that all components listed below are present in your package:

- 1x Aquastar Shower Set with Shelf
- 1x Overhead Shower Head (diameter 250 mm)
- 1x Hand Shower
- 1x Shower Hose (150 cm)
- 1x Connection Hose (70 cm)
- 1x Hand Shower Holder
- 1x Shower Bar/Column
- 1x Wall Mount
- Complete Mounting Material

- Multilingual Assembly Instructions (refer to this manual for English instructions)



Image: All components included in the SCHÜTTE AQUASTAR 60520 Shower System package.

SETUP AND INSTALLATION

Follow these steps for proper installation of your shower system. It is recommended to have basic plumbing knowledge or consult a professional.

1. **Prepare the Installation Area:** Turn off the main water supply. Clear the installation area in your shower.
2. **Mount the Wall Bracket:** Position the wall mount at the desired height. The adjustable wall mount allows for the use of existing drill holes if suitable. Mark the drill holes, drill them, and secure the wall mount using the provided screws and wall plugs.
3. **Install the Shower Column:** Attach the shower column to the wall mount. Ensure it is securely fastened and vertical.
4. **Connect the Water Supply:** Connect the 70 cm connection hose from your existing water outlet to the shower system's inlet. Ensure all connections are tight to prevent leaks.
5. **Attach the Shelf and Diverter:** Slide the shelf onto the shower column. The integrated diverter button on the shelf allows switching between the overhead and hand shower.

6. **Install the Overhead Shower Head:** Screw the overhead shower head onto the curved arm of the shower column. Ensure the connection is hand-tightened and secure.
7. **Attach the Hand Shower and Hose:** Connect the 150 cm shower hose to the hand shower and then to the outlet on the shower column. Place the hand shower into its adjustable holder on the column.
8. **Final Checks:** Turn on the main water supply and check all connections for leaks. Test both the overhead and hand showers to ensure proper function and water flow.



Höhe des Steigrohrs ist individuell
auf die Körpergröße einstellbar

Image: The height of the shower column is individually adjustable to suit user height.




elegante Design-Ablage für
Duschutensilien

komfortabler Umsteller mit Drucktaste

kinderleichtes Wechseln von
Kopf- auf Handbrause

Image: The elegant design shelf provides space for shower utensils and features a comfortable push-button diverter for easy switching between shower heads.






Image: Technical drawing showing the dimensions of the SCHÜTTE AQUASTAR 60520 shower system, including adjustable height and shower head sizes.

OPERATING INSTRUCTIONS

The SCHÜTTE AQUASTAR 60520 Shower System offers a comfortable and versatile showering experience.

- **Water Flow Control:** Use your existing shower mixer (not included) to control water temperature and flow rate.
- **Switching Between Shower Heads:** Press the integrated button on the shelf to easily switch the water flow between the overhead rain shower and the hand shower.
- **Hand Shower Spray Types:** The hand shower features 3 adjustable spray types. Rotate the shower head's face or a dedicated selector (if present) to cycle through different spray patterns (e.g., Rain, Massage, Rain/Massage combination).
- **Overhead Rain Shower:** The ultra-flat, laser-welded stainless steel overhead shower head provides a wide, even rain spray for a relaxing experience.

 **SCHÜTTE**
ARMATUREN UND BRAUSEN SEIT 1976



Image: The modern hand shower allows selection of three functions: Rain, Massage, and a combination of Rain/Massage, via a push button.



Image: The large, round rain shower head, super flat and made from high-quality stainless steel, offers a wellness-like showering experience.

MAINTENANCE

Proper maintenance will ensure the longevity and optimal performance of your SCHÜTTE AQUASTAR 60520 Shower System.

- **Cleaning:** Clean the surfaces regularly with a soft cloth and mild soap solution. Avoid abrasive cleaners, scouring pads, or chemical solvents, as these can damage the chrome finish and stainless steel.
- **Limescale Removal:** For limescale deposits on the shower nozzles, gently rub them with your fingers or a soft brush. For stubborn deposits, use a mild descaling agent specifically designed for bathroom fixtures, following the product's instructions. Rinse thoroughly after cleaning.
- **Hose Care:** Periodically check the shower hose for kinks or damage. Replace if necessary.
- **General Inspection:** Regularly inspect all components for wear and tear. Ensure all connections remain tight.

TROUBLESHOOTING

If you encounter issues with your shower system, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Low water pressure from shower heads.	<ul style="list-style-type: none">Partially closed water supply valve.Clogged shower nozzles (limescale).Kinked shower hose.	<ul style="list-style-type: none">Ensure water supply valves are fully open.Clean shower nozzles as described in the Maintenance section.Straighten or replace the shower hose.
Water leaking from connections.	<ul style="list-style-type: none">Loose connections.Damaged O-rings or seals.	<ul style="list-style-type: none">Carefully tighten all connections. Do not overtighten.Inspect and replace any damaged O-rings or seals.
Divertor button not switching properly.	<ul style="list-style-type: none">Limescale buildup.Internal mechanism issue.	<ul style="list-style-type: none">Clean around the button area.If the issue persists, contact customer support.

If the problem persists after attempting these solutions, please contact SCHÜTTE customer support.

SPECIFICATIONS

Feature	Detail
Model Number	60520
Color	White
Finish	Chrome
Material	Stainless steel, Brass, ABS
Installation Method	Wall Mount
Number of Handles	2 (for existing mixer, not part of this system)
Product Dimensions	50.5 x 35 x 124 cm (L x W x H)
Item Weight	3.86 Kilograms
Overhead Shower Diameter	250 mm
Hand Shower Diameter	120 mm
Shower Hose Length	150 cm
Connection Hose Length	70 cm

WARRANTY AND SUPPORT

SCHÜTTE provides a **3-year manufacturer's warranty** on this product, subject to internal conditions. For any questions, suggestions, or support needs, please contact our customer service team.

Contact Information:

Phone: +49 (0) 5407-81529-0-3

(Please note: This number is based in Germany and international call charges may apply.)

For further information, you may also visit the official SCHÜTTE store on Amazon:[SCHÜTTE Amazon Store](#)

© 2026 SCHÜTTE. All rights reserved.