

Remote Control YR-HD01, YL-HD02, YL-HD03, YL-HD04, YR-HD05, YR-HD06 (Compatible Models); 7427103847579 (Item Model Number)

User Manual for Haier Air Conditioner Remote Control

Compatible with Haier Models: YR-HD01, YL-HD02, YL-HD03, YL-HD04, YR-HD05, YR-HD06

1. INTRODUCTION

This manual provides comprehensive instructions for the proper use, setup, and maintenance of your new remote control for Haier air conditioners. Please read this manual thoroughly before operating the device to ensure optimal performance and longevity.

This remote control is designed to be compatible with various Haier air conditioner models, including YR-HD01, YL-HD02, YL-HD03, YL-HD04, YR-HD05, and YR-HD06.

2. SAFETY INFORMATION

- Do not expose the remote control to direct sunlight, high temperatures, or high humidity.
- Avoid dropping the remote control or subjecting it to strong impacts.
- Do not mix old and new batteries, or different types of batteries.
- Remove batteries if the remote control will not be used for an extended period to prevent leakage.
- Keep batteries out of reach of children. If swallowed, seek immediate medical attention.
- Do not attempt to disassemble or modify the remote control.

3. PRODUCT OVERVIEW

The remote control features an intuitive layout with clearly labeled buttons for easy operation of your Haier air conditioner. Below is an image of the remote control with a description of its key components.



Figure 3.1: Front view of the remote control.

Button Functions:

LCD Display: Shows current settings, temperature, mode, and other indicators.

POWER (Red Button): Turns the air conditioner ON or OFF.

QUIET Button: Activates or deactivates the quiet operation mode.

COOL Button: Selects the cooling mode.

HEAT Button: Selects the heating mode.

DRY Button: Selects the dehumidification (dry) mode.

TEMP +/- Buttons: Adjusts the desired temperature setting.

AUTO Button: Selects the automatic operation mode, where the unit automatically chooses the appropriate mode (Cool, Heat, Fan) based on the room temperature.

FAN Button: Adjusts the fan speed (e.g., Low, Medium, High, Auto).

SWING Button: Controls the air swing function, directing airflow.

TIMER Button: Sets the ON/OFF timer for the air conditioner.

EXTRA FUNCTION Button: Accesses additional functions (e.g., Sleep mode, Healthy Airflow, Turbo Fan, Air Direction, A-B remote setting).

HEALTH Button: Activates specific health-related functions (e.g., air purification, healthy airflow).

CONFIRM/CANCEL Button: Used to confirm settings or cancel operations, especially for timer and extra functions.

LOCK Button: Locks the buttons on the remote control to prevent accidental changes.

LIGHT Button: Controls the indoor unit's display light.

RESET Button: Resets the remote control to its default settings in case of abnormal behavior. (Requires a pointed object to press).

4. SETUP

4.1 Battery Installation

Your remote control requires two AAA batteries (included). Follow these steps to install them:

1. Locate the battery compartment cover on the back of the remote control.
2. Slide the cover downwards or press the latch and lift to open the compartment.
3. Insert two AAA batteries, ensuring the positive (+) and negative (-) ends match the diagrams inside the compartment.
4. Close the battery compartment cover by sliding it back into place until it clicks securely.

After installing the batteries, the LCD display should light up, indicating the remote control is ready for use.



Figure 4.1: Remote control display after battery installation.

5. OPERATING INSTRUCTIONS

Point the remote control directly at the air conditioner's receiver when operating. The maximum effective range is approximately 5 meters.

5.1 Basic Operation

- **Turning ON/OFF:** Press the **POWER** button once to turn the unit ON, and press it again to turn it OFF.
- **Selecting Mode:** Press the **COOL**, **HEAT**, **DRY**, or **AUTO** buttons to select the desired operating mode. The selected mode will be displayed on the LCD.
- **Adjusting Temperature:** Use the **TEMP +** or **TEMP -** buttons to set your desired room temperature. The temperature range is typically between 16°C and 30°C (60°F and 86°F).
- **Adjusting Fan Speed:** Press the **FAN** button repeatedly to cycle through available fan speeds (e.g., Auto, Low, Medium, High).

5.2 Advanced Functions

- **Timer Setting:**
 - a. Press the **TIMER** button. The timer indicator will flash on the LCD.
 - b. Use the **TEMP +** or **TEMP -** buttons to set the desired ON or OFF time.
 - c. Press **CONFIRM/CANCEL** to confirm the setting. To cancel, press **CONFIRM/CANCEL** again before the timer activates.
- **Swing Function:** Press the **SWING** button to activate or deactivate the automatic vertical air swing. Press again to stop the louvers at a desired position.
- **Quiet Mode:** Press the **QUIET** button to reduce the operating noise of the indoor unit. Press again to exit quiet mode.
- **Lock Function:** Press the **LOCK** button to disable all other buttons on the remote control. This prevents accidental changes. Press **LOCK** again to unlock.
- **Display Light Control:** Press the **LIGHT** button to turn the indoor unit's display light ON or OFF.
- **Extra Functions:** Press the **EXTRA FUNCTION** button to cycle through additional settings such as Sleep mode, Healthy Airflow, Turbo Fan, Air Direction, and A-B remote setting. Use **CONFIRM/CANCEL** to select or deselect.

6. MAINTENANCE

6.1 Cleaning the Remote Control

To maintain the appearance and functionality of your remote control:

- Wipe the surface with a soft, dry cloth.
- For stubborn dirt, dampen the cloth slightly with water and a mild detergent, then wipe dry.
- Do not use volatile liquids, benzene, thinner, polishing powder, or chemical-treated cloths, as these may damage the surface.

6.2 Battery Replacement

Replace the batteries when the remote control's operating range decreases or the display becomes dim. Refer to Section 4.1 for battery installation instructions. Always replace both batteries at the same time with new AAA batteries.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Remote control not responding.	Batteries are dead or incorrectly installed. Remote control is too far from the unit or not pointed correctly. Obstruction between remote and unit.	Replace batteries, ensuring correct polarity. Move closer to the unit and point directly at the receiver. Remove any obstructions.
LCD display is dim or blank.	Low battery power.	Replace batteries.
Remote control behaves abnormally (e.g., buttons not working, erratic display).	Temporary software glitch or interference.	Press the RESET button using a pointed object (e.g., a paperclip). This will restore default settings.
Air conditioner does not respond to commands.	Air conditioner unit is off or unplugged. Remote control is not compatible with the specific unit.	Ensure the air conditioner is powered on. Verify compatibility with your Haier air conditioner model.

8. SPECIFICATIONS

Feature	Detail
Brand	Remote Control
Compatible Devices	Haier Air Conditioners (Models: YR-HD01, YL-HD02, YL-HD03, YL-HD04, YR-HD05, YR-HD06)
Connectivity Technology	Infrared
Color	White
Number of Buttons	12 (excluding Temp +/- and Fan/Auto/Swing cluster)
Controller Type	Button Control
Maximum Range	5 Meters
Batteries Required	2 x AAA (included)




Feature	Detail
---------	--------

Battery Composition	Zinc-carbon
Item Weight	70 Grams
Item Model Number	7427103847579

9. WARRANTY AND SUPPORT

Information regarding product warranty and customer support is not provided in the available product details. For any issues or inquiries, please refer to the original purchase documentation or contact the seller directly.

Related Documents

	12 Keys 2.4G Remote Control Instruction Manual - XDL08138 Comprehensive instruction manual for the 12 Keys 2.4G Remote Control (Model XDL08138). Learn about product functions, step-by-step code alignment procedures, and technical specifications for optimal use.
	Remote Control Manual User manual for an RF remote control detailing brightness control, timer functions, operational range, indicator lights, and FCC compliance information.
	RCEL Electric Actuators 006-009: Installation, Wiring, and Operation Guide A comprehensive guide for installing, wiring, adjusting, and manually operating Remote Control RCEL electric actuators (models 006-009). Includes safety instructions, wiring diagrams, and operational procedures.
	EUT Constructional Details: Remote Control Model NSRM007/RF-WT Detailed constructional images and descriptions of the remote control model NSRM007/RF-WT, including internal PCB, antenna, and battery. Tested by QCT Shenzhen QC Testing Laboratory Co., Ltd.



[\[pdf\]](#) User Manual Specifications Diagram

SUPER MATCH ManualUsuario SYJS 04 2019REV B visualizador serviplus mx datos pt AIAC manuales

|||


SUPER MATCH Service Manual SYJS-04-2019REV.B Edition: 2019-04 Super Match

CONTENTS Part 1 Genera ... 11/30 620/520/450 inner grooved pipe/7.0 2 /

570570260 718680380 PVC 26/32 YR-E16A O /YR-E17 O **YR-HD01** S 95 NONE 50

40/36/32 PB-700IB 700/700/60 740/750/115 2.8/4.8 18.5/22 R410A/1200 45 5 6.3...

lang:it **score:22** filesize: 32.31 M page_count: 446 document date: 2019-05-09



[\[pdf\]](#) User Manual

AS07 09NS3HRA SM Airconditioner Haier AC Supermatch Service Manual airwholesalers au 2017 11 |||


Super Match 3U19FS2ERA 3U24GS2ERA 4U30HS2ERA SYJS-11-2015REV.D

5U34HS2ERA Edition:2015-11 Cont ... 10/30/50/70 inner grooved pipe/7.0 2 /

750/720/250 920/820/340 PVC 25/29 YR-E14S /YR-E16 O **YR-HD01** O 145 NONE

46/43/39 36/33/29 6.35 9.52 flared 22.8/27 33 Super Match Item Model Func...

lang:en **score:16** filesize: 37.77 M page_count: 483 document date: 2015-10-30



[\[pdf\]](#) User Manual Specifications

Microsoft Word AS1824NE1HRE docx 01198996 SERVICE MANUAL Fisher Paykel Appliances

Wall Mounted Type DC Inverter EK Series Model No HSU 26HEK03 R2 DB I This service information is

designed for experienced repair technicians only and not use by the general public It does contain

warnings or cautions to advise non technical individuals of potential dangers in attempting a pr oduct 2015

Qingdao Haier Air Conditioner General corp Ltd All rights reserved malfunction will be recorded list AC

WALL ServiceManual AA8C0BE0C00 fisherpaykel vault s installations

SERVICE MANUAL Wall Mounted Type DC Inverter EK-Series Model No. HSU-

26HEK03/R2 DB /I HSU-35HEK03/R ... 3*14*1.4 Right,Left,Horizontal,Downward

Removable/Washable/Mildew Proof Microcomputer Control **YR-HD01** Note: the data

are based on the conditions shown in the table below cooling Indoor: 27DB/1...

lang:en **score:16** filesize: 1.7 M page_count: 66 document date: 2015-09-07



[pdf] Borchure

Split System Air Conditioners Home Page Dawson Heating Conditioner haier split air conditioning dawsonhc au brochures |||

Split System Air Conditioners Proudly distributed throughout Australia by Seeley International Pty L ... 147/320/261 860/730/308 8.8/11.3 32.2/35 10.5/12.5 35.5/38.5 13/16.5 43/45.5 16.5/19.5 50.5/54 **YR-HD01** Y Y Y Y Y Y Y Y Y Y Y Y 5 Year **YR-HD01** Y Y Y Y Y Y Y Y Y Y Y Y 5 Year **YR-HD01** Y Y Y Y Y ...

lang:en score:15 filesize: 1.64 M page_count: 8 document date: 2011-11-30



Split System Air Conditioning




[pdf] Specifications Borchure

Braemar Heating and Add On Cooling Melbourne ColbycoolBraemar split system brochureprod01 sydney platformos instances 431 property modules ins database brochures brochure 657118a8 712c 4c0e 9dc2 fbfac2c9e3c4 |||

Split System Air Conditioning Transforming global energy-efficiency into an art form Contents DC ... 147/320/261 860/730/308 8.8/11.3 32.2/35 10.5/12.5 35.5/38.5 13/16.5 43/45.5 16.5/19.5 50.5/54 **YR-HD01** Y Y Y Y Y Y Y Y Y Y Y Y 5 Year **YR-HD01** Y Y Y Y Y Y Y Y Y Y Y Y 5 Year **YR-HD01** Y Y Y Y Y ...

lang:en score:15 filesize: 1.34 M page_count: 5 document date: 2012-10-28




[pdf]

0150508960 C 09 12 18 24 36 48 60 201211261215407989899478052 tec01 Remote Controller Haier HVAC Europe 8850 YR HD01 haierhvac qdos co sites default files 2020 02 |||


Parti e funzioni Telecomando 1. Icona modalit Modalit operativa AUTO automatico COOL condizio- natore DRY HEAT deumidi- Riscal- ficatore damento VENTILATORE Telecomando Installazione delle batterie 1 Rimuovere il coperchio della batteria; 2 Inserire le batterie come illustrato....

lang:it score:13 filesize: 406.27 K page_count: 3 document date: 2017-06-26



[pdf] User Manual Specifications

Microsoft Word AS1824NE1HRE docx 01198996 Wall Mounted Type DC Inverter FREE MATCH N Series NF1HRA SERVICE MANUAL Model No AS82NF1HRA This service information is designed for experienced repair technicians only and not use by the general public It does contain warnings or cautions to advise non technical individuals of potential dangers in attempting a pr oduct NH ServiceManual AA9GX4E07001 fisherpaykel vault s installations May 03 2016 · Fisher Paykel SERVICE MANUAL Wall Mounted Type DC Inverter FREE MATCH N-Series Model No. AS82NF1HRA WARNING This ... 3*14*1.4 Right,Left,Horizontal,Downward Removable/Washable/Mildew Proof Microcomputer Control **YR-HD01** Note: the data are based on the conditions shown in the table below cooling Indoor: 27DB/1... lang:en score:13 filesize: 3.23 M page_count: 57 document date: 2017-07-20



[pdf] User Manual Catalog

Super Match HaierAntifouling and Movable Blade The movable blade has antifouling design can effectively control the airflow air direction It is cleanService Manual Multi 1511haier au on demandware static Sites haier master catalog default dwb948187d technical content airconditioning super match multi Service 1511 ||| Super Match 3U19FS2ERA 3U24GS2ERA 4U30HS2ERA SYJS-11-2015REV.D 5U34HS2ERA Edition:2015-11 Cont ... 10/30/50/70 inner grooved pipe/7.0 2 / 750/720/250 920/820/340 PVC 25/29 YR-E14S /YR-E16 O **YR-HD01** O 145 NONE 46/43/39 36/33/29 6.35 9.52 flared 22.8/27 33 Super Match Item Model Func... lang:en score:12 filesize: 40.71 M page_count: 483 document date: 2015-12-23

Zennio
Passion for KNA innovation

TABLA DE CORRESPONDENCIAS IRSC PLUS
IRSC PLUS CORRESPONDENCE TABLE
TABLE DU CORRESPONDANCE IRSC PLUS
KORRESPONDENZLISTE IRSC PLUS

MANUFACTURER	REMOTE CONTROL MODEL	ZENNIO PARAMETER
ACSON	RC 9330	IRSC-OPEN
AERMAC	801	150
AERMAC	CPWAC-A300BEO	175
AERMAC	COOLBZ-20N-B40-H0002(RD)	176
AERMAC	8012-0011-00	177
ARTEL	1512	143
ARTEL	NO MODEL	203
ARCELIK	8721A000025	165
ARISO	RCS-251-AR	192
ARIAGEL	20003004-1	116
ARTEL	NO MODEL	245
AUL	YR8-AJ001E	228
BEKO	NO-MODEL.1	116
BEKO	G2-248-E1	247
BLUE STAR	0388	222
BLISS	YR37	203
CARRIER	KIT 33AC-15	81
CARRIER	W19-L07F	82
CARRIER	TAC40	83
CARRIER	8712A00001	84
CARRIER	NO MODEL.1	81
CARRIER	NO MODEL.4	81
CARRIER	NO MODEL.81	89
CARRIER	NO MODEL.1V	88
CARRIER	NO MODEL.1V	87
CARRIER	NO MODEL.V1	85
CARRIER	1CD-57N-235110	86
CARRIER	8145	214
CHIGO	29-17-61	155
CLIMATE SUPPLY	SIN-MODELO	14

[pdf] Documentation

Atila TABLA DE CORRESPONDENCIAS IRSC PLUS CORRESPONDENCE TABLE DU CORRESPONDANCE KORRESPONDENZLISTE PLU Correspondence Table 6 12 function no file andre correspondence table ||| TABLA DE CORRESPONDENCIAS IRSC PLUS IRSC PLUS CORRESPONDENCE TABLE TABLE DU CORRESPONDANCE IRSC PLUS ... NTROLS REMOTE CONTROL MODEL ZENNIO PARAMETER YR-H65 / YR-H59 205 0010401314A 205 YR-H71 206 **YR-HD01** 206 YR-H08 / YR-H17 207 YR-C02 207 RAR-5E4 9 RAR-5E1 9 RAR-5E5 / RAR-5F1 10 PC-L... lang:i-klinton score:12 filesize: 316.9 K page_count: 10 document date: 2016-05-27

Zennio

TABLA DE CORRESPONDENCIAS IRSC PLUS
IRSC PLUS CORRESPONDENCE TABLE
TABLE DU CORRESPONDANCE IRSC PLUS
KORRESPONDENZLISTE IRSC PLUS

MANUFACTURER	IRSC PLUS CONTROL M CODE	ZENNIO PARAMETER	AVAILABLE FOR
ADON	AC 1000	IRSC-CPH	
AIRMEC	AD1	150	6.12
AIRMEC	COOLING SEN (NO H000000)	175	6.12
AIRMEC	COOLING SEN (NO H000000)	176	6.12
AIRMEC	COOLING SEN (NO H000000)	177	6.12
AIRTEL	NO MODEL	143	6.12
AIRTEL	NO MODEL	203	6.12
AIRTEL	IRSC-3M-HVIR-4E	184	6.2
ALPTEC	NO MODEL	214	6.12
ALTECH	NO MODEL	245	6.2
ANQOR	ST11480005	165	6.12
ARCO	IRSC-3-AR	192	6.12
ARMAN	2050005-1	116	6.12
ARTEL	NO MODEL	245	6.12
ALIX	W0400005	228	6.12
BAI	W0400005	228	6.12
BECON	Y01F	203	6.2
BEKO	NO MODEL 1	116	6.12
BEKO	COOLING SEN	247	6.12
BLUE STAR	Q08	202	6.12
BLUE STAR	Y04 Y05	202	6.12
BLUES	Y01F	203	6.12
CARRIER	RT 30AC 15	81	6.2
CARRIER	RT 30AC 15	82	6.12 6.2
CARRIER	TAC 40	83	6.12
CARRIER	ST11480005	84	6.12
CARRIER	NO MODEL 1	81	6.2
CARRIER	NO MODEL 1	81	6.2

© Zennio Technology S.L. Version 0.2 www.zennio.com
Documentación Técnica / Technical Documentation / Documentation Technique / Technische Documentatie

[pdf] Documentation

Correspondence Table 6 12 8 2 zennio technical note irsc plus correspondences

TABLA DE CORRESPONDENCIAS IRSC PLUS IRSC PLUS CORRESPONDENCE


TABLE TABLE DU CORRESPONDANCE IRSC PLUS ... 6.12 202 6.12 237 6.12

HAIER HAIER HAIER HAIER HAIER HAIER YR-H65 / YR-H59 0010401314A YR-

H71 **YR-HD01** YR-H08 / YR-H17 YR-C02 205 6.12 205 6.12 206 6.12 206 6.12

HEIKO UNKNOWN 205 6.1...

lang:i-klngon **score:11** filesize: 70.93 K page_count: 12 document date: 2021-09-20



[pdf] User Manual Catalog

Super Match Haier New Zealand Installation Manual For Wire Controller There are three methods to connection wire controller and the indoor units A One wired can control max Compressor running frequency range 3U19 20 100RPS 3U24 94RPS others 20~95RPS After replacing batteries or a power failure happens time Service Multi 1511 haier co nz on demandware static Sites master catalog default dw44dae327 technical content airconditioning super match multi au

Super Match 3U19FS2ERA 3U24GS2ERA 4U30HS2ERA SYJS-11-2015REV.D

5U34HS2ERA Edition:2015-11 Cont ... 10/30/50/70 inner grooved pipe/7.0 2 /

750/720/250 920/820/340 PVC 25/29 YR-E14S /YR-E16 O **YR-HD01** O 145 NONE

46/43/39 36/33/29 6.35 9.52 flared 22.8/27 33 Super Match Item Model Func...

lang:en **score:11** filesize: 40.71 M page_count: 483 document date: 2015-12-23



[pdf] Borchure Catalog Price List

Haier AC Price List 2021 UK Residential Mult Splits Commercial available from Hawco Europe Brochure

02 multisplit 11 lug — More than 20% of the air conditioner s thermal cooling capacity is penalised T 2Q

2Σ FDUG Standard YR HBS01 85 MULTISPLIT RESIDENTIAL Haierhvac eu hawco co uk media |||

72 Haierhvac.eu RESIDENTIAL MultiSplit Haierhvac.eu 73 Residential MultiSplit

Inverter SERIES ... Residential Multisplit Inverter CEILING FLOOR 3.5 kW 5.0 kW 7.1

kW OPTIONAL CONTROL 33 Standard **YR-HD01** Silence Flow 6SHHG Fresh Air

2Q2 DUG Low noise level ORZ,QWHUQDOGHFHFWRUVDUHGGLYLGH...

lang:en **score:10** filesize: 12.63 M page_count: 91 document date: 2021-07-08



[\[pdf\]](#) Borchure Price List

Haier AC Price List 2021 UK Residential Single Splits available from Hawco Europe Brochure 01
monosplit hawco co uk media

HVAC Solutions Front Cover See Cover PDF for Artwork Residential Light
Commercial Price List 2021/ ... Haierhvac.eu 33 Control systems O Standard O
Optional REMOTE CONTROLLERS WI-FI SERIES YR-HE **YR-HD01** YR-HBS01 YR-
HQ JADE - - - O FLEXIS PLUS - - O O PEARL O O - - TUNDRA PLUS ...

lang:en score:9 filesize: 10.01 M page_count: 71 document date: 2021-07-08