

Technical Precision AX-5U2T-8

Technical Precision Replacement Battery for WILDVIEW TK30 / STC-WV30 Trail Camera User Manual

[Installation](#) [Operation](#) [Safety Information](#) [Product Overview](#) [Setup &](#)
[Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. SAFETY INFORMATION

Read all safety instructions before using this product. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Do not disassemble, open, or shred the battery pack.
- Do not expose the battery to heat or fire. Avoid storage in direct sunlight.
- Do not short-circuit a battery. Do not store batteries haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.
- Do not remove a battery from its original packaging until required for use.
- Do not subject batteries to mechanical shock.
- In the event of a battery leaking, do not allow the liquid to come into contact with the skin or eyes. If contact has been made, wash the affected area with copious amounts of water and seek medical advice.
- Do not use any charger other than that specifically provided for use with the equipment.
- Observe the plus (+) and minus (-) marks on the battery and equipment and ensure correct use.
- Keep batteries out of the reach of children.
- Seek medical advice immediately if a battery has been swallowed.
- Always purchase the correct battery for the equipment.
- Keep batteries clean and dry.
- Wipe the battery terminals with a clean dry cloth if they become dirty.
- Rechargeable batteries must be charged before use. Always use the correct charger and refer to the manufacturer's instructions or equipment manual for proper charging instructions.
- Do not leave a rechargeable battery on prolonged charge when not in use.

2. PRODUCT OVERVIEW

This product is a replacement battery manufactured by Technical Precision, designed for use with WILDVIEW TK30 and STC-WV30 Trail Cameras. It is a Sealed Lead Acid battery, providing reliable power for your outdoor sports camera.



Image 1: Technical Precision Replacement Battery. This image displays the compact, rectangular battery unit, typically used in trail cameras. The battery is designed to fit specific WILDVIEW trail camera models, providing a direct power source replacement.

Note: This battery is a replacement part and is not manufactured by WILDVIEW.

3. SETUP & INSTALLATION

Follow these steps to install the Technical Precision replacement battery into your WILDVIEW TK30 or STC-WV30 Trail Camera.

1. **Power Off Camera:** Ensure your trail camera is completely powered off before attempting battery replacement.
2. **Locate Battery Compartment:** Refer to your WILDVIEW trail camera's original manual to locate and open the battery compartment. This is typically on the back or bottom of the camera, secured by a latch or screws.
3. **Remove Old Battery:** Carefully remove the existing battery from the compartment. Note its orientation.
4. **Insert New Battery:** Insert the Technical Precision replacement battery into the compartment, ensuring the correct polarity (+ and - terminals) matches the markings inside the camera's battery compartment. Do not force the battery.
5. **Secure Compartment:** Close and secure the battery compartment cover.
6. **Power On Camera:** Turn on your trail camera to verify proper installation and functionality.

If you encounter any difficulty, consult your WILDVIEW trail camera's original instruction manual for specific battery compartment access details.

4. OPERATION

Once installed, the Technical Precision replacement battery powers your WILDVIEW TK30 or STC-WV30 Trail Camera. The operation of the camera itself remains unchanged. Refer to your trail camera's original manual for instructions on camera settings, motion detection, photo/video capture, and data retrieval.

This battery is a Sealed Lead Acid type. It is designed to provide consistent power until its charge is depleted. For recharging, you will need an appropriate charger compatible with 1-volt Sealed Lead Acid batteries. Always follow the charger manufacturer's instructions for safe and effective charging.

5. MAINTENANCE

- **Storage:** Store the battery in a cool, dry place away from direct sunlight and extreme temperatures. If storing for extended periods, ensure the battery is fully charged before storage and periodically check its charge.
- **Cleaning:** Keep the battery terminals clean and free of dirt or corrosion. Use a clean, dry cloth to wipe them if necessary.
- **Disposal:** Do not dispose of batteries in household waste. Sealed Lead Acid batteries contain materials that require special disposal. Consult your local regulations for proper battery recycling and disposal procedures.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Camera does not power on after battery installation.	<ul style="list-style-type: none"> ◦ Incorrect battery polarity. ◦ Battery not fully inserted. ◦ Battery is discharged. ◦ Faulty battery. ◦ Camera issue (not battery related). 	<ul style="list-style-type: none"> ◦ Check battery orientation and reinsert correctly. ◦ Ensure the battery is fully seated in the compartment. ◦ Charge the battery using a compatible charger. ◦ Test with a known good battery if available. If the issue persists, contact Technical Precision support. ◦ Consult your WILDVIEW camera manual or support.
Battery life is shorter than expected.	<ul style="list-style-type: none"> ◦ Battery not fully charged. ◦ Extreme operating temperatures. ◦ High camera usage (e.g., frequent triggers, video recording). ◦ Battery nearing end of its lifespan. 	<ul style="list-style-type: none"> ◦ Ensure the battery is fully charged before each use. ◦ Battery performance can be affected by cold or hot weather. ◦ Adjust camera settings to reduce power consumption if possible. ◦ Consider replacing the battery if it consistently performs poorly after proper charging.

7. SPECIFICATIONS

Feature	Detail
Brand	Technical Precision
Model Number	AX-5U2T-8
Compatible With	WILDVIEW TK30, WILDVIEW STC-WV30 Trail Cameras
Battery Cell Composition	Sealed Lead Acid
Voltage	1 Volts
Recommended Use	Camera
Unit Count	1.0 Count
ASIN	B086C8SH29

8. WARRANTY & SUPPORT

For warranty information regarding your Technical Precision replacement battery, please refer to the documentation included with your purchase or contact Technical Precision directly. Warranty terms may vary.

If you require technical assistance or have questions about this product, please contact Technical Precision customer support. Contact details are typically available on the manufacturer's website or through your point of purchase.

Manufacturer: Technical Precision

